

SECTION 2

HOSE TAILS



HOSE TAIL IDENTIFICATION KEY

SAMPLE

K	06	JF	09	90	-30mm
---	----	----	----	----	-------

Hose Type Hose Size Thread Style Thread Size Angle (If Required) Drop Length (Available on 90° and 90° Long Drop Only)

METRIC HOSE TAIL SAMPLE

K	04	MF	08	14	A
---	----	----	----	----	---

Hose Type Hose Size M = Metric
F = Female Tube Size Thread Size Thread Pitch

A = 1.5mm
B = 2.0mm
C = 1.0mm


Note: Following angles not available on all hose tails.
L = Long Drop° 15° 22.5° 30° 45° 60° 67.5° 90° 90L° 110°

<i>BSP Thread</i>	BF	BFF	BM	BPM		BF = Female Parallel 60° Cone BFF = Female Flat Face BM = Male Taper BPM = Male Parallel 60° Cone
<i>Hose Joiner</i>	HJ					HJ = Hose Joiner
<i>JIC Thread</i>	JF	JM				JF = Female JIC Swivel 37° Cone JM = Male JIC 37° Cone
<i>JIS Thread (BSP)</i>	IBF					IBF = Female Parallel Pipe Swivel 30° Flare
<i>JIS Thread (Metric, Komatsu)</i>	KF					KF = Female Swivel Straight 30° Flare
<i>Karcher Pressure Wash</i>	KA					KA = Female 22mm x 14mm Pressure Wash
<i>Life Saver</i>	LS					LS = Life Saver
<i>Metric Thread</i>	MBJ	MF	MM	MFF	MFO	MBJ = Metric Banjo MF = Female Straight 24° Cone MM = Male Straight 24° Cone MFF = Female Straight Flat Face MFO = Female Straight 24° Cone with o'ring
<i>NPT Thread</i>	NF	NM				NF = Female Parallel Straight NM = Male Taper Straight
<i>ORFS Thread</i>	FO	MO				FO = Female ORFS Swivel MO = Male ORFS
<i>SAE Flange Code 61 / 62</i>	F61	F62	FC62	FT		F61 = Code 61 Flange F62 = Code 62 Flange FC62 = CAT Flange FT = Taper Flange
<i>SAE Thread</i>	IS	SF				IS = Inverted Male SAE SF = SAE Female
<i>Stand Pipe</i>	SP					SP = Stand Pipe
<i>UNO Thread</i>	PSW	PM				PSW = UNO Male Swivel PM = UNO Male




Single & Double Wire Braid


Straight




K-BJ | Page 57



K-MBJ | Page 57




K-BF | Page 57




K-BFF | Page 58

BSPP Male



K-BPM | Page 58

BSPT Male




K-BM | Page 59

BSPP M Bulkhead




K-BBPM | Page 60

SAE Code 61 Flange




K-F61 | Page 60

Hose Joiner




K-HJ | Page 61

JIC F Swivel 37°




K-JF | Page 61

JIC M 37°




K-JM | Page 63

JIS (BSP) F Parallel Pipe Swivel




K-IBF | Page 63

Komatsu F Swivel 30° Flare JIS Metric




K-KF | Page 64

K Plug In Male




K-PI | Page 64

Life Saver




K-LS | Page 65

Metric Flat Face F



K-MFF | Page 65

Ball Nose Metric F 24° Cone




K-MF | Page 66

Metric M 24° Cone




K-MM | Page 67

NPT F Swivel




K-NF | Page 68

NPT Male




K-NM | Page 68

F O-Ring Face Seal Swivel




K-FO | Page 69

M O-Ring Face Seal




K-MO | Page 69

SAE F



K-SF | Page 70


Stand Pipe



K-SPM | Page 70


Single & Double Wire Braid

UNO M



K-PM | Page 70


UNO Male Swivel



K-PSW | Page 70

22.5 Degree

SAE Code 61 Flange




K-61 | Page 71

MORE PRODUCTS
COMING SOON


45 Degree

BSPP F Swivel




K-BF | Page 71

SAE Code 61 Flange




K-F61 | Page 72

JIC F Swivel




K-JF | Page 72

Flat Face Metric F




K-MFF | Page 73

**Ball Nose Metric
F 24° Cone**



K-MF | Page 73


**F O-Ring Face Seal
Swivel**



K-FO | Page 74

67.5 Degree

SAE Code 61 Flange



K-F61 | Page 75

MORE PRODUCTS
COMING SOON

90 Degree

BSPP F Swivel



K-BF | Page 75

SAE Code 61 Flange



K-F61 | Page 76

JIC F Swivel



K-JF | Page 77

**JIS (BSP) F Parallel
Pipe Swivel**




K-IBF | Page 79

**Komatsu F Swivel 30°
Flare JIS Metric**




K-KF | Page 79

Flat Face Metric F




K-MFF | Page 80

**Ball Nose Metric
F 24° Cone**




K-MF | Page 80

**F O-Ring Face
Seal Swivel**



K-FO | Page 81

UNO Male Swivel



K-PSW | Page 82



TAIPAN


Single & Double Wire Braid

SAE F



K-SF | Page 82

Stand Pipe



K-SPM | Page 83

MORE PRODUCTS
COMING SOON


MORE PRODUCTS
COMING SOON

MORE PRODUCTS
COMING SOON

Single & Double Wire Braid Field Attachable


Straight

BSP F Parallel
Pipe Swivel




D-BF | Page 83

BSPT Male




D-BM | Page 84

JIC F 37° Swivel




D-JF | Page 84

JIC M 37°




D-JM | Page 85

JIS (BSP) F Parallel
Pipe Swivel




D-IBF | Page 85

Life Saver




D-LS | Page 85

F O-Ring Face
Seal Swivel



D-FO | Page 86

SAE Female




D-SF | Page 86

MORE PRODUCTS
COMING SOON


45 Degree

BSPP F Swivel




D-BF | Page 86

JIC F 37° Swivel



D-JF | Page 87

F O-Ring Seal Swivel




D-FO | Page 87

MORE PRODUCTS
COMING SOON


90 Degree

BSPP F Swivel




D-BF | Page 87

JIC F 37° Swivel




D-JF | Page 88

JIS (BSP) F Parallel
Pipe Swivel



D-IBF | Page 88

F O-Ring Seal Swivel



D-FO | Page 89


Can't find what you're looking for?

1300 654 782

Single & Double Wire Braid Field Attachable

Shells

Field Attach Shells to suit 100R1 & 100R2 & R17



D1-D2-D17 | Page 89

MORE PRODUCTS
COMING SOON


MORE PRODUCTS
COMING SOON

MORE PRODUCTS
COMING SOON

Single & Double Wire Braid Two Piece

Shells

100R2 Shells



GN2 | Page 90

MORE PRODUCTS
COMING SOON

MORE PRODUCTS
COMING SOON

MORE PRODUCTS
COMING SOON

Suction Hose Low Pressure

Straight

BSPP F Swivel Nut x L/P HT



QAAX | Page 91

BSP Parallel M x L/P HT



QADX | Page 91

BSPT M x L/P HT



QAEX | Page 91

Code 61 Flange x L/P HT



QAFX | Page 92

NPT M x L/P HT



QAUX | Page 92


UNO M x L/P HT



QAPX | Page 93

45 Degree

Code 61 Flange x L/P HT 45°



QETFX-45 | Page 93

MORE PRODUCTS
COMING SOON

90 Degrees

BSPP F Swivel x L/P HT



QEBAX | Page 93

BSPP M x L/P HT 90°




QEBDX | Page 94

BSPT M x L/P HT 90°



QEBEX | Page 94

Code 61 Flange x L/P HT 90°



QETFX | Page 95



TAIPAN

Suction Hose Low Pressure

UNO M x L/P HT 90°



QEBPX | Page 95

Tee Piece

L/P x L/P x BSPP
F Swivel



QTEXXA | Page 95


MORE PRODUCTS
COMING SOON

MORE PRODUCTS
COMING SOON

SAE100R5 Field Attachable


Straight

JIC F 37° Swivel




DF-JF | Page 96

NPT Male




DF-NM | Page 96

F O-Ring Face Seal Swivel



DF-FO | Page 97


SAE F



DF-SF | Page 97


45 Degree

JIC F 37° Swivel



DF-JF | Page 97

SAE F




DF-SF | Page 97

MORE PRODUCTS
COMING SOON

MORE PRODUCTS
COMING SOON

90 Degrees

JIC F 37° Swivel



DF-JF | Page 98

SAE F



DF-SF | Page 98

MORE PRODUCTS
COMING SOON

MORE PRODUCTS
COMING SOON

SAE100R5 Crimp Hose Tails

Straight

JIC F Swivel 37°



F-JF | Page 99

NPT Male



F-NM | Page 99

BSPP F Swivel



F-BF | Page 99

BSPT Male



F-BM | Page 100

Can't find what you're looking for?

1300 654 782

SAE100R5 Crimp Hose Tails

45 Degree

JIC F Swivel



F-JF | Page 100

90 Degree

JIC F Swivel




F-JF | Page 100

MORE PRODUCTS
COMING SOON

SAE100R6 Textile Braid


Straight

Banjo




H-MBJ | Page 101

BSPP F Swivel




H-BF | Page 101

BSPT Male




H-BM | Page 101

Hose Joiner




H-HJ | Page 102

JIC F 37° Swivel




H-JF | Page 102

JIC M 37° Swivel




H-JM | Page 102

SAE F



H-SF | Page 103

NPT Male Taper




H-NM | Page 103

MORE PRODUCTS
COMING SOON


90 Degree

BSPP F Swivel



H-BF | Page 103

JIC F 37° Swivel



H-JF | Page 104


MORE PRODUCTS
COMING SOON

MORE PRODUCTS
COMING SOON

SAE100R7, SAE100R8 & SAE100R18 Thermoplastic


Straight

BSPP F Swivel




J-BF | Page 105

BSPT Male




J-BM | Page 105

JIS (BSP) F Parallel
Pipe Swivel



J-IBF | Page 105

JIC F 37° Swivel




J-JF | Page 106



TAIPAN


SAE100R7, SAE100R8 & SAE100R18 Thermoplastic

JIC M 37°




J-JM | Page 106

**Komatsu F Swivel 30°
Flare JIS Metric**




J-KF | Page 106

**Metric F/M Ball
Nose 24° Cone**




J-MF | Page 107

Metric M 24° Cone




J-MM | Page 107

NPT Male




J-NM | Page 107

**F O-Ring Face
Seal Swivel**



J-FO | Page 108


Stand Pipe



J-SP | Page 108


45 Degree

BSPP F Swivel




J-BF | Page 109

JIC F 37° Swivel




J-JF | Page 109

**Ball Nose Metric F
24° Cone**




J-MF | Page 109

**F O-Ring Face Seal
Swivel**



J-FO | Page 110

Stand Pipe




J-SP | Page 110

MORE PRODUCTS
COMING SOON

MORE PRODUCTS
COMING SOON


90 Degree

**Metric Ball Nose F
24° Cone**




J-MF | Page 111

BSPP F Swivel




J-BF | Page 110

JIC F 37° Swivel




J-JF | Page 110

**F O-Ring Face Seal
Swivel**



J-FO | Page 111

Stand Pipe



J-SP | Page 1112

MORE PRODUCTS
COMING SOON

MORE PRODUCTS
COMING SOON


MORE PRODUCTS
COMING SOON

MORE PRODUCTS
COMING SOON

SAE100R12 Four Wire Spiral


Straight

BSPP F Swivel




L-BF | Page 113

BSPP M Parallel




L-BPM | Page 114

BSPT Male




L-BM | Page 114

SAE Code 61 Flange



L-F61 | Page 115

SAE Code 62 Flange




L-F62 | Page 115

Hose Joiner




L-HJ | Page 116

JIC F 37° Swivel




L-JF | Page 116

JIC M 37°




L-JM | Page 117

JIS (BSP) F Parallel Pipe Swivel




L-IBF | Page 118

Komatsu F Swivel 30° Flare JIS Metric




L-KF | Page 118

Life Saver




L-LS | Page 118

O-Ring Metric F 24° Cone




L-MFO | Page 119

Metric M 24° Cone




L-MM | Page 120

NPT Male




L-NM | Page 120

F O-Ring Face Seal Swivel




L-FO | Page 120

M O-Ring Face Seal



L-MO | Page 121


SAE F



L-SF | Page 121

22.5 Degree


SAE Code 61 Flange



L-61 | Page 122

30 Degree


SAE Code 61 Flange



L-61 | Page 122


45 Degree

BSPP F Swivel



L-BF | Page 123

SAE Code 61 Flange




L-F61 | Page 123



TAIPAN


SAE100R12 Four Wire Spiral

SAE Code 62 Flange




L-F62 | Page 124

JIC F 37° Swivel




L-JF | Page 124

O-Ring Metric F
24° Cone



L-MFO | Page 125

F O-Ring Face
Seal Swivel




L-FO | Page 125

MORE PRODUCTS
COMING SOON

60 Degree


SAE Code 61 Flange



L-F61 | Page 126

67.5 Degree

SAE Code 61 Flange



L-F61 | Page 126

MORE PRODUCTS
COMING SOON


90 Degree

BSPP F Swivel




L-BF | Page 127

SAE Code 61 Flange



L-F61 | Page 127

SAE Code 62 Flange



L-F62 | Page 128

JIC F 37° Swivel




L-JF | Page 129

Komatsu F Swivel 30°
Flare JIS Metric




L-KF | Page 130

O-Ring Metric F
24° Cone



L-MFO | Page 130


F O-Ring Face
Seal Swivel



L-FO | Page 131

110 Degree

SAE Code 61 Flange




L-F61 | Page 131

SAE100R13, SAE100R15 Four & Six Wire Spiral


Straight

1502 Female Hammer
Union




N-FHU | Page 133

1502 Male Hammer Union




N-MHU | Page 133

BSPP F Swivel



N-BF | Page 133


BF RB BSP F
Rock Breaker



N-BF-RB | Page 133


SAE100R13, SAE100R15 Four & Six Wire Spiral

BSPT M




N-BM | Page 134

SAE Code 61 Flange




N-F61 | Page 134

SAE Code 62 Flange




N-F62 | Page 135

CAT Flange




N-FC62 | Page 135

LeTourneau Flange




N-LT | Page 136

Hose Joiner




N-HJ | Page 136

JIC F 37° Swivel




N-JF | Page 136

JIC M 37°




N-JM | Page 137

**Komatsu F Swivel 30°
Flare JIS Metric**




N-KF | Page 137

O-Ring Metric F 24° Cone




N-MFO | Page 137

Metric M 24° Cone




N-MM | Page 138

NPT F Swivel




N-NF | Page 138

NPT Male




N-NM | Page 138

F O-Ring Face Seal Swivel




N-FO | Page 139

**Taper Flange (Heavy
Duty Mining Equip.)**




N-FT | Page 139

15 Degree




N-FT | Page 139

22.5 Degree




N-F61 | Page 140




N-FC62 | Page 140

30 Degree




N-F61 | Page 140

SAE Code 62 Flange



N-F62 | Page 141

CAT Flange



N-FC62 | Page 141

MORE PRODUCTS
COMING SOON




TAIPAN

SAE100R13, SAE100R15 Four & Six Wire Spiral


45 Degree

BSPP F Swivel




N-BF | Page 141

SAE Code 61 Flange




N-F61 | Page 141

SAE Code 62 Flange




N-F62 | Page 142

CAT Flange




N-FC62 | Page 142

Taper Flange (Heavy Duty Mining Equip.)




N-FT | Page 143

JIC F 37° Swivel




N-JF | Page 143

O-Ring Metric F 24° Cone



N-MFO | Page 144

F O-Ring Face Seal Swivel




N-FO | Page 144

MORE PRODUCTS
COMING SOON


60 Degree

SAE Code 61 Flange




N-F61 | Page 144

SAE Code 62 Flange



N-F62 | Page 145

CAT Flange




N-FC62 | Page 145

MORE PRODUCTS
COMING SOON

67.5 Degree

SAE Code 61 Flange



N-F61 | Page 145


CAT Flange



N-FC62 | Page 145

70 Degree


Taper Flange (Heavy Duty Mining Equip.)



N-FT | Page 146


90 Degree

BSPP F Swivel




N-BF | Page 146

SAE Code 61 Flange




N-F61 | Page 146

SAE Code 62 Flange








N-F62 | Page 147

CAT Flange







N-FC62 | Page 148


SAE100R13, SAE100R15 Four & Six Wire Spiral

LeTourneau Flange  N-LT Page 148	Taper Flange (Heavy Duty Mining Equip.)  N-FT Page 148	JIC F 37° Swivel  N-JF Page 149	O-Ring Metric F 24° Cone  N-MFO Page 149	F O-Ring Face Seal Swivel  N-FO Page 149
105 Degree	Taper Flange (Heavy Duty Mining Equip.)  N-FT Page 150	110 Degree	SAE Code 61 Flange  N-F61 Page 150	SAE Code 62 Flange  N-F62 Page 151















SAE100R14 Stainless PTFE

Straight	JIC F 37° Swivel  C-JF Page 151	SAE F  C-SF Page 151	45 Degree	JIC F 37° Swivel  C-JF Page 152
90 Degree	JIC F 37° Swivel  C-JF Page 152	MORE PRODUCTS COMING SOON	MORE PRODUCTS COMING SOON	MORE PRODUCTS COMING SOON

Waterblast














Two Piece Straight	Karcher Pressure Wash  G-KA Page 153	Straight	Karcher Pressure Wash  K-KA Page 153	MORE PRODUCTS COMING SOON
---------------------------	---	-----------------	--	---------------------------

Grease Hose Tails

Field Attachables	Straight	BSPP F Swivel  GH-BF Page 154	BSPT Male  GH-BM Page 154	JIC F 37° Swivel  GH-JF Page 154
Stand Pipe M  GH-SP Page 154	45 Degree	Stand Pipe M  GH-SP Page 154	90 Degree	JIC F 37° Swivel  GH-JF Page 155
Stand Pipe M  GH-SP Page 155	Shell	Grease Shell  GH-SHELL Page 155	MORE PRODUCTS COMING SOON	MORE PRODUCTS COMING SOON
Crimp On	Straight	BSPP F Swivel  J-BF Page 156	JIC F 37° Swivel  J-JF Page 156	ORFS Female  J-F0 Page 156
Metric F/M Ball Nose 24° Cone  J-MF Page 156	Stand Pipe  J-SP Page 156	45 Degree	Ball Nose Metric F 24° Cone  J-MF Page 157	Stand Pipe  J-SP Page 157

Can't find what you're looking for?


1300 654 782

90 Degree	BSPP F Swivel  J-BF Page 157	JIC F 37° Swivel  J-JF Page 157	Metric Ball Nose F 24° Cone  J-MF Page 158	Stand Pipe  J-SP Page 158
	Stainless Steel			
	SS Single & Double Wire Braid	BSPP F Swivel  K-BF Page 57	BSPT Male  K-BM Page 59	JIC F Swivel 37°  K-JF Page 61
		BSPP F Swivel  K-BF Page 71	JIC F Swivel  K-JF Page 72	MORE PRODUCTS COMING SOON
	NPT Male  K-NM Page 68	45 Degree		
90 Degree	BSPP F Swivel  K-BF Page 75	JIC F Swivel  K-JF Page 77	MORE PRODUCTS COMING SOON	MORE PRODUCTS COMING SOON
	BSPP F Swivel  L-BF Page 113	JIC F 37° Swivel  L-JF Page 116	O-Ring Metric F 24° Cone  L-MFO Page 119	MORE PRODUCTS COMING SOON
SS 100R12 Four Wire Spiral				

Stainless Steel

45 Degree


BSPP F Swivel



L-BF45 | Page 123

90 Degree

JIC F 37° Swivel



L-JF | Page 129

BSPP F Swivel




L-BF | Page 127

SS
100R13,100R15
Four & Six Wire
Spiral


Straight

BSPP F Swivel



N-BF | Page 133

SAE Code 62 Flange




N-F62 | Page 135

MORE PRODUCTS
COMING SOON

45 Degree


SAE Code 62 Flange



N-F62 | Page 142

90 Degree

SAE Code 62 Flange



N-F62 | Page 147

MORE PRODUCTS
COMING SOON



PRODUCTION READY HOSE ASSEMBLIES

Taipan pre-assembled hose kits are custom made to your specifications.

We collaborate with OEM's to ensure the optimal hose system is specified for their manufacturing needs and requirements.

Taipan's world class hose assembly workshop is run by fully trained staff and complemented by high quality equipment. Our processes ensure accuracy and efficiency are achieved so that our customers receive their kits in a timely manner.

- Simplifies hydraulic equipment manufacturing processes
- Enhances the safety, reliability, and performance of hydraulic equipment
- Reliable on-time delivery, nationwide & overseas
- Cost-efficient

www.taipan.com.au




TAIPAN
Hydraulic Hose Systems

Single & Double Wire Braid

Straight

K Series


BJ - BSP Banjo Hose Tail



Part Number	Products Description									
	Hose In-Dia	Banjo ID	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04BJ04	1/4	1/4			29.4	1.16			57.1	2.24

K Series


MBJ - Metric Banjo Hose Tail



Part Number	Products Description									
	Hose In-Dia	Banjo ID	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
		MM	MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04MBJ12	1/4	12			29.4	1.16			57.1	2.24

K Series

BF - BSP Female Parallel Pipe Swivel Straight 60° Cone



SS = Stainless Steel

Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04BF02	1/4	1/8-28	14.0	0.55	29.4	1.16	14.0	0.55	49.7	1.96
K04BF04	1/4	1/4-19	19.0	0.75	32.7	1.29	19.0	0.75	53.0	2.09
K04BF04SS	1/4	1/4-19	19.0	0.75	32.7	1.29	19.0	0.75	53.0	2.09
K04BF06	1/4	3/8-19	22.0	0.87	36.2	1.43	22.0	0.87	56.5	2.22
K05BF06	5/16	3/8-19	22.0	0.87	36.7	1.44	22.0	0.87	57.7	2.27
K06BF04	3/8	1/4-19	19.0	0.75	33.5	1.32	19.0	0.75	60.7	2.39
K06BF06	3/8	3/8-19	22.0	0.87	36.8	1.45	22.0	0.87	64.0	2.52
K06BF06SS	3/8	3/8-19	22.0	0.87	36.8	1.45	22.0	0.87	64.0	2.52
K06BF08	3/8	1/2-14	27.0	1.06	40.5	1.59	27.0	1.06	67.7	2.67
K08BF06	1/2	3/8-19	22.0	0.87	37.9	1.49	22.0	0.87	68.1	2.68
K08BF08	1/2	1/2-14	27.0	1.06	41.0	1.61	27.0	1.06	71.2	2.80
K08BF08SS	1/2	1/2-14	27.0	1.06	41.0	1.61	27.0	1.06	71.2	2.80
K08BF10	1/2	5/8-14	28.6	1.12	38.2	1.50	27.0	1.06	68.4	2.69
K08BF12	1/2	3/4-14	32.0	1.26	45.5	1.79	32.0	1.26	75.7	2.98
K10BF08	5/8	1/2-14	27.0	1.06	41.6	1.64	27.0	1.06	76.9	3.03
K10BF10	5/8	5/8-14	28.6	1.12	38.7	1.52	27.0	1.06	74.0	2.91
K10BF12	5/8	3/4-14	32.0	1.26	46.0	1.81	32.0	1.26	81.3	3.20


Continued on following page...

Single & Double Wire Braid

Straight

K Series

BF - BSP Female Parallel Pipe Swivel Straight 60°Cone *Continued...*




SS = Stainless Steel

Part Number	Products Description	Thread PF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K12BF12	3/4	3/4-14	32.0	1.26	46.0	1.81	32.0	1.26	81.4	3.20
K12BF12SS	3/4	3/4-14	32.0	1.26	46.0	1.81	32.0	1.26	81.4	3.20
K12BF16	3/4	1-11	41.0	1.61	50.2	1.98	41.0	1.61	85.6	3.37
K16BF16	1	1-11	41.0	1.61	52.7	2.07	41.0	1.61	93.5	3.68
K16BF16SS	1	1-11	41.0	1.61	52.7	2.07	41.0	1.61	93.5	3.68
K16BF20	1	1 1/4-11	50.0	1.97	59.9	2.36	50.0	1.97	100.7	3.96
K20BF20	1 1/4	1 1/4-11	50.0	1.97	60.3	2.37	50.0	1.97	104.0	4.09
K24BF24	1 1/2	1 1/2-11	60.0	2.36	62.8	2.47	55.0	2.17	97.2	3.83
K32BF32	2	2-11	70.0	2.76	70.7	2.78	70.0	2.76	114.6	4.51

K Series


BFF - BSP Female Flat Face



Part Number	Products Description	Thread PF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	DAEHAN	Inch
		A	B		C		D		E	
K06BFF06	3/8	3/8-19	22.0	0.87	25.7	1.01	17.5	0.69	52.9	2.08
K06BFF08	3/8	1/2-14	27.0	1.06	25.1	0.99	20.6	0.81	52.3	2.06
K08BFF08	1/2	1/2-14	27.0	1.06	25.5	1.00	22.0	0.87	55.7	2.19

K Series

BPM - BSP Male Parallel 60°Cone



Part Number	Products Description	Thread PF	Nipple Hex		Tail-Growth		Overall Length		
			MM	Inch	MM	Inch	MM	Inch	
		A	B		C		E		
K04BPM04	1/4	1/4-19	19.0	0.75	28.7	1.13	48.1	1.89	
K04BPM06	1/4	3/8-19	22.0	0.87	31.7	1.13			
K06BPM06	3/8	3/8-19	22.0	0.87	31.7	1.25	58.9	2.32	
K06BPM08	3/8	1/2-14	27.0	1.06	34.2	1.35	61.4	2.42	
K08BPM08	1/2	1/2-14	27.0	1.06	34.6	1.36	64.8	2.55	
K12BPM12	3/4	3/4-14	36.0	1.42	37.3	1.47	72.7	2.86	
K12BPM16	3/4	1-11	41.0	1.61	41.3	1.63	76.7	3.02	
K16BPM16	1	1-11	41.0	1.61	43.8	1.72	84.6	3.33	




TAIPAN

Single & Double Wire Braid

Straight

K Series

BM - BSP Male Taper



SS = Stainless Steel


Part Number	Products Description								
	Hose In-Dia	Thread PT	Nipple Hex		Tail-Growth		Overall Length		
			MM	Inch	MM	Inch	MM	Inch	
		A	B		C		E		
K03BM02	3/16	1/8-28	14.3	0.56	22.8	0.89	42.5	1.67	
K03BM04	3/16	1/4-19	14.3	0.56	25.8	1.01	45.5	1.77	
K04BM02	1/4	1/8-28	14.3	0.56	24.7	0.97	45.0	1.77	
K04BM04	1/4	1/4-19	14.3	0.56	28.2	1.11	47.8	1.88	
K04BM06	1/4	3/8-19	22.0	0.87	30.1	1.19	49.7	1.96	
K04BM08	1/4	1/2-14	27.0	1.06	34.7	1.37	54.3	2.14	
K05BM06	5/16	3/8-19	22	0.87					
K06BM04	3/8	1/4-19	19.0	0.75	31.4	1.24	58.6	2.31	
K06BM06	3/8	3/8-19	22.0	0.87	30.7	1.21	57.9	2.28	
K06BM06SS	3/8	3/8-19	22.0	0.87	30.7	1.21	57.9	2.28	
K06BM08	3/8	1/2-14	27.0	1.06	35.3	1.39	62.5	2.46	
K08BM06	1/2	3/8-19	22.0	0.87	32.0	1.26	62.2	2.45	
K08BM08	1/2	1/2-14	27.0	1.06	35.8	1.41	66.0	2.60	
K08BM08SS	1/2	1/2-14	27.0	1.06	35.8	1.41	66.0	2.60	
K08BM12	1/2	3/4-14	36.0	1.42					
K10BM08	5/8	1/2-14	27.0	1.06	36.3	1.43	71.6	2.82	
K10BM12	5/8	3/4-14	36.0	1.42	40.4	1.59	75.7	2.98	
K12BM12	3/4	3/4-14	36.0	1.42	40.4	1.59	75.8	2.98	
K12BM16	3/4	1-11	41.0	1.61	45.2	1.78	80.6	3.17	
K16BM16	1	1-11	41.0	1.61	47.6	1.87	88.4	3.48	
K16BM16SS	1	1-11	41.0	1.61	47.6	1.87	88.4	3.48	
K16BM20	1	1 1/4-11	41.0	1.61	47.6	1.87	88.4	3.48	
K20BM20	1 1/4	1 1/4-11	50.0	1.97	52.6	2.07	96.3	3.79	
K24BM24	1 1/2	1 1/2-11	60.0	2.36	52.8	2.08	87.2	3.43	
K32BM32	2	2-11	70.0	2.76	63.1	2.48	107.0	4.21	

Single & Double Wire Braid

Straight

K Series


BBPM - BSP Male Bulkhead Parallel 60° Cone



Part Number	Products Description							
	Hose In-Dia	Thread PF	Nipple Hex		Tail-Growth		Overall Length	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C		E	
K08BBPM08	1/2	1/2-14	27.0	1.06	51.6	2.03	85.8	3.38
K10BBPM10	5/8	5/8-14	30.0	1.18	51.3	2.02	90.6	3.57

K Series

F61 - SAE Code 61 Flange Straight




Part Number	Products Description							
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Overall Length	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C		E	
K08F6108	1/2	1/2	30.2	1.19	57.6	2.27	87.8	3.46
K08F6112	1/2	3/4	38.1	1.50	31.7	1.25	61.9	2.44
K10F6110	5/8	5/8	34.1	1.34	61.9	2.44	97.2	3.83
K12F6112	3/4	3/4	38.1	1.50	62.6	2.46	98.0	3.86
K12F6116	3/4	1	44.5	1.75	34.2	1.35	69.6	2.74
K12F6120	3/4	1 1/4	50.8	2.00	39.8	1.57	75.2	2.96
K16F6116	1	1	44.5	1.75	67.1	2.64	107.9	4.25
K16F6120	1	1 1/4	50.8	2.00	40.4	1.59	81.2	3.20
K16F6124	1	1 1/2	60.3	2.37	45.6	1.80	86.4	3.40
K20F6116	1 1/4	1	44.5	1.75	67.6	2.66	111.3	4.38
K20F6120	1 1/4	1 1/4	50.8	2.00	75.7	2.98	119.4	4.70
K20F6124	1 1/4	1 1/2	60.3	2.37	38.1	1.50	81.8	3.22
K24F6124	1 1/2	1 1/2	60.3	2.37	82.2	3.24	116.6	4.59
K32F6132	2	2	71.4	2.81	83.2	3.28	127.1	5.00
K32F6140	2	2 1/2	84.1	3.31	53.7	2.11	97.6	3.84



Single & Double Wire Braid

Straight


K Series



HJ - Hose Joiner

Part Number	Products Description							
	Hose In-Dia	Nipple		Tail-Growth		Overall Length		
		MM	Inch	MM	Inch	MM	Inch	
		A		C		E		
K04HJ04	1/4	13.7	0.54	20.5	0.81	59.7	2.35	
K05HJ05	5/16	15.0	0.59	21.5	0.85	63.4	2.50	
K06HJ06	3/8	17.5	0.69	21.6	0.85	76.0	2.99	
K08HJ08	1/2	21.0	0.83	24.6	0.97	85.0	3.35	
K10HJ10	5/8	25.0	0.98	26.6	1.05	97.1	3.82	
K12HJ12	3/4	28.0	1.10	19.6	8.77	98.3	3.82	

K Series



SS = Stainless Steel

JF - JIC Female 37° Swivel Straight

Part Number	Product Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K03JF07	3/16	7/16-20	14.3	0.56	32.2	1.27	14.3	0.56	47.9	1.89
K03JF09	3/16	9/16-18	17.5	0.69	34.5	1.36	17.5	0.69	50.2	1.98
K04JF06	1/4	3/8-24								
K04JF07	1/4	7/16-20	14.3	0.56	29.8	1.17	14.3	0.56	50.1	1.97
K04JF07SS	1/4	7/16-20	14.3	0.56	29.8	1.17	14.3	0.56	50.1	1.97
K04JF08	1/4	1/2-20	15.9	0.62	31.3	1.23	14.3	0.56	51.6	2.03
K04JF09	1/4	9/16-18	17.5	0.69	32.7	1.29	14.3	0.56	53.0	2.09
K04JF09SS	1/4	9/16-18	17.5	0.69	32.7	1.29	14.3	0.56	53.0	2.09
K04JF12	1/4	3/4-16	22.2	0.87	37.5	1.48	20.6	0.81	57.8	2.28
K05JF08	5/16	1/2-20	15.9	0.62	28.9	1.14	17.5	0.69	53.4	2.10
K05JF09	5/16	9/16-18	17.5	0.69	33.2	1.31	17.5	0.69	54.2	2.13
K06JF07	3/8	7/16-20	14.3	0.56	30.0	1.18	17.5	0.69	57.2	2.25
K06JF09	3/8	9/16-18	17.5	0.69	32.5	1.28	17.5	0.69	59.7	2.35
K06JF09SS	3/8	9/16-18	17.5	0.69	32.5	1.28	17.5	0.69	59.7	2.35
K06JF12	3/8	3/4-16	22.2	0.87	35.4	1.39	17.5	0.69	62.6	2.46
K06JF12SS	3/8	3/4-16	22.2	0.87	35.4	1.39	17.5	0.69	62.6	2.46
K06JF14	3/8	7/8-14	25.4	1.00	41.0	1.61	22.2	0.87	68.2	2.69
K08JF09	1/2	9/16-18	17.5	0.69	33.0	1.30	20.6	0.81	63.2	2.49
K08JF12	1/2	3/4-16	22.2	0.87	38.6	1.52	20.6	0.81	68.8	2.71


Continued on following page..

Single & Double Wire Braid

Straight

K Series

JF - JIC Female 37° Swivel Straight *Continued...*



SS = Stainless Steel

Part Number	Product Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K08JF12SS	1/2	3/4-16	22.2	0.87	38.6	1.52	20.6	0.81	68.8	2.71
K08JF14	1/2	7/8-14	25.4	1.00	41.5	1.63	22.2	0.87	71.7	2.82
K08JF14SS	1/2	7/8-14	25.4	1.00	41.5	1.63	22.2	0.87	71.7	2.82
K08JF17	1/2	1 1/16-12	31.8	1.25	39.8	1.57	27.0	1.06	70.0	2.76
K10JF12	5/8	3/4-16	22.2	0.87	36.3	1.43	23.8	0.94	71.6	2.82
K10JF14	5/8	7/8-14	25.4	1.00	39.2	1.54	23.8	0.94	74.5	2.93
K10JF14SS	5/8	7/8-14	25.4	1.00	39.2	1.54	23.8	0.94	74.5	2.93
K10JF17	5/8	1 1/16-12	31.8	1.25	43.6	1.72	27.0	1.06	78.9	3.11
K12JF12	3/4	3/4-16	22.2	0.87	36.4	1.43	27.0	1.06	71.8	2.83
K12JF14	3/4	7/8-14	25.4	1.00	38.9	1.53	27.0	1.06	74.4	2.93
K12JF17	3/4	1 1/16-12	31.8	1.25	45.1	1.78	27.0	1.06	80.5	3.17
K12JF17SS	3/4	1 1/16-12	31.8	1.25	45.1	1.78	27.0	1.06	80.5	3.17
K12JF19	3/4	1 3/16-12	36.0	1.42	45.7	1.80	31.8	1.25	81.1	3.19
K12JF21	3/4	1 5/16-12	38.0	1.50	48.0	1.89	31.8	1.25	83.4	3.28
K16JF17	1	1 1/16-12	31.8	1.25	47.9	1.89	35.0	1.38	88.7	3.49
K16JF21	1	1 5/16-12	38.0	1.50	50.5	1.99	35.0	1.38	91.3	3.59
K16JF21SS	1	1 5/16-12	38.0	1.50	50.5	1.99	35.0	1.38	91.3	3.59
K16JF26	1	1 5/8-12	50.0	1.97	56.4	2.22	41.3	1.62	97.2	3.83
K20JF21	1 1/4	1 5/16-12	38.0	1.50	52.4	2.06	47.6	1.87	96.1	3.78
K20JF26	1 1/4	1 5/8-12	50.0	1.97	56.7	2.23	47.6	1.87	100.4	3.95
K20JF26SS	1 1/4	1 5/8-12	50.0	1.97	56.7	2.23	47.6	1.87	100.4	3.95
K20JF30	1 1/4	1 7/8-12	55.0	2.17	59.8	2.35	54.0	2.13	103.4	4.07
K24JF30	1 1/2	1 7/8-12	55.0	2.17	61.7	2.43	54.0	2.13	96.1	3.78
K32JF40	2	2 1/2-12	73.0	2.87	77.2	3.04	63.5	2.50	121.1	4.77




TAIPAN

Single & Double Wire Braid


Straight

K Series



JM - JIC Male 37° Straight									
Part Number	Products Description								
	Hose In-Dia	Thread UNF	Nipple Hex		Tail-Growth		Overall Length		
			MM	Inch	MM	Inch	MM	Inch	
		A	B		C		E		
K04JM07	1/4	7/16-20	14.3	0.56	30.8	1.21	51.1	2.01	
K04JM08	1/4	1/2-20	14.3	0.56	23.8	0.94	46.6	1.84	
K04JM09	1/4	9/16-18	17.5	0.69	27.3	1.07	47.6	1.87	
K04JM12	1/4	3/4-16	22.2	0.87	36.2	1.43	56.5	2.22	
K06JM09	3/8	9/16-18	19.0	0.75	34.2	1.35	61.4	2.42	
K06JM12	3/8	3/4-16	22.2	0.87	32.7	1.29	59.9	2.36	
K06JM14	3/8	7/8-14	23.8	0.94	35.2	1.39	62.4	2.46	
K08JM12	1/2	3/4-16	22.2	0.87	37.3	1.47	67.5	2.66	
K08JM14	1/2	7/8-14	23.8	0.94	35.7	1.41	65.9	2.59	
K08JM17	1/2	1 1/16-12	28.6	1.12	45.1	1.78	75.3	2.96	
K10JM14	5/8	7/8-14	23.8	0.94	41.8	1.65	77.1	3.04	
K10JM17	5/8	1 1/16-12	28.6	1.12	45.6	1.80	80.9	3.19	
K12JM17	3/4	1 1/16-12	28.6	1.12	45.6	1.80	81.0	3.19	
K12JM21	3/4	1 5/16-12	35.0	1.38	47.4	1.87	82.8	3.26	
K16JM21	1	1 5/16-12	35.0	1.38	51.4	2.02	92.2	3.63	
K16JM26	1	1 5/8-12	47.6	1.87	53.2	2.09	94.0	3.70	
K20JM26	1 1/4	1 5/8-12	47.6	1.87	53.6	2.11	97.2	3.83	

K Series




IBF - JIS (BSP) Female Parallel Pipe Swivel 30° Flare Straight											
Part Number	Products Description										
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length		
			MM	Inch	MM	Inch	MM	Inch	MM	Inch	
		A	B		C		D		E		
K04IBF04	1/4	1/4-19	19.0	0.75	22.7	0.89	19.0	0.75	42.3	1.67	
K04IBF06	1/4	3/8-19	22.0	0.87	25.5	1.00	22.0	0.87	45.1	1.78	
K06IBF06	3/8	3/8-19	22.0	0.87	26.1	1.03	22.0	0.87	53.3	2.10	
K08IBF08	1/2	1/2-14	27.0	1.06	27.9	1.10	27.0	1.06	58.1	2.29	
K10IBF12	5/8	3/4-14	36.0	1.42	32.4	1.28	36.0	1.42	67.7	2.67	
K12IBF12	3/4	3/4-14	36.0	1.42	32.4	1.28	36.0	1.42	67.8	2.67	
K16IBF16	1	1-11	41.0	1.61	36.9	1.45	41.0	1.61	77.7	3.06	

Single & Double Wire Braid

Straight

K Series


KF - Komatsu Female Swivel Straight 30° Flare JIS Metric



Part Number	Products Description									
	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04KF14	1/4	M14*1.5P	19.0	0.75	22.5	0.89	19.0	0.75	42.3	1.67
K04KF18	1/4	M18*1.5P	24.0	0.94	25.5	1.00	22.0	0.87	45.1	1.78
K06KF14	3/8	M14*1.5P	19.0	0.75	23.3	0.92	19.0	0.75	50.5	1.99
K06KF16	3/8	M16*1.5P	22.0	0.87	26.1	1.03	22.0	0.87	53.3	2.10
K06KF18	3/8	M18*1.5P	24.0	0.94	26.1	1.03	22.0	0.87	53.3	2.10
K06KF20	3/8	M20*1.5P	27.0	1.06	27.4	1.08	27.0	1.06	54.6	2.15
K06KF22	3/8	M22*1.5P	27.0	1.06	27.4	1.08	27.0	1.06	54.6	2.15
K08KF20	1/2	M20*1.5P	27.0	1.06	27.4	1.08	27.0	1.06	54.6	2.15
K08KF22	1/2	M22*1.5P	27.0	1.06	27.9	1.10	27.0	1.06	58.1	2.29
K08KF24	1/2	M24*1.5P	32.0	1.26	31.4	1.24	30.0	1.18	61.6	2.43
K10KF24	5/8	M24*1.5P	32.0	1.26	31.9	1.26	30.0	1.18	67.2	2.65
K10KF30	5/8	M30*1.5P	36.0	1.41	47.0	1.85	32.0	1.26	86.3	3.39
K12KF24	3/4	M24*1.5P	32.0	1.26	31.9	1.26	30.0	1.18	67.3	2.65
K12KF30	3/4	M30*1.5P	36.0	1.42	32.4	1.28	32.0	1.26	67.8	2.67
K16KF33	1	M33*1.5P	41.0	1.61	39.0	1.54	36.0	1.42	79.8	3.14
K20KF42	1 1/4	M42*1.5P	50.8	2.00	51.9	2.04	50.8	2.00		
K24KF42	1 1/2	M42*1.5P	50.8	2.00	51.9	2.04	50.8	2.00	86.3	3.40

K Series

KPI - Plug In Male (WEO Interchange)




Part Number	Products Description									
	Hose In-Dia	Plugin	OD		Tail-Growth		Overall Length			
			MM	Inch	MM	Inch	MM	Inch		
			B		C		E			
K04KPI04	1/4	1/4	9.9	0.39	29.7	1.17	51.3	2.02		
K06KPI06	3/8	3/8	12.9	0.51	34.4	1.35	63.5	2.50		
K08KPI08	1/2	1/2	15.9	0.63	34.8	1.37	67	2.64		
K12KPI12	3/4	3/4	22.9	0.9	44.9	1.77	81.9	3.22		
K16KPI16	1	1	29.9	1.18	55.5	2.19	98.1	3.86		



Single & Double Wire Braid

Straight


K Series



LS - Life Saver

Part Number	Products Description									
	Hose In-Dia	Nipple Hex		In-Dia		Tail-Growth		Overall Length		
		MM	Inch	MM	Inch	MM	Inch	MM	Inch	
		A		B		C		E		
K04LS04	1/4	14.0	0.55	6.35	0.25	13.3	0.52	32.7	1.29	
K04LS05	1/4	14.0	0.55	8.2	0.32	13.3	0.52	32.7	1.29	
K06LS06	3/8	17.46	0.69	9.5	0.37	13.7	0.54	40.9	1.61	
K06LS08	3/8	17.46	0.69	12.6	0.50	13.7	0.54	40.9	1.61	
K08LS08	1/2	20.63	0.81	12.6	0.50	14.2	0.56	44.4	1.75	
K10LS10	5/8	23.8	0.94	16.2	0.64	17.9	0.70	53.2	2.09	
K12LS12	3/4	27.0	1.06	19.4	0.76	18.0	0.71	53.3	2.10	
K16LS16	1	35.0	1.38	25.7	1.01	24.1	0.95	64.9	2.56	
K20LS20	1 1/4	46.0	1.81	31.8	1.25	26.2	1.03	69.9	2.75	

K Series



MFF - Metric Female Flat Face Straight


Part Number	Products Description									
	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04MFF14	1/4	M14*1.5P	16.9	0.66						
K04MFF16	1/4	M16*1.5P	18.9	0.74						
K06MFF16	3/8	M16*1.5P	22.0	0.87	30.6	1.20	17.4	0.68	61.3	2.4
K06MFF18	3/8	M18*1.5P	21.7	0.85						
K08MFF22	1/2	M22*1.5P	26.8	1.05						
K10MFF27	5/8	M27*1.5P	31.5	1.24						
K12MFF30	3/4	M30*2P	35.7	1.40						
K12MFF36	3/4	M36*2P	40.8	1.60						
K16MFF36	1	M36*2P	40.8	1.60						
K16MFF39	1	M39*2P	45.4	1.78						
K16MFF42	1	M42*2P	49.7	1.95						

Single & Double Wire Braid

Straight

K Series

MF - Metric Female Ball Nose Straight 24° Cone



(L) = Light Series Metric
(S) = Heavy Series Metric

Part Number	Products Description										
	Hose In-Dia	DIN	Thread METRIC	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
KO4MF0612A	1/4	(L)	M12*1.5P	15.9	0.62	25.6	1.01	14.0	0.55	45.2	1.78
KO4MF0614A	1/4	(S)	M14*1.5P	17.5	0.69	24.7	0.97	14.0	0.55	45.0	1.77
KO4MF0814A	1/4	(L)	M14*1.5P	17.5	0.69	26.0	1.02	17.0	0.67	45.6	1.80
KO4MF0816A	1/4	(S)	M16*1.5P	19.0	0.75	19.6	0.77			39.2	1.54
KO4MF1016A	1/4	(L)	M16*1.5P	19.0	0.75	30.1	1.19	19.0	0.75	50.4	1.98
KO4MF1018A	1/4	(S)	M18*1.5P	22.0	0.87	21.8	0.86			41.4	1.63
KO4MF1218A	1/4	(L)	M18*1.5P	22.0	0.87	21.8	0.86			41.4	1.63
KO6MF0814A	3/8	(L)	M14*1.5P	17.5	0.69						
KO6MF0816A	3/8	(S)	M16*1.5P	19.0	0.75	28.4	1.12	17.0	0.67	55.6	2.19
KO6MF1016A	3/8	(L)	M16*1.5P	19.0	0.75	31.4	1.24	19.0	0.75	58.6	2.31
KO6MF1018A	3/8	(S)	M18*1.5P	22.0	0.87	32.9	1.30	17.0	0.67	60.1	2.37
KO6MF1218A	3/8	(L)	M18*1.5P	22.0	0.87	31.3	1.23	17.0	0.67	58.5	2.30
KO6MF1220A	3/8	(S)	M20*1.5P	24.0	0.94	24.4	0.96			51.6	2.03
KO6MF1422A	3/8	(S)	M22*1.5P	27.0	1.06	24.3	0.96			51.5	2.03
KO6MF1522A	3/8	(L)	M22*1.5P	27.0	1.06	23.8	0.94			51.0	2.01
KO8MF1218A	1/2	(L)	M18*1.5P	22.0	0.87	32.9	1.30	22.0	0.87	63.1	2.48
KO8MF1220A	1/2	(S)	M20*1.5P	24.0	0.94	24.4	0.96				
KO8MF1422A	1/2	(S)	M22*1.5P	27.0	1.06	35.6	1.40	22.0	0.87	65.8	2.59
KO8MF1522A	1/2	(L)	M22*1.5P	27.0	1.06	35.6	1.40	22.0	0.87	65.8	2.59
KO8MF1624A	1/2	(S)	M24*1.5P	30.0	1.18	27.4	1.08			55.6	2.19
KO8MF1826A	1/2	(L)	M26*1.5P	32.0	1.26	24.3	0.96			54.5	2.15
K10MF1624A	5/8	(S)	M24*1.5P	30.0	1.18	29.9	1.17			69.2	2.72
K10MF1826A	5/8	(L)	M26*1.5P	32.0	1.26	33.8	1.33	24.0	0.94	69.1	2.72
K10MF2030B	5/8	(S)	M30*2.0P	36.0	1.42	29.3	1.15			64.6	2.54
K10MF2536B	5/8	(S)	M36*2.0P	46.0	1.81	28.2	1.11			63.5	2.50
K12MF1826A	3/4	(L)	M26*1.5P	32.0	1.26	33.8	1.33	27.0	1.06	69.2	2.72
K12MF2030B	3/4	(S)	M30*2.0P	36.0	1.42	27.2	1.07			62.6	2.46
K12MF2230A	3/4		M30*1.5P	36.0	1.42	26.6	1.05			62.0	2.44
K12MF2230B	3/4	(L)	M30*2.0P	36.0	1.42	26.6	1.05			62.0	2.44
K12MF2536B	3/4	(S)	M36*2.0P	46.0	1.81	28.2	1.11			63.6	2.50
K16MF2836B	1	(L)	M36*2.0P	43.0	1.69	46.9	1.85	35.0	1.38	87.7	3.45
K16MF3042B	1	(S)	M42*2.0P	50.0	1.97	32.1	1.26			72.9	2.87
K20MF3545B	1 1/4	(L)	M45*2.0P	50.0	1.97	51.1	2.01			94.7	3.73




Single & Double Wire Braid

Straight

K Series

MM - Metric Male Straight 24° Cone




(L) = Light Series Metric
(S) = Heavy Series Metric
(LL) = Extra Light Series Metric

Part Number	Products Description									
	Hose In-Dia	DIN	Thread METRIC	Nipple Hex		Tail-Growth		Overall Length		
				MM	Inch	MM	Inch	MM	Inch	
			A	B		C		E		
K04MM0612A	1/4	(L)	M12*1.5P	14.0	0.55	23.0	0.91	42.6	1.68	
K04MM0614A	1/4	(S)	M14*1.5P	14.0	0.55	23.0	0.91	42.6	1.68	
K04MM0814A	1/4	(L)	M14*1.5P	14.0	0.55	23.0	0.91	42.6	1.68	
K04MM0816A	1/4	(S)	M16*1.5P	17.0	0.67	25.0	0.98	44.6	1.76	
K04MM1016A	1/4	(L)	M16*1.5P	19.0	0.75	23.9	0.94	43.5	1.71	
K04MM1018A	1/4	(S)	M18*1.5P	19.0	0.75	26.8	1.06	46.6	1.83	
K06MM0814A	3/8	(L)	M14*1.5P	17.0	0.67	25.3	1.00	52.5	2.07	
K06MM0816A	3/8	(S)	M16*1.5P	19.0	0.75	27.2	1.07	54.4	2.14	
K06MM1016A	3/8	(L)	M16*1.5P	19.0	0.75	26.2	1.03	53.4	2.10	
K06MM1018A	3/8	(S)	M18*1.5P	22.0	0.87	28.1	1.11	55.3	2.18	
K06MM1218A	3/8	(L)	M18*1.5P	19.0	0.75	26.2	1.03	53.4	2.10	
K06MM1220A	3/8	(S)	M20*1.5P	22.0	0.87	29.2	1.15	56.4	2.22	
K06MM1422A	3/8	(S)	M22*1.5P	22.0	0.87	31.1	1.22	58.3	2.30	
K06MM1522A	3/8	(L)	M22*1.5P	22.0	0.87	29.1	1.15	56.3	2.22	
K08MM1218A	1/2	(L)	M18*1.5P	22.0	0.87	28.6	1.13	58.8	2.31	
K08MM1220A	1/2	(S)	M20*1.5P	22.0	0.87	29.2	1.15			
K08MM1422A	1/2	(S)	M22*1.5P	22.0	0.87	31.6	1.24	61.8	2.43	
K08MM1522A	1/2	(L)	M22*1.5P	22.0	0.87	29.6	1.17	59.8	2.35	
K08MM1624A	1/2	(S)	M24*1.5P	24.0	0.94	31.6	1.24	61.8	2.43	
K08MM1826A	1/2	(L)	M26*1.5P	27.0	1.06	31.8	1.25	62.0	2.44	
K10MM1826A	5/8	(L)	M26*1.5P	27.0	1.06	32.3	1.27	67.6	2.66	
K10MM2030B	5/8	(S)	M30*2.0P	30.0	1.18	36.3	1.43	71.6	2.82	
K12MM2030B	3/4	(S)	M30*2.0P	30.0	1.18	34.0	1.34	69.4	2.73	
K12MM2230B	3/4	(L)	M30*2.0P	30.0	1.18	34.0	1.34	69.4	2.73	
K12MM2536B	3/4	(S)	M36*2.0P	41.0	1.61	38.5	1.52	73.9	2.91	
K12MM3042B	3/4	(S)	M42*2.0P	46.0	1.81	41.6	1.64	77.0	3.03	
K16MM2536B	1	(S)	M36*2.0P	41.0	1.61	41.0	1.61	81.8	3.22	
K16MM2836B	1	(L)	M36*2.0P	36.0	1.42	36.6	1.44	77.4	3.05	
K16MM3042B	1	(S)	M42*2.0P	46.0	1.81	44.1	1.74	84.9	3.34	

Single & Double Wire Braid

Straight


K Series



NF - NPT Female Swivel Straight

Part Number	Products Description									
	Hose In-Dia	Thread NPSM	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04NF04	1/4	1/4-18	19.0	0.75	26.7	1.05	14.3	0.56	47.0	1.85
K06NF06	3/8	3/8-18	22.0	0.87	27.2	1.07	17.5	0.69	54.4	2.14
K08NF08	1/2	1/2-14	25.4	1.00	29.4	1.16	23.8	0.94	59.6	2.35

K Series



SS = Stainless Steel

NM - Taper Male NPT Straight

Part Number	Products Description									
	Hose In-Dia	Thread NPTF	Nipple Hex		Tail-Growth		Overall Length			
			MM	Inch	MM	Inch	MM	SAE		
		A	B		C		E			
K04NM02	1/4	1/8-27	14.3	0.56	26.0	1.02	45.6	1.80		
K04NM04	1/4	1/4-18	14.3	0.56	31.6	1.24	51.2	2.02		
K04NM04SS	1/4	1/4-18	14.3	0.56	31.6	1.24	51.2	2.02		
K04NM06	1/4	3/8-18	17.5	0.69	27.8	1.09	47.4	1.87		
K06NM04	3/8	1/4-18	19.0	0.75	32.2	1.27	59.4	2.34		
K06NM06	3/8	3/8-18	19.0	0.75	34.5	1.36	61.7	2.43		
K06NM08	3/8	1/2-14	22.2	0.87	35.0	1.38	62.2	2.45		
K08NM06	1/2	3/8-18	22.0	0.87	34.9	1.37	65.1	2.56		
K08NM08	1/2	1/2-14	22.0	0.87	41.3	1.63	71.5	2.81		
K08NM08SS	1/2	1/2-14	22.0	0.87	41.3	1.63	71.5	2.81		
K12NM12	3/4	3/4-14	27.0	1.06	43.0	1.69	78.4	3.09		
K16NM16	1	1-11.5	35.0	1.38	50.4	1.98	91.2	3.59		
K16NM16SS	1	1-11.5	35.0	1.38	50.4	1.98	91.2	3.59		
K20NM20	1 1/4	1 1/4-11.5	44.5	1.75	59.9	2.36	103.6	4.08		
K24NM24	1 1/2	1 1/2-11.5	50.8	2.00	54.5	2.15	88.9	3.50		
K32NM32	2	2-11.5	63.5	2.50	59.3	2.33	103.2	4.06		




TAIPAN

Single & Double Wire Braid

Straight

K Series


FO - Female O-Ring Face Seal Swivel Straight



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
		A	B		C		D		E	
K04FO09	1/4	9/16-18	175	0.69	33.1	130	14.3	0.56	52.7	2.07
K04FO11	1/4	11/16-16	22.0	0.87	31.6	124	17.5	0.69	51.2	2.02
K06FO09	3/8	9/16-18	175	0.69	33.5	132	17.5	0.69	60.7	2.39
K06FO11	3/8	11/16-16	22.0	0.87	32.2	127	17.5	0.69	59.4	2.34
K06FO13	3/8	13/16-16	23.8	0.94	38.5	152	20.6	0.81	65.7	2.59
K06FO16	3/8	1-14	30.0	1.18	44.5	175	23.8	0.94	71.7	2.82
K08FO11	1/2	11/16-16	22.0	0.87	32.7	129	20.6	0.81	62.9	2.48
K08FO13	1/2	13/16-16	23.8	0.94	39.8	157	22.0	0.87	70.0	2.76
K08FO16	1/2	1-14	30.0	1.18	42.8	169	23.8	0.94	73.0	2.87
K08FO19	1/2	1 3/16-12	36.0	1.42	48.1	189	28.6	1.12	78.3	3.08
K10FO16	5/8	1-14	30.0	1.18	43.3	170	23.8	0.94	78.6	3.09
K10FO19	5/8	1 3/16-12	36.0	1.42	48.0	189	28.6	1.12	83.3	3.28
K12FO16	3/4	1-14	30.0	1.18	46.0	181	27.0	1.06	81.4	3.20
K12FO19	3/4	1 3/16-12	36.0	1.42	48.6	191	28.6	1.12	84.0	3.31
K12FO23	3/4	1 7/16-12	41.0	1.61	50.2	198	35.0	1.38	85.6	3.37
K16FO23	1	1 7/16-12	41.0	1.61	51.1	201	35.0	1.38	91.9	3.62
K16FO27	1	1 11/16-12	50.0	1.97	55.2	217	41.0	1.61	96.0	3.78
K20FO27	1 1/4	1 11/16-12	50.0	1.97	52.1	205	46.0	1.81	95.8	3.77

K Series

MO - Male O-Ring Face Seal




Part Number	Products Description							
	Hose In-Dia	Thread UNF	Nipple Hex		Tail-Growth		Overall Length	
		A	B		C		E	
K04MO09	1/4	9/16-18	17.0	0.67	24.2	0.95	44.5	1.75
K04MO11	1/4	11/16-16	19.0	0.75	25.4	1.00	45.7	1.80
K06MO11	3/8	11/16-16	19.0	0.75	26.0	1.02	53.2	2.09
K06MO13	3/8	13/16-16	22.0	0.87	31.3	1.23	58.5	2.30
K08MO13	1/2	13/16-16	22.0	0.87	31.8	1.25	62.0	2.44
K08MO16	1/2	1-14	27.0	1.06	36.8	1.45	67.0	2.64
K10MO16	5/8	1-14	27.0	1.06	37.3	1.47	72.6	2.86
K10MO19	5/8	1 3/16-12	32.0	1.26	34.5	1.36	69.8	2.75
K12MO19	3/4	1 3/16-12	32.0	1.26	34.5	1.36	69.9	2.75

Single & Double Wire Braid

Straight

K Series


SF - SAE Female Straight



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04SF10	1/4	5/8-18	19.0	0.75						
K06SF10	3/8	5/8-18	19.0	0.75	23.6	0.93	17.5	0.69	50.8	2.00
K10SF17	5/8	1 1/16-14	32.0	1.26	27.3	1.07	25.4	1.00	62.6	2.46
K12SF17	3/4	1 1/16-14	32.0	1.26	27.3	1.07	25.4	1.00	62.7	2.47

K Series


SPM - Stand Pipe Straight



Part Number	Products Description									
	Hose In-Dia	Length		Out-Dia		Tail-Growth		Overall Length		
		MM	Inch	MM	Inch	MM	Inch	MM	Inch	
		A		B		C		E		
K04SPM06	1/4	22	0.87	6.0	0.24	31.9	1.26	52.2	2.06	

K Series

PM - UNO Male Straight




Supplied with O'Ring

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nipple Hex		Tail-Growth		Overall Length			
			MM	Inch	MM	Inch	MM	Inch		
		A	B		C		E			
K04PM09	1/4	9/16-18	17.5	0.69	22.4	0.88	42	1.65		
K06PM09	3/8	9/16-18	17.46	0.68	24.1	0.94	54.8	2.16		
K06PM12	3/8	3/4-16			32.7	1.29				
K08PM12	1/2	3/4-16			37.3	1.47				
K08PM14	1/2	7/8-14	25.4	1	35.7	1.41	59.1	2.33		

K Series

PSW - UNO Male Swivel



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K08PSW14	1/2	7/8	25.4	1	47.6	1.87	25.4	1	81.8	3.22




TAIPAN

Single & Double Wire Braid

22.5 Degree

K Series

F61 - SAE Code 61 Flange 22.5° Elbow




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K12F611222.5	3/4	3/4	38.1	1.50	68.0	2.68	15.8	0.62	103.3	4.07
K20F612022.5	1 1/4	1-1/4	50.8	2.00	98.1	3.86	19.7	0.78	141.8	5.58

45 Degree

K Series

BF - BSP Female Parallel Pipe Swivel 45° Elbow 60° Cone




SS = Stainless Steel

Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04BF0445	1/4	1/4-19	19.0	0.75	40.3	1.59	19.8	0.78	59.8	2.35
K04BF0445SS	1/4	1/4-19	19.0	0.75	40.3	1.59	19.8	0.78	59.8	2.35
K04BF0645	1/4	3/8-19	22.0	0.87	42.7	1.68	22.2	0.87	63.0	2.48
K06BF0645	3/8	3/8-19	22.0	0.87	44.9	1.77	22.2	0.87	72.1	2.84
K06BF0845	3/8	1/2-14	27.0	1.06	58.5	2.30	28.8	1.13	85.7	3.37
K08BF0845	1/2	1/2-14	27.0	1.06	53.8	2.12	28.0	1.10	84.0	3.31
K08BF1245	1/2	3/4-14	32	1.26	46.3	1.83	24.3	0.96	81.0	3.19
K10BF1045	5/8	5/8-14	28.6	1.12	53.0	2.09	24.3	0.96	88.3	3.48
K12BF1245	3/4	3/4-14	32.0	1.26	68.0	2.68	32.3	1.27	103.3	4.07
K16BF1645	1	1-11	41.0	1.61	86.0	3.39	40.4	1.59	126.8	4.99
K20BF2045	1 1/4	1 1/4-11	50.0	1.97	114.8	4.52	55.5	2.19	158.5	6.24
K24BF2445	1 1/2	1 1/2-11	55.0	2.17	130.0	5.12	60.1	2.37	164.4	6.47
K32BF3245	2	2-11	70.0	2.76	159.1	6.26	68.8	2.71	203.0	7.99

Single & Double Wire Braid

45 Degree


K Series



F61 - SAE Code 61 Flange 45° Elbow

Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K08F610845	1/2	1/2	30.2	1.19	51.6	2.03	21.5	0.85	81.8	3.22
K08F611245	1/2	3/4	38.1	1.50	52.3	2.06	22.0	0.87	82.5	3.25
K12F611245	3/4	3/4	38.1	1.50	62.4	2.46	26.0	1.02	97.8	3.85
K12F611645	3/4	1	44.5	1.75	64.2	2.53	28.0	1.10	99.6	3.92
K16F611645	1	1	44.5	1.75	79.3	3.12	32.0	1.26	120.1	4.73
K16F612045	1	1 1/4	50.8	2.00	76.0	2.99	32.0	1.26	116.8	4.60
K20F612045	1 1/4	1 1/4	50.8	2.00	98.3	3.87	38.0	1.50	142.0	5.59
K20F612445	1 1/4	1 1/2	60.3	2.37	98.3	3.87	38.0	1.50	142.0	5.59
K24F612445	1 1/2	1 1/2	60.3	2.37	112.4	4.43	41.0	1.61	146.8	5.78
K32F613245	2	2	71.4	2.81	140.2	5.52	50.0	1.97	184.1	7.25

K Series



SS = Stainless Steel

JF - JIC Female 37° Swivel 45° Elbow

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K03JF0745	3/16	7/16-20	14.3	0.56	30.4	1.20	10.0	0.39		
K04JF0745	1/4	7/16-20	14.3	0.56	30.4	1.20	10.0	0.39	50.6	1.99
K04JF0845	1/4	1/2-20	15.9	0.62	30.4	1.20	10.0	0.39	50.7	2.00
K04JF0945	1/4	9/16-18	17.5	0.69	31.4	1.24	11.0	0.43	51.7	2.04
K06JF0945	3/8	9/16-18	17.5	0.69	33.7	1.33	11.0	0.43	60.9	2.40
K06JF1245	3/8	3/4-16	22.2	0.87	36.7	1.44	14.0	0.55	63.9	2.52
K06JF1445	3/8	7/8-14	25.4	1.00	40.7	1.60	15.0	0.59	67.9	2.67
K08JF1245	1/2	3/4-16	22.2	0.87	41.1	1.62	15.0	0.59	71.3	2.81
K08JF1245SS	1/2	3/4-16	22.2	0.87	41.1	1.62	15.0	0.59	71.3	2.81
K08JF1445	1/2	7/8-14	25.4	1.00	41.1	1.62	15.0	0.59	71.3	2.81
K08JF1745	1/2	1 1/16-12	31.8	1.25	47.8	1.88	20.0	0.79	78.0	3.07
K10JF1445	5/8	7/8-14	25.4	1.00	44.2	1.74	16.0	0.63	79.4	3.13
K10JF1745	5/8	1 1/16-12	31.8	1.25	55.7	2.19	21.0	0.83	91.0	3.58
K12JF1745	3/4	1 1/16-12	31.8	1.25	64.0	2.52	27.0	1.06	99.4	3.91


Continued on following page..

Single & Double Wire Braid

45 Degree

K Series

JF - JIC Female 37° Swivel 45° Elbow *Continued...*




SS = Stainless Steel

Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K12JF2145	3/4	1 5/16-12	38.1	1.50	59.7	2.35	24.0	0.94	95.1	3.74
K16JF2145	1	1 5/16-12	38.1	1.50	78.5	3.09	33.0	1.30	119.3	4.70
K20JF2645	1 1/4	1 5/8-12	50.0	1.97	102.3	4.03	45.0	1.77	146.0	5.75
K24JF3045	1 1/2	1 7/8-12	55.0	2.17	123.9	4.88	52.0	2.05	158.3	6.23
K32JF4045	2	2 1/2-12	73.0	2.87	145.9	5.74	55.7	2.19	189.8	7.47

K Series


MFF - Flat Face Metric Female - 45°



Part Number	Products Description									
	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04MFF1445	1/4	M14*1.5P	16.9	0.66						
K06MFF1645	3/8	M16*1.5P	18.9	0.74						
K06MFF1845	3/8	M18*1.5P	21.7	0.85						
K08MFF2245	1/2	M22*1.5P	26.8	1.05						
K10MFF2745	5/8	M27*1.5P	31.5	1.24						
K12MFF3045	3/4	M30*2P	35.7	1.40						

K Series

MF - Metric Female Ball Nose 45° Elbow 24° Cone



(L) = Light Series Metric
(S) = Heavy Series Metric

Part Number	Products Description										
	Hose In-Dia	DIN	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
K04MF0612A45	1/4	(L)	M12*1.5P	15.8	0.62	38.4	1.51	15.0	0.59	58.0	2.28
K04MF0614A45	1/4	(S)	M14*1.5P	17.5	0.69	39.4	1.55	16.0	0.63	59.0	2.32
K04MF0814A45	1/4	(L)	M14*1.5P	17.5	0.69	39.4	1.55	16.0	0.63	59.0	2.32
K04MF0816A45	1/4	(S)	M16*1.5P	19.0	0.75	40.5	1.59	15.4	0.61	60.1	2.37
K04MF1016A45	1/4	(L)	M16*1.5P	19.0	0.75	40.5	1.59	15.4	0.61	60.1	2.37
K04MF1018A45	1/4	(S)	M18*1.5P	22.0	0.87	40.9	1.61	15.8	0.62	60.5	2.38
K04MF1218A45	1/4	(L)	M18*1.5P	22.0	0.87	40.9	1.61	15.8	0.62	60.5	2.38
K06MF0816A45	3/8	(S)	M16*1.5P	19.0	0.75	39.1	1.54	16.4	0.65	66.3	2.61

Continued on following page...

Can't find what you're looking for?


1300 654 782

Single & Double Wire Braid

45 Degree

K Series

MF - Metric Female Ball Nose 45° Elbow 24° Cone *Continued...*




(L) = Light Series Metric
(S) = Heavy Series Metric

Part Number	Products Description										
	Hose In-Dia	DIN	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
K06MF1016A45	3/8	(L)	M16*1.5P	19.0	0.75	39.7	1.56	17.0	0.67	66.9	2.63
K06MF1018A45	3/8	(S)	M18*1.5P	22.0	0.87	44.7	1.76	22.0	0.87	71.9	2.83
K06MF1218A45	3/8	(L)	M18*1.5P	22.0	0.87	45.8	1.80	18.0	0.71	73.0	2.87
K06MF1220A45	3/8	(S)	M20*1.5P	24.0	0.94	46.7	1.84	19.0	0.75	73.9	2.91
K06MF1422A45	3/8	(S)	M22*1.5P	27.0	1.06	42.7	1.68	20.0	0.79	69.9	2.75
K06MF1522A45	3/8	(L)	M22*1.5P	27.0	1.06	42.7	1.68	20.0	0.79	69.9	2.75
K08MF1218A45	1/2	(L)	M18*1.5P	22.0	0.87	44.4	1.75	18.0	0.70	78.6	3.09
K08MF1422A45	1/2	(L)	M22*1.5P	27.0	1.06	49.7	1.96	20.0	0.79	83.9	3.30
K08MF1522A45	1/2	(L)	M22*1.5P	27.0	1.06	53.7	2.11	20.0	0.79	83.9	3.30
K08MF1624A45	1/2	(S)	M24*1.5P	30.0	1.18	59.0	2.32	24.0	0.94	89.2	3.51
K08MF1826A45	1/2	(L)	M26*1.5P	32.0	1.26	59.0	2.32	24.0	0.94	89.2	3.51
K10MF1826A45	5/8	(L)	M26*1.5P	32.0	1.26	53.3	2.10	24.2	0.95	88.6	3.49
K10MF2030B45	5/8	(S)	M30*2.0P	36.0	1.42	57.2	2.25	28.0	1.10	92.4	3.64
K12MF1826A45	3/4	(L)	M26*1.5P	32.0	1.26	55.9	2.20	24.2	0.95	91.2	3.59
K12MF2030B45	3/4	(S)	M30*2.0P	36.0	1.42	65.3	2.57	29.6	1.17	100.7	3.96
K12MF2230B45	3/4	(L)	M30*2.0P	36.0	1.42	65.3	2.57	29.6	1.17	100.7	3.96
K12MF2536B45	3/4	(S)	M36*2.0P	46.0	1.81	64.3	2.53	30.5	1.20	99.6	3.92
K16MF2836B45	1	(L)	M36*2.0P	43.0	1.69	78.5	3.09	35.0	1.38	119.3	4.70
K16MF3042B45	1	(S)	M42*2.0P	50.0	1.97	80.5	3.17	37.0	1.46	121.3	4.78
K20MF3545B45	1 1/4	(L)	M45*2.0P	50.0	1.97	108.3	4.26	48.0	1.89	152.0	5.98

K Series

F0 - Female O-Ring Face Seal Swivel 45° Elbow



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04F00945	1/4	9/16-18	17.5	0.69	30.5	1.20	10.0	0.39	50.8	2.00
K04F01145	1/4	11/16-16	22.0	0.87	31.3	1.23	10.9	0.43	50.9	2.00
K06F01145	3/8	11/16-16	22.0	0.87	33.7	1.33	11.0	0.43	60.9	2.40
K06F01345	3/8	13/16-16	23.8	0.94	39.6	1.56	15.0	0.59	66.8	2.63
K08F01345	1/2	13/16-16	23.8	0.94	41.0	1.61	15.0	0.59	71.2	2.80

Continued on following page...




TAIPAN

Single & Double Wire Braid

45 Degree

K Series

FO - Female O-Ring Face Seal Swivel 45° Elbow *Continued...*




Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K08FO1645	1/2	1-14	30.0	1.18	43.6	1.72	16.0	0.63	73.8	2.91
K08FO1945	1/2	1 3/16-12	36.0	1.41	44.2	1.74	22.2	0.87	78.4	3.08
K10FO1645	5/8	1-14	30.0	1.18	44.2	1.74	16.0	0.63	79.4	3.13
K10FO1945	5/8	1 3/16-12	36.0	1.42	56.8	2.24	21.0	0.83	92.1	3.63
K12FO1945	3/4	1 3/16-12	36.0	1.42	56.8	2.24	21.1	0.83	92.2	3.63
K12FO2345	3/4	1 7/16-12	41.0	1.61	62.2	2.45	26.5	1.04	97.6	3.84
K16FO2345	1	1 7/16-12	41.0	1.61	70.2	2.76	24.0	0.94	111.0	4.37
K20FO2745	1 1/4	1 11/16-12	50.0	1.97	101.2	3.98	41.0	1.61	144.9	5.70

67.5 Degree

K Series

F61 - SAE Code 61 Flange 67.5° Elbow




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K16F6116675	1	1	44.5	1.75	80.9	3.19	61.4	2.42	121.7	4.79
K20F6124675	1 1/4	1 1/2	60.3	2.37	92.1	3.63	49.0	1.93	135.7	5.34

90 Degree

K Series

BF - BSP Female Parallel Pipe Swivel 90° Elbow 60° Cone



SS = Stainless Steel
B = Block
L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04BF0490-29MM	1/4	1/4-19	19.0	0.75	25.7	1.01	34.4	1.35	45.3	1.78
K04BF0490B-24.4MM	1/4	1/4-19	19.0	0.75	21.8	0.86	29.6	1.17	41.4	1.68
K04BF0490L-49MM	1/4	1/4-19	19.0	0.75	25.7	1.01	54.2	2.13	45.3	1.78
K04BF0490SS-29MM	1/4	1/4-19	19.0	0.75	25.7	1.01	34.4	1.35	45.3	1.78
K04BF0690-33MM	1/4	3/8-19	22.0	0.87	25.7	1.01	40.4	1.59	45.3	2.26

Continued on following page...

Can't find what you're looking for?


1300 654 782

Single & Double Wire Braid

90 Degree

K Series

BF - BSP Female Parallel Pipe Swivel 90° Elbow 60° Cone *Continued...*




SS = Stainless Steel
B = Block
L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K06BF0690-33MM	3/8	3/8-19	22.0	0.87	30.3	1.19	40.4	1.59	57.5	2.26
K06BF0690B-28MM	3/8	3/8-19	22.0	0.87	26.3	1.04	35.4	1.39	53.5	2.11
K06BF0690L-55MM	3/8	3/8-19	22.0	0.87	30.3	1.19	62.4	2.46	57.5	2.26
K06BF0890B-28.8MM	3/8	1/2-14	27.0	1.06	22.8	0.9	28.8	1.13	53.5	2.11
K06BF0890-40.9MM	3/8	1/2-14	27.0	1.06	38.5	1.52	50.6	1.99	65.7	2.59
K08BF0890-40.9MM	1/2	1/2-14	27.0	1.06	37.8	1.49	50.6	1.99	68.0	2.68
K08BF0890B-32.3MM	1/2	1/2-14	27.0	1.06	28.5	1.12	42.0	1.65	62.7	2.47
K08BF0890L-80MM	1/2	1/2-14	27.0	1.06	34.9	1.37	89.7	3.53	65.1	2.56
K08BF0890SS-40.9MM	1/2	1/2-14	27.0	1.06	37.8	1.49	50.6	1.99	68.0	2.68
K08BF1290-42.3MM	1/2	3/4-14	32.0	1.26	33.8	1.33	51.3	2.02	68.0	2.68
K10BF1090-42.6MM	5/8	5/8-14	28.6	1.13	40.3	1.59	51.8	2.04	75.6	2.98
K10BF1290-50MM	5/8	3/4-14	36.0	1.42	48.3	1.9	59.0	2.32	83.6	3.29
K12BF1290-55MM	3/4	3/4-14	32.0	1.26	52.3	2.06	64.0	2.52	87.6	3.45
K12BF1290B-36MM	3/4	3/4-14	36.0	1.42	37.9	1.49	45.0	1.77	73.2	2.88
K12BF1290L-97MM	3/4	3/4-14	32.0	1.26	48.3	1.90	106.0	4.17	87.6	3.45
K12BF1290SS-55MM	3/4	3/4-14	32.0	1.26	52.3	2.06	64.0	2.52	87.6	3.45
K12BF1690-73MM	3/4	1-11	41.0	1.61			73.0	2.87		
K16BF1690B-40MM	1	1-11	41.0	1.61	41.8	1.65	40.0	1.57	86.8	3.42
K16BF1690-73.5MM	1	1-11	41.0	1.61	78.8	3.10	84.0	3.31	119.6	4.71
K16BF1690L-110MM	1	1-11	41.0	1.61	78.8	3.10	120.5	4.74	119.6	4.71
K20BF2090-88.5M	1 1/4	1 1/4-11	50.0	1.97	85.7	3.37	101.9	4.01	129.4	5.09
K24BF2490-110MM	1 1/2	1 1/2-11	55.0	2.17	102.1	4.02	120.0	4.72	136.5	5.37
K32BF3290-138MM	2	2-11	70.0	2.76	141.5	5.57	152.9	6.02	185.4	7.30

K Series

F61 - SAE Code 61 Flange 90° Elbow



B = Block
L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K08F610890-43MM	1/2	1/2	30.2	1.19	47.8	1.88	43.0	1.69	78.0	3.07
K08F611290-50MM	1/2	3/4	38.1	1.50	44.9	1.77	50.0	1.97	75.1	2.96

Continued on following page...




TAIPAN

Single & Double Wire Braid

90 Degree

K Series

F61 - SAE Code 61 Flange 90° Elbow *Continued..*





B = Block
L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K10F611090-53MM	5/8	5/8	34.1	1.34	45.3	1.78	53.0	2.09	80.6	3.17
K12F611290-58MM	3/4	3/4	38.1	1.50	53.8	2.12	58.0	2.28	89.1	3.51
K12F611290L-83MM	3/4	3/4	38.1	1.50	53.8	2.12	83.0	3.27	89.1	3.51
K12F611690-56.9MM	3/4	1	44.5	1.75	53.8	2.12	58.0	2.28	89.1	3.51
K16F611690-70MM	1	1	44.5	1.75	66.3	2.61	70.0	2.76	107.1	4.22
K16F611690L-117MM	1	1	44.5	1.75	66.3	2.61	117.0	4.61	107.1	4.22
K16F612090-70MM	1	1 1/4	50.8	2.00	66.3	2.61	70.0	2.76	107.1	4.22
K16F612090L-117MM	1	1 1/4	50.8	2.00	91.3	3.59	117.0	4.61	132.1	5.20
K20F612090-82MM	1 1/4	1 1/4	50.8	2.00	86.7	3.41	82.0	3.23	130.4	5.13
K20F612090L-140MM	1 1/4	1 1/4	50.8	2.00	106.7	4.20	140.0	5.51	150.4	5.92
K20F612490-90MM	1 1/4	1 1/2	60.3	2.37	86.7	3.41	90.0	3.54	130.4	5.13
K24F612490-104MM	1 1/2	1 1/2	60.3	2.37	103.6	4.08	104.0	4.09	138.0	5.43
K32F613290-120MM	2	2	71.4	2.81	137.1	5.40	120.0	4.72	181.0	7.13
K32F614090-125MM	2	2 1/2	84.1	3.31	137.1	5.40	125.0	4.92	181.0	7.13

K Series

JF - JIC Female 37° Swivel 90° Elbow



SS = Stainless Steel
B = Block
L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K03JF0790-21MM	3/16	7/16-20	14.3	0.56	23.8	0.94	21.0	0.83	43.5	1.71
K04JF0790-21MM	1/4	7/16-20	14.3	0.56	25.6	1.01	21.0	0.83	45.2	1.78
K04JF0790SS-27MM	1/4	7/16-20	14.3	0.56	25.6	1.01	21.0	0.83	45.2	1.78
K04JF0790B-19.8MM	1/4	7/16-20	14.3	0.56	21.8	0.86	19.8	0.78	41.4	1.63
K04JF0790L-46MM	1/4	7/16-20	14.3	0.56	25.4	1.00	46.0	1.81	45.2	1.78
K04JF0890-21MM	1/4	1/2-20	15.9	0.62	25.9	1.02	21.0	0.83	45.5	1.79
K04JF0990-22MM	1/4	9/16-18	17.5	0.69	25.4	1.00	22.0	0.87	45.3	1.78
K04JF0990SS-22MM	1/4	9/16-18	17.5	0.69	25.4	1.00	22.0	0.87	45.3	1.78
K04JF0990B-21.2MM	1/4	9/16-18	17.5	0.69	21.8	0.86	21.2	0.83	41.4	1.63
K04JF0990L-30MM	1/4	9/16-18	17.5	0.69	25.7	1.01	30.0	1.18	46.0	1.81
K04JF0990L-47MM	1/4	9/16-18	17.5	0.69	25.4	1.00	47.0	1.85	45.3	1.78
K04JF0990L-48MM	1/4	9/16-18	17.5	0.69	25.4	1.00	48.0	1.88	45.3	1.78

Continued on following page...

Can't find what you're looking for?


1300 654 782

Single & Double Wire Braid

90 Degree

K Series

JF - JIC Female 37° Swivel 90° Elbow *Continued...*



SS = Stainless Steel
B = Block
L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K06JF0990-23MM	3/8	9/16-18	17.5	0.69	30.3	1.19	23.0	0.91	57.5	2.26
K06JF0990SS-23MM	3/8	9/16-18	17.5	0.69	30.3	1.19	23.0	0.91	57.5	2.26
K06JF0990-30MM	3/8	9/16-18	17.5	0.69	30.3	1.19	30.0	1.18	57.5	2.26
K06JF0990B-23MM	3/8	9/16-18	17.5	0.69	26.3	1.04	23.0	0.91	53.5	2.11
K06JF0990L-55MM	3/8	9/16-18	17.5	0.69	30.3	1.19	55.0	2.17	57.5	2.26
K06JF1290-28MM	3/8	3/4-16	22.2	0.87	30.3	1.19	28.0	1.10	57.5	2.26
K06JF1290SS-28MM	3/8	3/4-16	22.2	0.87	30.3	1.19	28.0	1.10	57.5	2.26
K06JF1290B-24MM	3/8	3/4-16	22.2	0.87	26.3	1.04	24.0	0.94	53.5	2.11
K06JF1290L-62MM	3/8	3/4-16	22.2	0.87	40.3	1.59	62.0	2.44	67.5	2.66
K06JF1490-27.4MM	3/8	7/8-14	25.4	1.00	33.3	1.31	27.4	1.08	60.5	2.38
K06JF1490B-29.4MM	3/8	7/8-14	25.4	1.00	32.0	1.26	29.4	1.16	59.2	2.33
K08JF1290B-28.5MM	1/2	3/4-16	22.2	0.87	32.5	1.28	28.5	1.12	62.7	2.47
K08JF1290-31MM	1/2	3/4-16	22.2	0.87	34.9	1.37	31.0	1.22	65.1	2.56
K08JF1290SS-31MM	1/2	3/4-16	22.2	0.87	34.9	1.37	31.0	1.22	65.1	2.56
K08JF1290L-38MM	1/2	3/4-16	22.2	0.87	30.9	1.22	38.0	1.50	65.1	2.56
K08JF1290L-62MM	1/2	3/4-16	22.2	0.87	44.9	1.77	62.0	2.44	75.1	2.96
K08JF1490-31MM	1/2	7/8-14	25.4	1.00	34.9	1.37	31.0	1.22	65.1	2.56
K08JF1490SS-31MM	1/2	7/8-14	25.4	1.00	34.9	1.37	31.0	1.22	65.1	2.56
K08JF1490-47MM	1/2	7/8-14	25.4	1.00	34.9	1.37	47.0	1.85	65.1	2.56
K08JF1490B-29.4MM	1/2	7/8-14	25.4	1.00	32.5	1.28	29.4	1.16	62.7	2.47
K08JF1490L-66MM	1/2	7/8-14	25.4	1.00	44.9	1.77	66.0	2.60	75.1	2.96
K08JF1790-46MM	1/2	1 1/16-12	31.8	1.25	38.9	1.53	46.0	1.81	69.1	2.72
K10JF1490-34MM	5/8	7/8-14	25.4	1.00	39.3	1.55	34.0	1.34	74.6	2.94
K10JF1490L-66MM	5/8	7/8-14	25.4	1.00	49.3	1.94	66.0	2.60	84.6	3.33
K10JF1790-48MM	5/8	1 1/16-12	31.8	1.25	49.3	1.94	48.0	1.89	84.6	3.33
K12JF1490-40MM	3/4	7/8-14	25.4	1.00	54.0	2.13	40.0	1.57	89.4	3.52
K12JF1790-53MM	3/4	1 1/16-12	31.8	1.25	53.3	2.10	53.0	2.09	88.7	3.49
K12JF1790B-33.9MM	3/4	1 1/16-12	31.8	1.25	37.9	1.49	30.0	1.18	73.2	2.88
K12JF1790L-95MM	3/4	1 1/16-12	31.8	1.25	84.0	3.31	95.0	3.74	119.4	4.70
K12JF2190-56MM	3/4	1 5/16-12	38.1	1.50	53.3	2.10	56.0	2.20	88.7	3.49
K16JF2190B-38MM	1	1 5/16-12	38.1	1.50	41.8	1.64	38.0	1.50	86.8	3.42


Continued on following page...

Single & Double Wire Braid

90 Degree

K Series

JF - JIC Female 37° Swivel 90° Elbow *Continued..*




SS = Stainless Steel
B = Block
L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K16JF2190-70MM	1	1 5/16-12	38.1	1.50	67.8	2.67	70.0	2.76	108.6	4.28
K16JF2190SS-70MM	1	1 5/16-12	38.1	1.50	67.8	2.67	70.0	2.76	108.6	4.28
K16JF2190L-110MM	1	1 5/16-12	38.1	1.50	92.8	3.65	110.0	4.33	133.6	5.26
K20JF2690-85MM	1 1/4	1 5/8-12	50.0	1.97	83.7	3.30	85.0	3.35	127.4	5.02
K20JF2690L-134MM	1 1/4	1 5/8-12	50.0	1.97	103.7	4.08	134.0	5.28	147.4	5.80
K24JF3090-110MM	1 1/2	1 7/8-12	55.0	2.17	104.1	4.10	110.0	4.33	138.5	5.45
K32JF4090-136MM	2	2 1/2-12	73.0	2.87	141.5	5.57	136.0	5.35	185.4	7.30

K Series

IBF - JIS (BSP) Female Parallel Pipe Swivel 30° Flare 90° Elbow



Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04IBF0490-23.3MM	1/4	1/4-19	19.0	0.75	27.7	1.09	23.3	0.92	47.3	1.86
K04IBF0690-28MM	1/4	3/8-19	22.0	0.87	25.7	1.01	28.0	1.10	45.3	1.78
K06IBF0690-28MM	3/8	3/8-19	22.0	0.87	33.2	1.31	27.0	1.06	60.4	2.38
K08IBF0890-31MM	1/2	1/2-14	27.0	1.66			31.0	1.93		

K Series

KF - Komatsu Female Swivel 90° Elbow 30° Flare JIS Metric



Part Number	Products Description									
	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04KF1490-23.3MM	1/4	M14*1.5P	19.0	0.75	27.4	1.08	23.3	0.92	47.3	1.86
K06KF1890-28MM	3/8	M18*1.5P	24.0	0.94	33.2	1.31	27.0	1.06	60.4	2.38
K08KF2290-31MM	1/2	M22*1.5P	27.0	1.06	42.0	1.65	31.0	1.22	72.2	2.84
K12KF3090-55MM	3/4	M30*1.5P	36.0	1.42	55.3	2.18	55.0	2.17	90.7	3.57

Continued on following page...


Can't find what you're looking for?

1300 654 782

Single & Double Wire Braid

90 Degree


K Series



MFF - Flat Face Metric Female - 90°

Part Number	Products Description									
	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04MFF1490-28.2MM	1/4	M14*1.5P	16.8	0.66			28.2	1.11		
K06MFF1690-37MM	3/8	M16*1.5P	18.9	0.74			37.0	1.46		
K06MFF1890-39MM	3/8	M18*1.5P	21.7	0.85			39.0	1.54		
K08MFF2290-43.5MM	1/2	M22*1.5P	26.8	1.05			43.5	1.71		
K10MFF2790-52MM	5/8	M27*1.5P	31.5	1.24			52.0	2.05		
K12MFF3090-58MM	3/4	M30*2P	35.7	1.40			58.0	2.28		
K12MFF3690	3/4	M36*2P	40.8	1.61						
K16MFF3690	1	M36*2P	40.8	1.61			36.0	1.42		

K Series



(L) = Light Series Metric
(S) = Heavy Series Metric

MF - Metric Female Ball Nose 90° Elbow 24° Cone

Part Number	Products Description										
	DIN	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
K04MF0612A90-29MM	(L)	1/4	M12*1.5P	15.9	0.62	28.7	1.13	29.0	1.14	48.3	1.90
K04MF0614A90-29MM	(S)	1/4	M14*1.5P	17.5	0.69	28.7	1.13	29.0	1.14	48.3	1.90
K04MF0814A90-31MM	(L)	1/4	M14*1.5P	17.5	0.69	28.7	1.13	31.0	1.22	49.0	1.93
K04MF0816A90-28.2MM	(S)	1/4	M16*1.5P	19.0	0.75	32.7	1.29	29.2	1.15	52.3	2.06
K04MF1016A90-29.2MM	(L)	1/4	M16*1.5P	19.0	0.75	32.7	1.29	29.2	1.15	52.1	2.05
K04MF1018A90-31.8MM	(S)	1/4	M18*1.5P	22.0	0.87	32.7	1.29	31.8	1.25	52.3	2.06
K04MF1218A90-31.8MM	(L)	1/4	M18*1.5P	22.0	0.87	32.7	1.29	31.8	1.25	52.3	2.06
K06MF0816A90-34MM	(S)	3/8	M16*1.5P	19.0	0.75	30.3	1.19	34.0	1.34	57.5	2.26
K06MF1016A90-34MM	(L)	3/8	M16*1.5P	19.0	0.75	30.3	1.19	34.0	1.34	57.5	2.26
K06MF1018A90-36MM	(S)	3/8	M18*1.5P	22.0	0.87	30.3	1.19	36.0	1.42	57.5	2.26
K06MF1218A90-32MM	(L)	3/8	M18*1.5P	22.0	0.87	32.5	1.28	32.0	1.26	59.7	2.35
K06MF1220A90-34MM	(S)	3/8	M20*1.5P	24.0	0.94	37.3	1.47	37.0	1.46	64.5	2.54
K06MF1422A90-37MM	(S)	3/8	M22*1.5P	27.0	1.06	34.3	1.35	37.0	1.46	61.5	2.42
K06MF1522A90-37MM	(L)	3/8	M22*1.5P	27.0	1.06	34.3	1.35	37.0	1.46	61.5	2.42
K08MF1218A90-32MM	(L)	1/2	M18*1.5P	22.0	0.87	35.9	1.41	32.0	1.26	66.1	2.60
K08MF1422A90-37MM	(S)	1/2	M22*1.5P	27.0	1.06	40.8	1.61	37.0	1.46	71.0	2.80
K08MF1522A90-40MM	(L)	1/2	M22*1.5P	27.0	1.06	44.8	1.76	40.0	1.57	75.0	2.95


Continued on following page...

Single & Double Wire Braid

90 Degree

K Series

MF - Metric Female Ball Nose 90° Elbow 24° Cone *Continued...*




(L) = Light Series Metric
(S) = Heavy Series Metric

Part Number	Products Description										
	DIN	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
			A	B		C		D		E	
K08MF1624A90-45MM	(S)	1/2	M24*1.5P	30.0	1.18	42.2	1.66	45.0	1.77	72.4	2.85
K08MF1826A90-42MM	(L)	1/2	M26*1.5P	32.0	1.26	43.8	1.72	42.0	1.65	74.0	2.91
K10MF1826A90-45MM	(L)	5/8	M26*1.5P	32.0	1.26	40.3	1.59	45.0	1.77	75.6	2.98
K10MF2030B90-48.1MM	(S)	5/8	M30*2.0P	36.0	1.42	44.6	1.76	48.1	1.89	79.9	3.15
K10MF2536B90-59MM	(S)	5/8	M36*2.0P	46.0	1.81	55.3	2.18	59.0	2.32	90.6	3.57
K12MF1826A90-45MM	(L)	3/4	M26*1.5P	32.0	1.26	46.3	1.82	50.3	1.98	81.7	3.22
K12MF2030B90-56.8MM	(S)	3/4	M30*2.0P	36.0	1.42	53.3	2.10	56.8	2.24	88.7	3.49
K12MF2230A90-56.8mm		3/4	M30*1.5P	36.0	1.42	53.3	2.1	56.8	2.24	88.7	3.49
K12MF2230B90-56.8MM	(L)	3/4	M30*2.0P	36.0	1.42	53.3	2.10	56.8	2.24	88.7	3.49
K12MF2536B90-60.1MM	(S)	3/4	M36*2.0P	46.0	1.81	51.3	2.02	60.1	2.37	86.7	3.41
K16MF2836B90-69.5MM	(L)	1	M36*2.0P	46.0	1.81	65.8	2.59	69.5	2.74	106.6	4.20
K16MF3042B90-80MM	(S)	1	M42*2.0P	50.0	1.97	65.8	2.59	80.0	3.15	106.6	4.20
K20MF3545B90-82.9MM	(L)	1 1/4	M45*2.0P	50.0	1.97	86.7	3.41	82.9	3.26	130.4	5.13

K Series

FO - Female O-Ring Face Seal Swivel 90° Elbow



L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
		A	B		C		D		E	
K04FO0990-21.1MM	1/4	9/16-18	17.5	0.69	25.7	1.01	21.1	0.83	46.0	1.81
K04FO0990L-46MM	1/4	9/16-18	17.5	0.69	25.7	1.01	46.0	1.81	46.0	1.81
K04FO1190-23MM	1/4	11/16-16	22.0	0.87	25.7	1.01	23.0	0.91	45.3	1.78
K04FO1190L-58MM	1/4	11/16-16	22.0	0.87	25.7	1.01	58	2.28	45.3	1.78
K06FO1190-23MM	3/8	11/16-16	22.0	0.87	30.3	1.19	23.0	0.91	57.5	2.26
K06FO1190L-54MM	3/8	11/16-16	22.0	0.87	30.3	1.19	54.0	2.13	57.5	2.26
K06FO1390-29MM	3/8	13/16-16	23.8	0.94	32.2	1.27	29.0	1.14	59.4	2.34
K06FO1390L-64MM	3/8	13/16-16	23.8	0.94	32.2	1.27	64.0	2.52	59.4	2.34
K08FO1390-29MM	1/2	13/16-16	23.8	0.94	34.8	1.37	29.0	1.14	65.0	2.56
K08FO1390L-63.8MM	1/2	13/16-16	23.8	0.94	34.8	1.37	63.8	2.51	65.0	2.56
K08FO1690-32MM	1/2	1-14	30.0	1.18	37.9	1.49	32.0	1.26	68.1	2.68
K08FO1690L-70MM	1/2	1-14	30.0	1.18	34.9	1.37	70.0	2.76	65.1	2.56

Continued on following page...

Can't find what you're looking for?


1300 654 782

Single & Double Wire Braid

90 Degree

K Series

FO - Female O-Ring Face Seal Swivel 90° Elbow *Continued..*




L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K08FO1990-43MM	1/2	1-3/16-12	36.0	1.42	34.8	1.37	43.0	1.69	65.0	2.56
K10FO1690-32MM	5/8	1-14	30.0	1.18	39.3	1.55	32.0	1.26	74.6	2.94
K10FO1690L-70MM	5/8	1-14	30.0	1.18	39.3	1.55	70.0	2.76	74.6	2.94
K10FO1990-48MM	5/8	1 3/16-12	36.0	1.42	45.7	1.80	48.0	1.89	81.0	3.19
K12FO1990-48MM	3/4	1 3/16-12	36.0	1.42	53.3	2.10	48.0	1.89	88.7	3.49
K12FO1990L-96MM	3/4	1 3/16-12	36.0	1.42	53.3	2.10	96.0	3.78	88.7	3.49
K12FO2390-56MM	3/4	1 7/16-12	41.0	1.61	53.3	2.10	56.0	2.20	88.7	3.49
K16FO2390-56MM	1	1 7/16-12	41.0	1.61	68.5	2.70	56.0	2.20	109.3	4.30
K16FO2390L-114MM	1	1 7/16-12	41.0	1.61	68.5	2.70	114.0	4.49	109.3	4.30
K16FO2790-75MM	1	1 11/16-12	50.0	1.97	63.8	2.51	75.0	2.95	104.6	4.12
K20FO2790-82MM	1 1/4	1 11/16-12	50.0	1.97	85.8	3.38	82.0	3.23	129.5	5.10

K Series


KPSW - Male UNO 90°



Part Number	Products Description									
	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K08PSW1490B-476MM	1/2	7/8-14	25.4	1	21.5	0.85	47.6	1.87	55.7	2.20

K Series

SF - SAE Female 90° Elbow



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K06SF1090-23MM	3/8	5/8-18	19.0	0.75	30.3	1.19	23.0	0.91	57.5	2.26
K10SF1790-45MM	5/8	1 1/16-14	32.0	1.26	48.3	1.90	46.0	1.81	83.6	3.29
K12SF1790-53MM	3/4	1 1/16-14	32.0	1.26	53.3	2.10	53.0	2.09	88.7	3.49




TAIPAN

Single & Double Wire Braid

90 Degree

K Series

SPM - Stand Pipe




Part Number	Products Description							
	Hose In-Dia	Tail-Growth		Drop Length		Overall Length		
		MM	Inch	MM	Inch	MM	Inch	
		C		D		E		
K04SPM0690-37MM	1/4	31.9	1.26	37.0	1.45	52.2	2.06	

Single & Double Wire Braid Field Attachable

Straight

D Series

BF - BSP Female Parallel Pipe Swivel Straight 60° Cone



Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
D04BF02	1/4	1/8-28	14.0	0.55	26.6	1.05	14.3	0.56	55.4	2.18
D04BF04	1/4	1/4-19	19.0	0.75	29.2	1.15	14.3	0.56	58.0	2.28
D04BF06	1/4	3/8-19	22.0	0.87	34.7	1.37	17.5	0.69	63.5	2.50
D06BF06	3/8	3/8-19	22.0	0.87	39.0	1.54	17.5	0.69	69.0	2.72
D06BF08	3/8	1/2-14	27.0	1.06	42.8	1.69	22.0	0.87	72.8	2.87
D08BF06	1/2	3/8-19								
D08BF08	1/2	1/2-14	27.0	1.06	42.4	1.67	22.0	0.87	78.3	3.08
D08BF12	1/2	3/4-14	36.0	1.42	46.6	1.83	28.6	1.12	81.3	3.20
D12BF12	3/4	3/4-14	36.0	1.42	46.3	1.82	28.6	1.12	88.1	3.47
D12BF16	3/4	1-11	41.0	1.61	49.3	1.94	38.1	1.50	91.1	3.59
D16BF16	1	1-11	41.0	1.61	52.2	2.06	38.1	1.50	96.9	3.81

Please note tails & shells sold separately


Can't find what you're looking for?

1300 654 782

Single & Double Wire Braid Field Attachable

Straight


D Series



BM - BSP Male Taper

Part Number	Products Description								
	Hose In-Dia	Thread PT	Nipple Hex		Tail-Growth		Overall Length		
			MM	Inch	MM	Inch	MM	Inch	
		A	B		C		E		
D04BM02	1/4	1/8-28	14.3	0.56	25.7	1.01	54.5	2.15	
D04BM04	1/4	1/4-19	14.3	0.56	25.7	1.01	54.5	2.15	
D04BM06	1/4	3/8-19	17.5	0.69	27.7	1.09	56.5	2.22	
D06BM06	3/8	3/8-19	17.5	0.69	32.0	1.26	62.0	2.44	
D06BM08	3/8	1/2-14	23.8	0.94	36.5	1.44	66.5	2.62	
D08BM06	1/2	3/8-19	22.0	0.87			71.5	2.81	
D08BM08	1/2	1/2-14	23.8	0.94	36.1	1.42	72.0	2.83	
D08BM12	1/2	3/4-14							
D12BM12	3/4	3/4-14	28.6	1.12	41.6	1.64	83.4	3.28	
D16BM16	1	1-11	38.1	1.50	52.2	2.06	96.9	3.81	

D Series



JF - JIC Female 37° Swivel Straight

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
D04JF07	1/4	7/16-20	14.3	0.56	28.3	1.11	14.3	0.56	57.1	2.25
D04JF09	1/4	9/16-18	17.5	0.69	30.5	1.20	14.3	0.56	59.3	2.33
D06JF09	3/8	9/16-18	17.5	0.69	37.4	1.47	17.5	0.69	67.4	2.65
D06JF12	3/8	3/4-16	22.2	0.87	40.3	1.59	22.2	0.87	70.3	2.77
D06JF14	3/8	7/8-14	25.4	1.00	42.9	1.69	22.2	0.87	72.9	2.87
D08JF12	1/2	3/4-16	22.2	0.87	39.9	1.57	22.2	0.87	75.8	2.98
D08JF14	1/2	7/8-14	25.4	1.00	42.5	1.67	25.4	1.00	78.4	3.09
D08JF17	1/2	1-1/16-12	31.8	1.25	43.9	1.73	27.0	1.06	79.8	3.14
D10JF14	5/8	7/8-14	25.4	1.00	41.3	1.63	25.4	1.00	80.0	3.15
D10JF17	5/8	1 1/16-12								
D12JF17	3/4	1 1/16-12	31.8	1.25	45.6	1.80	31.8	1.25	87.4	3.44
D12JF21	3/4	1 5/16-12	38.1	1.50	47.4	1.87	38.1	1.50	89.5	3.52
D16JF21	1	1 5/16-12	38.1	1.50	51.7	2.04	38.1	1.50	96.4	3.80

Please note tails & shells sold separately




TAIPAN

Single & Double Wire Braid Field Attachable

Straight


D Series



JM - JIC Male 37° Straight

Part Number	Products Description								
	Hose In-Dia	Thread UNF	Nipple Hex		Tail-Growth		Overall Length		
			MM	Inch	MM	Inch	MM	Inch	
		A	B		C		E		
D04JM07	1/4	7/16-20	14.3	0.56	25.7	1.01	54.5	2.15	
D04JM09	1/4	9/16-18	15.9	0.62	25.8	1.02	54.6	2.15	
D06JM09	3/8	9/16-18	19.0	0.75	32.7	1.29	62.7	2.47	
D06JM12	3/8	3/4-16	20.6	0.81	35.2	1.39	65.2	2.57	
D08JM12	1/2	3/4-16	22.2	0.87	34.8	1.37	70.7	2.78	
D08JM14	1/2	7/8-14	23.8	0.94	37.4	1.47	73.3	2.89	
D12JM17	3/4	1 1/16-12	28.6	1.12	41.8	1.65	83.6	3.29	


D Series



IBF - JIS (BSP) Female Parallel Pipe Swivel 30° Flare Straight

Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
D06IBF06	3/8	3/8-19	22.0	0.87			22.0	0.87		

D Series



LS - Life Saver

Part Number	Products Description									
	Hose In-Dia	Nipple Hex		In-Dia		Tail-Growth		Overall Length		
		MM	Inch	MM	Inch	MM	Inch	MM	Inch	
		A		B		C		E		
D04LS04	1/4	14.0	0.55	6.35	0.25	11.8	0.46	40.6	1.60	
D06LS06	3/8	13.7	0.54	9.5	0.37	9.5	0.37	40.9	1.61	
D08LS08	1/2	20.6	0.81	12.6	0.81	19.3	0.76	54.0	2.13	
D10LS10	5/8	23.8	0.94	16.15	0.64	18.9	0.74	57.6	2.27	
D12LS12	3/4	27.0	1.06	19.4	0.76	19.7	0.77	61.8	2.43	
D16LS16	1	35.0	1.38	25.7	1.01	26.5	1.04	71.2	2.80	

Please note tails & shells sold separately

Can't find what you're looking for?


1300 654 782

Single & Double Wire Braid Field Attachable

Straight

D Series


FO - ORFS Female



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
D04FO09	1/4	9/16								
D06FO11	3/8	11/16	22.0	0.86	17.5	0.69	17.46	0.69	69.7	2.74
D08FO13	1/2	13/16	23.8	0.94	22.0	0.86	22	0.87	81.5	3.21

D Series

SF - SAE Female Straight




Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
D06SF10	3/8	5/8-18	19.0	0.75						

45 Degree

D Series

BF - BSP Female Parallel Pipe Swivel 45° Elbow 60° Cone



Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
D04BF0445	1/4	1/4-19	19.0	0.75	40.1	1.58	19.7	0.78	68.9	2.71
D04BF0645	1/4	3/8-19	22.0	0.87	42.7	1.68	22.2	0.87	71.5	2.81
D06BF0645	3/8	3/8-19	22.0	0.87	50.5	1.99	22.2	0.87	80.5	3.17
D06BF0845	3/8	1/2-14	27.0	1.06	57.9	2.28	28.8	1.13	87.9	3.46
D08BF0845	1/2	1/2-14	27.0	1.06	58.9	2.32	28.0	1.10	94.8	3.73
D12BF1245	3/4	3/4-14	36.0	1.42	73.1	2.88	35.4	1.39	114.9	4.52
D16BF1645	1	1-11	41.0	1.61	88.4	3.48	40.4	1.59	133.1	5.24

Please note tails & shells sold separately




TAIPAN

Single & Double Wire Braid Field Attachable

45 Degree

D Series


JF - JIC Female 37° Swivel 45° Elbow



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
D04JF0745	1/4	7/16-20	14.3	0.56	30.4	1.20	10.0	0.39	59.2	2.33
D04JF0945	1/4	9/16-18	17.5	0.69	31.4	1.24	11.0	0.43	60.2	2.37
D06JF0945	3/8	9/16-18	17.5	0.69	39.3	1.55	11.0	0.43	69.3	2.73
D06JF1245	3/8	3/4-16	22.2	0.87	42.3	1.67	14.0	0.55	72.3	2.85
D08JF1245	1/2	3/4-16	22.2	0.87	46.0	1.81	15.0	0.59	81.9	3.22
D08JF1445	1/2	7/8-14	25.4	1.00	48.0	1.89	17.0	0.67	83.9	3.30
D12JF1745	3/4	1 1/16-12	31.8	1.25	75.0	2.95	27.0	1.06	116.8	4.60
D16JF2145	1	1 5/16-12	38.1	1.50	80.9	3.19	33.0	1.30	125.6	4.94

D Series

FO - ORFS Female 45° Elbow




Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
D06FO1145	3/8	11/6-16	22.0	0.87	41.6	1.64	11.0	0.43	72.6	2.86
D08FO1345	1/2	13/16-16	23.8	0.94	47.3	1.86	15.0	0.59	83.2	3.28

90 Degree

D Series

BF - BSP Female Parallel Pipe Swivel 90° Elbow 60° Cone



L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
D04BF0490-29MM	1/4	1/4-19	19.0	0.75	25.7	1.01	34.2	1.35	54.5	2.15
D04BF0690-33MM	1/4	3/8-19	22.0	0.87	28.7	1.13	40.4	1.59	57.5	2.26
D06BF0690-33MM	3/8	3/8-19	22.0	0.87	40.9	1.61	40.4	1.59	70.9	2.79
D06BF0890-41MM	3/8	1/2-14	27.0	1.06	37.9	1.49	50.6	1.99	67.9	2.67
D08BF0890-41MM	1/2	1/2-14	27.0	1.06	42.1	1.66	50.7	2.00	78.0	3.07

Continued on following page...

Please note tails & shells sold separately

Can't find what you're looking for?


1300 654 782

Single & Double Wire Braid Field Attachable

90 Degree

D Series

BF - BSP Female Parallel Pipe Swivel 90° Elbow 60° Cone *Continued...*




L = Long Drop

Part Number	Products Description	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
D08BF0890L	1/2	1/2-14								
D12BF1290-55MM	3/4	3/4-14	36.0	1.42	55.3	2.18	64.0	2.52	97.1	3.82
D16BF1690-73.5MM	1	1-11	41.0	1.61	70.2	2.76	84.0	3.31	114.9	4.52

D Series


JF - JIC Female 37° Swivel 90° Elbow



Part Number	Products Description	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
D04JF0790-21MM	1/4	7/16-20	14.3	0.56	25.7	1.01	21.0	0.83	54.5	2.15
D04JF0990-22MM	1/4	9/16-18	17.5	0.69	28.7	1.13	22.0	0.87	57.5	2.26
D06JF0990-23MM	3/8	9/16-18	17.5	0.69	38.9	1.53	23.0	0.91	68.9	2.71
D06JF1290-28MM	3/8	3/4-16	22.2	0.87	38.9	1.53	28.0	1.10	68.9	2.71
D08JF1290-31MM	1/2	3/4-16	22.2	0.87	45.1	1.78	31.0	1.22	81.0	3.19
D08JF1290-41MM	1/2	3/4-16	22.2	0.87	45.1	1.78	31.0	1.22	81.0	3.19
D08JF1490-31MM	1/2	7/8-14	25.4	1.00	45.1	1.78	31.0	1.22	81.0	3.19
D10JF1490-34MM	5/8	7/8-14	25.4	1.00	47.3	1.86	34.0	1.34	86.0	3.39
D12JF1790-53MM	3/4	1 1/16-12	31.8	1.25	60.3	2.37	53.0	2.09	102.1	4.02
D16JF2190-70MM	1	1 5/16-12	38.1	1.50	70.2	2.76	70.0	2.76	114.9	4.52

D Series

IBF - JIS (BSP) Female Parallel Pipe Swivel 30° Flare 90° Elbow



Part Number	Products Description	Thread PF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
D06IBF0690-33MM	3/8	3/8-19	22.0	0.87	42.5	1.67	33.0	1.30	72.5	2.85

Please note tails & shells sold separately




TAIPAN

Single & Double Wire Braid Field Attachable

90 Degree

D Series

FO - Female O-Ring Face Seal Swivel 90° Elbow




Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
D06FO1190-23MM	3/8	11/16-16	22.0	0.87	38.9	1.53	23.0	0.91	68.9	2.71
D08FO1390-29MM	1/2	13/16	23.8	0.94	41.8	1.64	29.0	1.14	77.0	3.03

Shell (Field Attachable)

D Series

D1 /D2 - Reuseable shells to suit 100R1 & 100R2 & 100R17



Part Number	Products Description		
	Nipple Hex		
	MM	Inch	
D1-04	19.0	0.74	To suit Taipan SAE100R1
D1-06	22.1	0.87	To suit Taipan SAE100R1
D1-08	27.0	1.06	To suit Taipan SAE100R1
D1-12	30.0	1.18	To suit Taipan SAE100R1
D1-16	35.0	1.37	To suit Taipan SAE100R1
D2-04	20.0	0.78	To suit Taipan SAE100R2, SAE100R2GP
D2-06	24.0	0.94	To suit Taipan SAE100R2, SAE100R2GP
D2-08	27.0	1.06	To suit Taipan SAE100R2, SAE100R2GP
D2-10	31.75	1.25	To suit Taipan SAE100R2, SAE100R2GP
D2-12	35.0	1.37	To suit Taipan SAE100R2, SAE100R2GP
D2-16	43.0	1.69	To suit Taipan SAE100R2, SAE100R2GP
D17-06	22.2	0.87	To suit Taipan SAE100R17


Please note tails & shells sold separately

Single & Double Wire Braid Two Piece

Shells

G Series

GN - 100R2 Shells



Part Number	Products Description	
	Hose In-Dia	
GN2-04	1/4	
GN2-05	5/16	
GN2-06	3/8	
GN2-08	1/2	
GN2-10	5/8	
GN2-12	3/4	
GN2-16	1	
GN2-20	1 1/4	

Note : No crimp dimensions available. For use at customers own risk.



Suction Hose Low Pressure

Straight

Suction Tails

BSPP Female Swivel x Low Pressure Hose Tail



Part Number	Products Description		
	BSPP F S/W	L/P Hose Tail	
QAAX16	1	1	

Suction Tails

BSP Parallel Male x Low Pressure Hose Tail



Part Number	Products Description		
	BSPP M	L/P Hose Tail	
QADX12	3/4	3/4	
QADX1216	3/4	1	
QADX16	1	1	
QADX1620	1	1 1/4	
QADX1624	1	1 1/2	
QADX20	1 1/4	1 1/4	
QADX2024	1 1/4	1 1/2	
QADX24	1 1/2	1 1/2	
QADX32	2	2	

Suction Tails

BSPT Male x Low Pressure Hose Tail



Part Number	Products Description		
	BSPT M	L/P Hose Tail	
QAEX08	1/2	1/2	
QAEX0812	1/2	3/4	
QAEX12	3/4	3/4	
QAEX1216	3/4	1	
QAEX1220	3/4	1 1/4	
QAEX16	1	1	
QAEX1612	1	3/4	
QAEX1614	1	7/8	
QAEX1618	1	1 1/8	
QAEX1620	1	1 1/4	
QAEX1624	1	1 1/2	
QAEX20	1 1/4	1 1/4	

Continued on following page..

Suction Hose Low Pressure

Straight

Suction Tails

BSPT Male x Low Pressure Hose Tail *Continued...*



Part Number	Products Description		
	BSPT M	L/P Hose Tail	
QAEX2014	1 1/4	7/8	
QAEX2016	1 1/4	1	
QAEX2018	1 1/4	1 1/8	
QAEX2022	1 1/4	1 3/8	
QAEX2024	1 1/4	1 1/2	
QAEX24	1 1/2	1 1/2	
QAEX2418	1 1/2	1 1/8	
QAEX2420	1 1/2	1 1/4	
QAEX2422	1 1/2	1 3/8	
QAEX2432	1 1/2	2	
QAEX32	2	2	
QAEX3224	2	1 1/2	
QAEX3229	2	1 13/16	

Suction Tails

Code 61 Flange x Low Pressure Hose Tail



Part Number	Products Description		
	C61 Flange	L/P Hose Tail	
QAFX24	1 1/2	1 1/2	
QAFX32	2	2	
QAFX4032	2 1/2	2	

Suction Tails

NPT Male x Low Pressure Hose Tail



Part Number	Products Description		
	NPT M	L/P Hose Tail	
QAUX20	1 1/4	1 1/4	
QAUX24	1 1/2	1 1/2	
QAUX32	2	2	
QAUX3224	2	1 1/2	
QAUX3236	2	2 1/4	



Suction Hose Low Pressure

Straight

Suction Tails

UNO Male x Low Pressure Hose Tail




Part Number	Products Description		
	UNO M	L/P Hose Tail	
QAPX1716	1 1/16	1	
QAPX1720	1 1/16	1 1/4	
QAPX2116	1 5/16	1	
QAPX2120	1 5/16	1 1/4	
QAPX2124	1 5/16	1 1/2	
QAPX2620	1 5/8	1 1/4	
QAPX2624	1 5/8	1 1/2	
QAPX3024	1 7/8	1 1/2	

45 Degree

Suction Tails

Code 61 Flange x Low Pressure Hose Tail - 45°



Part Number	Products Description		
	C61 Flange	L/P Hose Tail	
QETFX242445	1 1/2	1 1/2	
QETFX323245	2	2	
QETFX403245	2 1/2	2	

90 Degree

Suction Tails

BSPP Female Swivel x Low Pressure Hose Tail - 90°



Part Number	Products Description		
	BSPP F S/W	L/P Hose Tail	
QEBAX16	1	1	

Suction Hose Low Pressure

90 Degree

Suction Tails

BSPP Male x Low Pressure Hose Tail - 90°



Part Number	Products Description		
	BSPP M	L/P Hose Tail	
QEBDX12	3/4	3/4	
QEBDX1216	3/4	1	
QEBDX16	1	1	
QEBDX1620	1	1 1/4	
QEBDX1624	1	1 1/2	
QEBDX20	1 1/4	1 1/4	
QEBDX2024	1 1/4	1 1/2	
QEBDX24	1 1/2	1 1/2	

Suction Tails

BSPT Male x Low Pressure Hose Tail - 90°



Part Number	Products Description		
	BSPT M	L/P Hose Tail	
QEBEX0812	1/2	3/4	
QEBEX12	3/4	3/4	
QEBEX1216	3/4	1	
QEBEX16	1	1	
QEBEX1614	1	7/8	
QEBEX1620	1	1 1/4	
QEBEX1624	1	1 1/2	
QEBEX20	1 1/4	1 1/4	
QEBEX2016	1 1/4	1	
QEBEX2018	1 1/4	1 1/8	
QEBEX2024	1 1/4	1 1/2	
QEBEX2032	1 1/4	2	
QEBEX24	1 1/2	1 1/2	
QEBEX2420	1 1/2	1 1/4	
QEBEX2432	1 1/2	2	
QEBEX32	2	2	




Suction Hose Low Pressure

90 Degree

Suction Tails

Code 61 Flange x Low Pressure Hose Tail - 90°



Part Number	Products Description			
	C61 Flange	L/P Hose Tail	Drop Length	
QETFX2020-82MM	1 1/4	1 1/4	82.0mm	
QETFX2424-104MM	1 1/2	1 1/2	104.0mm	
QETFX2432-104MM	1 1/2	2	104.0mm	
QETFX3232-114MM	2	2	114.0mm	
QETFX4032-125MM	2 1/2	2	125.0mm	
QETFX4040-135MM	2 1/2	2 1/2	135.0mm	

Suction Tails

UNO Male x Low Pressure Hose Tail - 90°



Part Number	Products Description		
	UNO M	L/P Hose Tail	
QEBPX1712	1 1/16	3/4	
QEBPX1716	1 1/16	1	
QEBPX2116	1 5/16	1	
QEBPX2120	1 5/16	1 1/4	
QEBPX2124	1 5/16	1 1/2	
QEBPX2620	1 5/8	1 1/4	
QEBPX2624	1 5/8	1 1/2	
QEBPX3024	1 7/8	1 1/2	

Tee Piece

Suction Tails

Low Pressure Hose Tail x Low Pressure Hose Tail x BSPP F S/W - Branch Tee




Part Number	Products Description			
	(1) L/P Tail	(2) L/P Tail	(3) BSPP F	
QTEXXA16	1	1	1	

SAE100R5 Field Attachable

Straight

DF Series


JF - JIC Female 37° Swivel Straight



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
DF04JF07	3/16	7/16-20	14.3	0.56	30.9	1.22	14.3	0.56	49.9	1.96
DF05JF08	1/4	1/2-20	15.9	0.62	33.4	1.31	17.5	0.69	54.5	2.15
DF05JF09	1/4	9/16-18	17.5	0.69	33.6	1.32	17.5	0.69	54.7	2.15
DF06JF09	5/16	9/16-18	17.5	0.69	34.2	1.35	17.5	0.69	57.2	2.25
DF06JF12	5/16	3/4-16	22.2	0.87	40.1	1.58	22.2	0.87	63.1	2.48
DF08JF12	13/32	3/4-16	22.2	0.87	42.8	1.69	22.2	0.87	71.8	2.83
DF08JF14	13/32	7/8-14	25.4	1.00	45.4	1.79	25.4	1.00	74.4	2.93
DF10JF12	1/2	3/4-16	22.2	0.87	42.8	1.69	22.2	0.87	75.3	2.96
DF10JF14	1/2	7/8-14	25.4	1.00	46.4	1.83	25.4	1.00	78.9	3.11
DF10JF17	1/2	1 1/16-12								
DF12JF14	5/8	7/8-14	25.4	1.00	46.9	1.85	25.4	1.00	86.9	3.42
DF12JF17	5/8	1 1/16-12	32.0	1.26	89.6	3.53	31.8	1.25	89.6	3.53
DF16JF21	7/8	1 5/16-12	38.0	1.50	48.5	1.91	38.0	1.50	80.5	3.17
DF20JF26	1 1/8	1 5/8-12	50.0	1.97	58.0	2.28	41.0	1.61	92.5	3.64
DF24JF30	1 3/8	1 7/8-12	55.0	2.17	60.6	2.39	46.0	1.81	97.6	3.84
DF32JF40	1 13/16	2 1/2-12	73.0	2.87	84.5	3.33	63.5	2.50	131.0	5.16

DF Series

NM - Taper Male NPT Straight



Part Number	Products Description									
	Hose In-Dia		Thread NPT							
DF04NM02	3/16		1/8-27							
DF04NM04	3/16		1/4-18							
DF06NM06	5/16		3/8-18							
DF08NM08	13/32		1/2-14							
DF10NM08	1/2		1/2-14							
DF12NM12	5/8		3/4-14							
DF16NM16	7/8		1-11.5							
DF20NM20	1 1/8		1 1/4-11.5							
DF24NM24	1 3/8		1 1/2-11.5							
DF32NM32	1 13/16		2-11.5							




SAE100R5 Field Attachable

Straight

DF Series


FO - Female O-Ring Face Seal Swivel Straight



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
DF06FO11	5/16	11/16-16	22.0	0.86	36.8	1.44	17.46	0.68	59.8	2.35
DF08FO13	13/32	13/16-16								

DF Series

SF - SAE Female Straight




Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
DF06SF10	5/16	5/8-18								
DF12SF17	5/8	1 1/16-14								

45 Degree

DF Series


JF - JIC Female 37° Swivel 45° Elbow



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
DF04JF0745	3/16	7/16-20	14.3	0.56	34.2	1.35	10.0	0.39	53.2	2.09
DF06JF0945	5/16	9/16-18	17.5	0.69	39.8	1.57	11.0	0.43	62.8	2.47
DF08JF1245	13/32	3/4-16	22.2	0.87	52.9	2.08	15.0	0.59	81.9	3.22
DF10JF1445	1/2	7/8-14								
DF12JF1745	5/8	1 1/6-12	32.0	1.26	71.7	2.82	27.0	1.06	111.7	4.40
DF16JF2145	7/8	1 5/16-12	38.1	1.50	78.7	3.10	33.0	1.30	110.7	4.36
DF20JF2645	1 1/8	1 5/8-12	50.0	1.97	103.1	4.06	45.0	1.77	137.6	5.42

DF Series

SF - SAE Female 45° Elbow




Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
DF06SF1045	3/8	5/8-18	19	0.75	42.8	1.68	11	0.43	65.8	2.59

SAE100R5 Field Attachable

90 Degree

DF Series


JF - JIC Female 37° Swivel 90° Elbow



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
DF04JF0790-21MM	3/16	7/16-20	14.3	0.56	29.5	1.16	21.0	0.83	48.5	1.91
DF06JF0990-23MM	5/16	9/16-18	17.5	0.69	39.4	1.55	23.0	0.91	62.4	2.46
DF08JF1290-31MM	13/32	3/4-16	22.2	0.87	49.0	1.93	31.0	1.22	78.0	3.07
DF08JF1490-34MM	13/32	7/8-14	25.4	1.00	51.0	2.01	34.0	1.34	80.0	3.15
DF10JF1490-34MM	1/2	7/8-14	25.4	1.00	51.0	2.01	34.0	1.34	83.5	3.29
DF12JF1790-53MM	5/8	1 1/16-12	31.8	1.25	64.3	2.53	53.0	2.09	104.3	4.11
DF16JF2190-70MM	7/8	1 5/16-12	38.1	1.50	67.0	2.64	70.0	2.76	99.0	3.90
DF20JF2690-85MM	1 1/8	1 5/8-12	50.0	1.97	84.5	3.33	85.0	3.35	119.0	4.69
DF24JF3090-110MM	1 3/8	1 7/8-12	55.0	2.16	101	3.97	110.0	4.33	138.0	5.43
DF32JF4090-136MM	1 13/32	2 1/2-12	73.0	2.87	133.5	5.25	136.0	5.35	180.0	7.08

DF Series

SF - SAE Female 90° Elbow



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
DF06SF1090-23MM	3/8	5/8-18	19.0	0.75	39.4	1.55	23.0	0.90	63.9	2.52
DF12SF1790-53MM	3/4	1 1/16-14	32.0	1.26	64.3	2.53	53.0	2.08	104.3	4.10



SAE100R5 Crimp Hose Tails

Straight

F Series



JF - JIC Female 37° Swivel Straight

Part Number	Products Description				
	Hose In-Dia	Thread UNF	Nut Hex		
			MM	Inch	
		A	B		
F04JF07	3/16	7/16-20	14.3	0.56	
F05JF07	1/4	7/16-20	14.3	0.56	
F05JF09	1/4	9/16-18	17.5	0.68	
F08JF12	13/32	3/4-16	22.2	0.87	
F08JF14	13/32	7/8-14	25.4	1.00	
F10JF09	1/2	9/16-18	17.5	0.68	
F10JF12	1/2	3/4-16	22.2	0.87	
F10JF14	1/2	7/8-14	25.4	1.00	
F12JF14	5/8	7/8-14	25.4	1.00	
F12JF17	5/8	1 1/16-12	31.8	1.25	
F16JF17	7/8	1 1/16-12	31.8	1.25	
F16JF21	7/8	1 5/16-12	38.0	1.49	
F24JF30	1 3/8	1 7/8-12	55.0	2.16	

F Series



NM - Taper Male NPT Straight

Part Number	Products Description				
	Hose In-Dia	Thread NPT	Nipple Hex		
			MM	Inch	
		A	B		
F04NM02	3/16	1/8	14.3		

F Series



BF - BSP Female Parallel Swivel Straight 60° Cone

Part Number	Products Description				
	Hose In-Dia	Thread BSP	Nut Hex		
			MM	Inch	
		A	B		
F05BF04	1/4	1/4	19.0		
F10BF08	1/2	1/2	27.0		
F16BF12	7/8	3/4	32.0		
F20BF20	1 1/8	1 1/4	50.0		
F24BF24	1 3/8	1 1/2	60.0		

SAE100R5 Crimp Hose Tails

Straight

F Series

BM - BSP Male Taper



Part Number	Products Description				
	Hose In-Dia	Thread BSP	Nut Hex		
			MM	Inch	
		A	B		
F05BM04	1/4	1/4	14.3		
F08BM08	13/32	1/2	27.0		
F10BM06	1/2	3/8	22.0		
F10BM08	1/2	1/2	27.0		
F16BM12	7/8	3/4	36.0		
F16BM16	7/8	1	41.0		
F20BM20	1 1/8	1 1/4	50.0		
F24BM24	1 3/8	1 1/2	60.0		

45 Degree

F Series

JF - JIC Female 37° S/W 45° Elbow



Part Number	Products Description				
	Hose In-Dia	Thread UNF	Nipple Hex		
			MM	Inch	
		A	B		
F10JF1245	1/2	3/4-16	22.2		

90 Degree

F Series

JF - JIC Female 37° Swivel 90° Elbow



Part Number	Products Description							
	Hose In-Dia	Thread UNF	Nipple Hex		Tail-Growth		Overall Length	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C		E	
F08JF1490	13/32	7/8-14	25.4	1.00				
F10JF0990	1/2	9/16-18	17.5	0.68				
F10JF1290	1/2	3/4-16	22.2	0.87				
F10JF1490	1/2	7/8-14	25.4	1.00				
F16JF2190	7/8	1 5/16-12	38.0	1.49				




SAE100R6 Textile Braid

Straight

H Series


MBJ - Banjo Straight



Part Number	Products Description							
	Hose In-Dia	Banjo	Nipple Hex		Tail-Growth		Overall Length	
		MM	MM	Inch	MM	Inch	MM	Inch
		A	B		C		E	
H04MBJ10	1/4	10.0			18.0	0.71	42.4	1.67
H04MBJ12	1/4	12.0			21.0	0.83	45.4	1.78
H06MBJ16	3/8	16.0			24.8	0.97	52.1	2.05

H Series


BF - BSP Female Parallel Pipe Swivel Straight 60° Cone



Part Number	Products Description							
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Nipple Hex	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C			
H04BF02	1/4	1/8-28	14.0	0.55	17.4	0.69		
H04BF04	1/4	1/4-19	19.0	0.75	20.0	0.79		
H06BF06	3/8	3/8-19	22.0	0.87	23.8	0.94		
H06BF08	3/8	1/2-14	27.0	1.06	23.4	0.92		
H08BF08	1/2	1/2-14	27.0	1.06	26.9	1.06		
H10BF08	5/8	1/2-14	27.0	1.06	26.9	1.06		
H12BF12	3/4	3/4-14	32.0	1.26	29.0	1.14		
H16BF16	1	1-11	41.0	1.61	30.8	1.21	39.0	1.54

H Series

BM - BSP Male Taper




Part Number	Products Description							
	Hose In-Dia	Thread PT	Nipple Hex		Tail-Growth		Overall Length	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C			
H04BM02	1/4	1/8-28	17.0	0.67	17.3	0.68		
H04BM04	1/4	1/4-19	17.0	0.67	21.0	0.826	45.4	1.79
H06BM04	3/8	1/4-19	19.0	0.75	22.7	0.89		
H06BM06	3/8	3/8-19	19.0	0.75	24.2	0.95		
H06BM08	3/8	1/2-14	19.0	0.75	26.0	1.02	51.1	2.01
H08BM06	1/2	3/8-19	23.8	0.94	24.2	0.95		
H08BM08	1/2	1/2-14	23.8	0.94	27.7	1.09		
H12BM12	3/4	3/4-14	30.0	1.18	34.3	1.35		

SAE100R6 Textile Braid

Straight

H Series


HJ - Hose Joiner



Part Number	Products Description							
	Hose In-Dia	Thread UNF	Nipple Hex		Tail-Growth		Overall Length	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C			
H08HJ08	1/2				13.6	0.54	64	2.52

H Series


JF - JIC Female 37° Swivel Straight



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple OD		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D			
H04JF07	1/4	7/16-20	14.3	0.56	19.1	0.75	16.0	0.63		
H04JF09	1/4	9/16-18	17.5	0.69	21.3	0.84	16.0	0.63		
H05JF08	5/16	1/2-20	15.9	0.63	20.1	0.79	17.2	0.68	39.3	1.55
H05JF09	5/16	9/16-18	17.46	0.68	21.7	0.85	17.2	0.68	40.05	1.59
H06JF09	3/8	9/16-18	17.5	0.69	21.5	0.85	19.0	0.75		
H06JF12	3/8	3/4-16	22.2	0.87	24.5	0.96	19.0	0.75		
H06JF12B (Brass)	1/2	3/4-16	22.0		24.4	0.96			40.5	1.59
H08JF12	1/2	3/4-16	22.2	0.87	24.4	0.96	23.0	0.91		
H08JF14	1/2	7/8-14	25.4	1.00	27.1	1.07	23.0	0.91		
H10JF14	5/8	7/8-14	25.4	1.00	27.1	1.07	26.0	1.02		
H12JF14	3/4	7/8-14	25.4	1.00	27.5	1.08	30.0	1.18		
H12JF17	3/4	1 1/16-12	32.0	1.26	28.8	1.13	30.0	1.18		
H16JF21	1	1 5/16-12	38.0	1.49	30.3	1.19	39.0	1.54	67.2	2.65

H Series

JM - JIC Male 37° Straight



Part Number	Products Description						
	Hose In-Dia	Thread UNF	Nipple Hex		Tail-Growth		
			MM	Inch	MM	Inch	
		A	B		C		
H06JM09	3/8	9/16-18	19.0	0.74	23.8	0.93	
H06JM12	3/8	3/4-16	20.6	0.81	26.4	1.04	
H08JM12	1/2	3/4-16	23.8	0.94	26.4	1.04	
H10JM14	5/8	7/8-14	25.4	1	27.3	1.075	




SAE100R6 Textile Braid

Straight

H Series


SF - SAE Female Straight



Part Number	Products Description							
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Overall Length	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C			
H06SF10	3/8	5/8-18	19.0	0.75	22.0	0.87	19.0	0.75

H Series

NM - NPT Male Taper




Part Number	Products Description							
	Hose In-Dia	Thread NPTF	Nut Hex		Tail-Growth		Overall Length	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C			
H04NM04	1/4	1/4-18	17.0	0.66	21.7	0.85	46.1	1.81
H06NM06	3/8	3/8-18	19.0	0.74	24.4	0.96	51.5	2.03

90 Degree

H Series

BF - BSP Female Parallel Pipe Swivel 90° Elbow 60° Cone




Part Number	Products Description							
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C		D	
H04BF0490-29MM	1/4	1/4-19	19.0	0.75	21.5	0.85	34.2	1.35
H06BF0690-33MM	3/8	3/8-19	22.0	0.87	25.5	1.00	40.4	1.59
H08BF0890-40.9MM	1/2	1/2-14	27.0	1.06	32.1	1.26	50.6	1.99
H12BF1290-55MM	3/4	3/4-14	32.0	1.26	42.0	1.65	64.0	2.52

SAE100R6 Textile Braid

90 Degree

H Series

JF - JIC Female 37° Swivel 90° Elbow



Part Number	Products Description								
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		
			MM	Inch	MM	Inch	MM	Inch	
		A	B		C		D		
H04JF0790-21MM	1/4	7/16-20	14.3	0.56	21.5	0.85	21.0	0.83	
H04JF0990-22MM	1/4	9/16-18	17.5	0.69	21.5	0.85	22.0	0.87	
H06JF0990-23MM	3/8	9/16-18	17.5	0.69	25.5	1.00	23.0	0.91	
H06JF1290-28MM	3/8	3/4-16	22.2	0.87	25.5	1.00	28.0	1.10	
H08JF1290-31MM	1/2	3/4-16	22.2	0.87	32.1	1.26	31.0	1.22	
H08JF1490-32.5MM	1/2	7/8-14	25.4	1.00	32.1	1.26	32.5	1.28	
H10JF1490-34MM	5/8	7/8-14	25.4	1.00			34.0	1.33	
H12JF1790-53MM	3/4	1 1/16-12	32.0	1.26	46.0	1.81	53.0	2.09	




SAE100R7, SAE100R8 & SAE100R18 Thermoplastic

Straight

J Series


BF - BSP Female Parallel Pipe Swivel Straight 60° Cone



Part Number	Products Description									
	Hose In-Dia	Thread BSP	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J02BF02	1/8	1/8-28	14.0	0.55						
J02BF04	1/8	1/4-19	19.0	0.74						
J04BF04	1/4	1/4-19	19.0	0.74						
J06BF06	3/8	3/8-19	22.0	0.87						
J08BF08	1/2	1/2-14	27.0	1.06	34.8	1.37	22.0	0.87	65.5	2.58

J Series


BM - BSPT Male Straight



Part Number	Products Description							
	Hose In-Dia	Thread PT	Nipple Hex		Tail-Growth		Overall Length	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C		E	
J04BM04	1/4	1/4-19	14.3	0.56				
J06BM06	3/8	3/8-19	22.0	0.87				
J06BM08	3/8	1/2-14	28.6	1.12	33.3	1.31	60.7	2.38
J08BM08	1/2	1/2-14	27.0	1.06	33.2	1.31	63.9	2.51

J Series

IBF - JIS (BSP) Female Parallel Pipe Swivel Straight 30° Flare




Part Number	Products Description									
	Hose In-Dia	Thread BSP	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J04IBF04	1/4	1/4-19	19.0	0.75			19.0	0.75		

SAE100R7, SAE100R8 & SAE100R18 Thermoplastic

Straight

J Series


JF - JIC Female 37° Swivel Straight



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple OD		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J02JF07	1/8	7/16-20	14.3	0.56						
J03JF07	3/16	7/16-20	14.3	0.56						
J04JF07	1/4	7/16-20	14.3	0.56						
J04JF09	1/4	9/16-18	17.5	0.69						
J06JF09	3/8	9/16-18	17.5	0.69	30.5		17.46		49.6	
J06JF12	3/8	3/4-16	22.2	0.87	33.5		17.46		51.2	
J08JF12	1/2	3/4-16	22.2	0.87	23.9		17.46		54.6	
J08JF14	1/2	7/8-14	25.4	1.0	26.0		22.0		56.7	

J Series


JM - JIC Male 37° Straight



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple OD		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D			
J04JM07	1/4	7/16-20								
J04JM09	1/4	9/16-18			25.8		14.3		52.4	
J06JM09	3/8	9/16-18								
J06JM12	3/8	3/4-16			29.5		20.6		56.9	
J08JM12	1/2	3/4-16			29.4		20.64		60.1	
J08JM14	1/2	7/8-14			33.1		23.8		63.8	

J Series

KF - Komatsu Female Swivel




Part Number	Products Description									
	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J04KF14	1/4	M14*1.5P	19.0	0.75			19.0	0.75		
J06KF18	3/8	M18*1.5P	24.0	0.94			22.0	0.87		
J08KF22	1/2	M22*1.5P	27.0	1.06	37.6	1.48	27.0	1.06	68.3	2.68



SAE100R7, SAE100R8 & SAE100R18 Thermoplastic

Straight

J Series




(L) = Light Series Metric
(S) = Heavy Series Metric

MM - Metric Male

Part Number	Products Description									
	Hose In-Dia	DIN	Thread Metric	Nipple Hex		Tail-Growth		Overall Length		
				MM	Inch	MM	Inch	MM	Inch	
			A	B		C		D		
J04MM0612A	1/4	(L)	M12*1.5P	14.0	0.55					
J04MM0614A	1/4	(S)	M14*1.5P	14.0	0.55					
J04MM0814A	1/4	(L)	M14*1.5P	14.0	0.55					
J04MM0816A	1/4	(S)	M16*1.5P	17.0	0.69					
J04MM1016A	1/4	(L)	M16*1.5P	19.0	0.75					
J04MM1018A	1/4	(S)	M18*1.5P	19.0	0.75					
J06MM1016A	3/8	(L)	M16*1.5P	19.0	0.75					
J06MM1018A	3/8	(S)	M18*1.5P	22.0	0.86					
J06MM1218A	3/8	(L)	M18*1.5P	22.0	0.86					
J06MM1220A	3/8	(S)	M20*1.5P	22.0	0.86					
J06MM1422A	3/8	(S)	M22*1.5P	22.0	0.86					
J08MM1522A	1/2	(L)	M22*1.5P	22.0	0.8	27.0	1.06	57.7	2.27	
J08MM1624A	1/2	(S)	M24*1.5P	24.0	0.94	29.0	1.14	59.7	2.35	


J Series



NM - NPT Male

Part Number	Products Description							
	Hose In-Dia		Thread NPTM	Tail-Growth		Nipple Hex		Overall Length
				MM	Inch	MM	Inch	MM
			A	C		D		
J06NM06	3/8		3/8-18			19.0	0.75	

J Series



(LL) = Extra Light Series Metric
(L) = Light Series Metric
(S) = Heavy Series Metric

MF - Metric Female Ball Nose

Part Number	Products Description									
	Hose In-Dia	DIN	Thread Metric	Nut Hex		Tail-Growth		Nipple Hex		Overall Length
				MM	Inch	MM	Inch	MM	Inch	MM
			A	B		C		D		E
J02MF0610C	1/8	(LL)	M10*1P	11.6	0.45					
J02MF0614A	1/8	(S)	M14*1.5P	15.8	0.62			14.0	0.55	
J04MF0612A	1/4	(L)	M12*1.5P	15.8	0.62			14.0	0.55	
J04MF0614A	1/4	(S)	M14*1.5P	17.5	0.69			14.0	0.55	

Continued on following page...

Can't find what you're looking for?


1300 654 782

SAE100R7, SAE100R8 & SAE100R18 Thermoplastic

Straight

J Series

MF - Metric Female Ball Nose *Continued...*




(L) = Light Series Metric
(S) = Heavy Series Metric

Part Number	Products Description										
	Hose In-Dia	DIN	Thread Metric	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
J04MF0814A	1/4	(L)	M14*1.5P	17.5	0.68	24.5	0.96	17.0	0.66	51.1	2.01
J04MF0816A	1/4	(S)	M16*1.5P	19.0	0.748	30.6	1.2			48.7	1.92
J06MF0816A	3/8	(S)	M16*1.5P	19.0	0.75			17.0	0.67		
J06MF1016A	3/8	(L)	M16*1.5P	19.0	0.748	31.4	1.23	19.0	0.75	58.2	2.29
J06MF1218A	3/8	(L)	M18*1.5P	22.0	0.87			17.0	0.67		
J06MF1220A	3/8	(S)	M20*1.5P	24.0	0.94						
J06MF1422A	3/8	(S)	M22*1.5P	27.0	1.06						
J06MF1522A	3/8	(L)	M22*1.5P	27.0	1.06						
J08MF1522A	1/2	(L)	M22*1.5P	27.0	1.06	33.0	1.29	22.0	0.86	63.7	2.50
J08MF1624A	1/2	(S)	M24*1.5P	30.0	1.18	22.8	0.89			53.5	2.10

J Series


FO - Female O-Ring Face Seal Swivel Straight



Part Number	Products Description									
	Hose In-Dia	Thread ORFS	Nut Hex		Tail-Growth		Nipple OD		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J02FO09	1/8	9/16-18	17.5	0.69	29.0	1.14	14.3	0.56		
J04FO09	1/4	9/16-18	17.5	0.69	29.0	1.14	14.3	0.56	55.6	2.19
J06FO11	3/8	11/16-16	22.0	0.86	36.8	1.44	17.46	0.68		
J08FO13	1/2	13/16-16	23.8	0.93	37.2	1.46	22.0	0.86	67.9	2.67

J Series

SP - Stand Pipe Straight



Part Number	Products Description								
	Hose In-Dia	Length		OD		Tail-Growth		Overall Length	
		MM	Inch	MM	Inch	MM	Inch	MM	Inch
				B		C			
J02SP06	1/8	22.0	0.87	6.0	0.24				




TAIPAN

SAE100R7, SAE100R8 & SAE100R18 Thermoplastic

45 Degree

J Series


BF - BSP Female Parallel Pipe Swivel 45° Elbow 60° Cone



Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J06BF0645	3/8	3/8-19	19.0	0.74						
J08BF0845	1/2	1/2-14	22.0	0.87						

J Series


JF - JIC Female 37° Swivel 45° Elbow



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J04JF0745	1/4	7/16-20	14.3	0.56	28.9	1.13	10.0	0.39	55.5	2.18
J04JF0945	1/4	9/16-18	17.0	0.66						
J06JF0945	3/8	9/16-18	17.0	0.66						
J06JF1245	3/8	3/4-16	22.0	0.86						
J08JF1245	1/2	3/4-16	22.0	0.86						
J08JF1445	1/2	7/8-14	25.4	1.0						

J Series

MF - Metric Female Ball Nose 45° Elbow 24° Cone



(LL) = Extra Light Series Metric
(L) = Light Series Metric
(S) = Heavy Series Metric


Part Number	Products Description										
	Hose In-Dia	DIN	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
J02MF0610C45	1/8	(LL)	M10*1P	11.6	0.45						
J04MF0612A45	1/4	(L)	M12*1.5P	15.8	0.62						
J04MF0614A45	1/4	(S)	M14.15P	17.5	0.69						
J04MF0814A45	1/4	(L)	M14.15P	17.5	0.69						
J04MF0816A45	1/4	(S)	M16*1.5P	19.0	0.75						
J06MF1016A45	3/8	(L)	M16*1.5P	19.0	0.75	37.7	1.48	17.0	0.67	65.1	2.56
J06MF1218A45	3/8	(L)	M18*1.5P	22.0	0.87						
J06MF1220A45	3/8	(S)	M20*1.5P	24.0	0.94						
J08MF1522A45	1/2	(L)	M22*1.5P	27.0	1.06						
J08MF1624A45	1/2	(S)	M24*1.5P	30.0	1.18						

SAE100R7, SAE100R8 & SAE100R18 Thermoplastic

45 Degree

J Series


FO - Female O-Ring Face Seal Swivel 45° Elbow



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J06FO1145	3/8	11/16-16	22.0	0.87						
J08FO1345	1/2	13/16-16	23.8	0.93						

J Series

SP - Stand Pipe 45° Elbow




Part Number	Products Description								
	Hose In-Dia	OD		Tail-Growth		Drop		Overall Length	
		MM	Inch	MM	Inch	MM	Inch	MM	Inch
		B		C		D		E	
J02SP0645	1/8	6.0	0.24						

90 Degree

J Series


BF - BSP Female Parallel Pipe Swivel 90° Elbow 60° Cone



Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J02BF0290-25MM	1/8	1/8-28	14.0	0.55			25.0	0.98		
J04BF0490-29MM	1/4	1/4-19	19.0	0.75			29.0	1.14		
J06BF0690-33MM	3/8	3/8-19	22.0	0.87			33.0	1.29		
J08BF0890-40.9MM	1/2	1/2-14	27.0	1.06			40.9	1.61		

J Series

JF - JIC Female 37° Swivel 90° Elbow



B = Block
L = Long Drop


Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D			
J02JF0790-21.1MM	1/8	7/16-20	14.3	0.56	24.2	0.95	21.1	0.83		
J04JF0790-21MM	1/4	7/16-20	14.3	0.56	24.2	0.95	21.0	0.83	50.8	2.00
J04JF0790B-19.8MM	1/4	7/16-20	14.3	0.56	20.3	0.80	19.8	0.78	46.9	1.85
J04JF0990B-21.2MM	1/4	9/16-18	17.5	0.69	20.3	0.80	21.2	0.83	46.9	1.85

Continued on following page..

SAE100R7, SAE100R8 & SAE100R18 Thermoplastic

90 Degree

J Series




B = Block
L = Long Drop

JF - JIC Female 37° Swivel 90° Elbow *Continued...*

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D			
J04JF0990L-47MM	1/4	9/16-18	17.5	0.69	20.3	0.80	24.2	0.95	50.8	2.00
J06JF0990-23MM	3/8	9/16-18	17.46	0.69	28.3	1.11	23.0	0.91	57.1	2.25
J06JF1290-28MM	3/8	3/4-16	22.2	0.87	28.3	1.11	28.0	1.1	57.1	2.25
J08JF1290-31MM	1/2	3/4-16	22.2	0.87	35.3	1.39	31.0	1.22	67.3	2.65
J08JF1490-31MM	1/2	7/8-14	25.4	1.0	35.3	1.39	31.0	1.22	66.0	2.6

J Series




(LL) = Extra Light Series Metric
(L) = Light Series Metric
(S) = Heavy Series Metric

MF - Metric Female Ball Nose 90° Elbow

Part Number	Products Description										
	Hose In-Dia	DIN	Thread Metric	Nut Hex		Tail-Growth		Drop		Overall Length	
				MM	Inch	MM	Inch	MM	Inch		
			A	B		C		D			
J02MF0610C90-23.8MM	1/8	(LL)	M10*1P	11.6	0.45			23.8	0.93		
J04MF0612A90-29MM	1/4	(L)	M12*1.5P	15.9	0.62			29.0	1.14		
J04MF0614A90-29MM	1/4	(S)	M14*1.5P	17.5	0.68			29.0	1.14		
J04MF0814A90-31MM	1/4	(L)	M14*1.5P	17.5	0.68			31.0	1.22		
J04MF0816A90-29.2MM	1/4	(S)	M16*1.5P	19.0	0.74			29.2	1.15		
J06MF1016A90-34MM	3/8	(L)	M16*1.5P	19.0	0.74	28.3	1.11	34.0	1.33	55.7	2.19
J06MF1218A90-32MM	3/8	(L)	M18*1.5P	22.0	0.86			32.0	1.25		
J06MF1220A90-37MM	3/8	(S)	M20*1.5P	24.0	0.94	30.3	1.19	37.0	1.45	62.7	2.46
J08MF1522A90-40MM	1/2	(L)	M22*1.5P	27.0	1.06			40.0	1.57		
J08MF1624A90-45MM	1/2	(S)	M24*1.5P	30.0	1.18	39.6	1.55	45.0	1.77	70.3	2.76

J Series



FO - Female O-Ring Face Seal Swivel 90° Elbow


Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J06FO1190-23MM	3/8	11/16-16	22.0	0.75			23.0	0.90		
J08FO1390-29MM	1/2	13/16-16	23.8	0.93			29.0	1.14		

SAE100R7, SAE100R8 & SAE100R18 Thermoplastic

90 Degree

J Series

SP - Stand Pipe 90° Elbow



Part Number	Products Description								
	Hose In-Dia	OD		Tail-Growth		Drop		Overall Length	
		MM	Inch	MM	Inch	MM	Inch	MM	Inch
		B		C		D		E	
J02SP0690-37MM	1/8	6.0	0.24			37.0	1.45		




SAE100R12 Four Wire Spiral

Straight

L Series

BF - BSP Female Parallel Pipe Swivel Straight 60° Cone



SS = Stainless Steel

Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L06BF04	3/8	1/4-19	19.0	0.75	34.3	1.35	19.0	0.75	58.1	2.29
L06BF06	3/8	3/8-19	22.0	0.87	37.6	1.48	22.0	0.87	61.4	2.42
L06BF08	3/8	1/2-14	27.0	1.06	41.3	1.63	24.0	0.94	65.1	2.56
L08BF06	1/2	3/8-19	22.0	0.87	38.2	1.50	22.0	0.87	68.6	2.70
L08BF08	1/2	1/2-14	27.0	1.06	41.3	1.63	27.0	1.06	71.7	2.82
L08BF08SS	1/2	1/2-14	27.0	1.06	41.3	1.63	27.0	1.06	71.7	2.82
L08BF10	1/2	5/8-14	28.6	1.12	38.5	1.52	27.0	1.06	68.9	2.71
L08BF12	1/2	3/4-14	36.0	1.42	45.8	1.80	36.0	1.42	76.2	3.00
L10BF08	5/8	1/2-14	27.0	1.06	42.9	1.69	27.0	1.06	74.4	2.93
L10BF10	5/8	5/8-14	28.6	1.12	40.0	1.57	27.0	1.06	71.5	2.81
L10BF12	5/8	3/4-14	36.0	1.42	47.3	1.86	36.0	1.42	78.8	3.10
L12BF12	3/4	3/4-14	36.0	1.42	45.0	1.77	36.0	1.42	81.4	3.20
L12BF12SS	3/4	3/4-14	36.0	1.42	45.0	1.77	36.0	1.42	81.4	3.20
L12BF16	3/4	1-11	41.0	1.61	49.2	1.94	41.0	1.61	85.6	3.37
L16BF16	1	1-11	41.0	1.61	51.5	2.03	41.0	1.61	95.4	3.76
L16BF16SS	1	1-11	41.0	1.61	51.5	2.03	41.0	1.61	95.4	3.76
L16BF20	1	1 1/4-11	50.0	1.97	58.7	2.31	50.0	1.97	102.6	4.04
L20BF20	1 1/4	1 1/4-11	50.0	1.97	61.8	2.43	50.0	1.97	104.3	4.11
L24BF24	1 1/2	1 1/2-11	60.0	2.36	64.4	2.54	55.0	2.17	119.6	4.71
L32BF32	2	2-11	70.0	2.76	73.4	2.89	70.0	2.76	195.4	7.69


HOSE TAILS
L Series

SAE100R12 Four Wire Spiral

Straight

L Series


BPM - BSP Male Parallel 60°Cone



Part Number	Products Description							
	Hose In-Dia	Thread PF	Nipple Hex		Tail-Growth		Overall Length	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C		E	
L06BPM06	3/8	3/8-19	22.0	0.87	32.5	1.28	56.3	2.22
L06BPM08	3/8	1/2-14	27.0	1.06	35.0	1.38	58.8	2.31
L08BPM08	1/2	1/2-14	27.0	1.06	34.9	1.37	65.3	2.57
L12BPM12	3/4	3/4-14	36.0	1.42	36.3	1.43	72.7	2.86
L12BPM16	3/4	1-11	41.0	1.61	40.3	1.59	76.7	3.02
L16BPM16	1	1-11	41.0	1.61	42.6	1.68	86.5	3.41

L Series

BM - BSP Male Taper



Part Number	Products Description							
	Hose In-Dia	Thread PT	Nipple Hex		Tail-Growth		Overall Length	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C		E	
L06BM06	3/8	3/8-19	22.0	0.87	31.5	1.24	55.3	2.18
L06BM08	3/8	1/2-14	27.0	1.06	36.1	1.42	59.9	2.36
L08BM06	1/2	3/8-19	22.0	0.87	32.3	1.27	62.7	2.47
L08BM08	1/2	1/2-14	27.0	1.06	36.1	1.42	66.5	2.62
L12BM12	3/4	3/4-14	36.0	1.42	39.4	1.55	75.8	2.98
L12BM16	3/4	1-11	41.0	1.61	44.2	1.74	80.6	3.17
L16BM16	1	1-11	41.0	1.61	46.4	1.83	90.3	3.56
L16BM20	1	1 1/4-11	41.0	1.61	46.4	1.83	90.3	3.56
L20BM20	1 1/4	1 1/4-11	50.0	1.97	54.1	2.13	96.6	3.80
L24BM24	1 1/2	1 1/2-11	60.0	2.36	57.9	2.28	113.1	4.45
L32BM32	2	2-11	70.0	2.76	67.9	2.67	125.8	4.95




SAE100R12 Four Wire Spiral

Straight

L Series


F61 - SAE Code 61 Flange Straight



Part Number	Products Description								
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Overall Length		
			MM	Inch	MM	Inch	MM	Inch	
		A	B		C		E		
L08F6108	1/2	1/2	30.2	1.19	57.9	2.28	88.3	3.48	
L08F6112	1/2	3/4	38.1	1.50	32.0	1.26	62.4	2.46	
L10F6110	5/8	5/8	34.1	1.34	63.2	2.49	94.7	3.73	
L12F6112	3/4	3/4	38.1	1.50	61.6	2.43	98.0	3.86	
L12F6116	3/4	1	44.5	1.75	33.2	1.31	69.6	2.74	
L12F6120	3/4	1 1/4	50.8	2.00	38.8	1.53	75.2	2.96	
L16F6116	1	1	44.5	1.75	65.9	2.59	109.8	4.32	
L16F6120	1	1 1/4	50.8	2.00	39.2	1.54	83.1	3.27	
L16F6124	1	1 1/2	60.3	2.37	44.4	1.75	88.3	3.48	
L20F6116	1 1/4	1	44.5	1.75	69.1	2.72	111.6	4.39	
L20F6120	1 1/4	1 1/4	50.8	2.00	77.2	3.04	119.7	4.71	
L20F6124	1 1/4	1 1/2	60.3	2.37	39.6	1.56	82.1	3.23	
L24F6124	1 1/2	1 1/2	60.3	2.37	83.6	3.29	138.8	5.46	
L24F6132	1 1/2	2	71.4	2.81	46.5	1.83	101.7	4.00	
L32F6124	2	1 1/2	60.3	2.37	88	3.46	153.1	6.03	
L32F6132	2	2	71.4	2.81	85.8	3.38	143.7	5.66	
L32F6140	2	2 1/2	84.1	3.31	56.5	2.22	114.4	4.50	

L Series

F62 - SAE Code 62 Flange Straight



Part Number	Products Description								
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Overall Length		
			MM	Inch	MM	Inch	MM	Inch	
		A	B		C		E		
L08F6208	1/2	1/2	31.8	1.25	57.9	2.28	88.3	3.48	
L12F6212	3/4	3/4	41.3	1.63	68.2	2.69	104.6	4.12	
L12F6216	3/4	1	47.6	1.87	42.3	1.67	78.7	3.10	
L16F6216	1	1	47.6	1.87	80.2	3.16	124.1	4.89	
L16F6220	1	1 1/4	54.0	2.13	49.7	1.96	93.6	3.69	
L20F6220	1 1/4	1 1/4	54.0	2.13	85.1	3.35	127.6	5.02	
L24F6220	1 1/2	1 1/4	54.0	2.13	85.1	3.35	143.0	5.63	
L24F6224	1 1/2	1 1/2	63.5	2.50	105.8	4.17	161.0	6.34	

Continued on following page...

Can't find what you're looking for?


1300 654 782

SAE100R12 Four Wire Spiral

Straight

L Series


F62 - SAE Code 62 Flange Straight *Continued...*



Part Number	Products Description							
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Overall Length	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C		E	
L24F6232	1 1/2	2	79.4	3.13	70.5	2.78	137	5.38
L32F6232	2	2	79.4	3.13	124.0	4.88	181.9	7.16

L Series


HJ - Hose Joiner



Part Number	Products Description							
	Hose In-Dia	Nipple		Tail-Growth		Overall Length		
		MM	Inch	MM	Inch	MM	Inch	
		A		C		E		
L06HJ06	3/8	17.5	0.69	23.2	0.91	70.9	2.79	
L08HJ08	1/2	21.0	0.83	25.2	0.99	86.0	3.39	
L24HJ24	1 1/2	50.0	1.97	61.0	2.40	177.9	7.00	
L24HJ24CAT	1 1/2	50.0	1.97	71.0	2.80	187.9	7.40	

L Series

JF - JIC Female 37° Swivel Straight



SS = Stainless Steel

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L06JF09	3/8	9/16-18	17.5	0.69	33.3	1.31	17.5	0.69	57.1	2.25
L06JF12	3/8	3/4-16	22.2	0.87	36.2	1.43	17.5	0.69	60.1	2.37
L06JF14	3/8	7/8-14	25.4	1.00	41.8	1.65	22.2	0.87	65.6	2.58
L08JF09	1/2	9/16-18	17.5	0.69	33.3	1.31	20.6	0.81	63.7	2.51
L08JF12	1/2	3/4-16	22.2	0.87	38.9	1.53	20.6	0.81	69.3	2.73
L08JF12SS	1/2	3/4-16	22.2	0.87	38.9	1.53	20.6	0.81	69.3	2.73
L08JF14	1/2	7/8-14	25.4	1.00	41.8	1.65	22.2	0.87	72.2	2.84
L08JF17	1/2	1 1/16-12	31.8	1.25	40.1	1.58	27.0	1.06	70.5	2.78
L10JF12	5/8	3/4-16	22.2	0.87	37.6	1.48	23.8	0.94	69.1	2.72
L12JF12	3/4	3/4-16	22.2	0.87	35.4	1.39	27.0	1.06	71.8	2.83
L12JF14	3/4	7/8-14	25.4	1.00	37.9	1.49	27.0	1.06	74.4	2.93
L12JF17	3/4	1 1/16-12	31.8	1.25	44.1	1.74	27.0	1.06	80.5	3.17
L12JF17SS	3/4	1 1/16-12	31.8	1.25	44.1	1.74	27.0	1.06	80.5	3.17

Continued on following page..




TAIPAN

SAE100R12 Four Wire Spiral

Straight

L Series

JF - JIC Female 37° Swivel Straight *Continued..*




SS = Stainless Steel

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L12JF19	3/4	1 3/16-12	36.0	1.42	44.7	1.76	31.8	1.25	81.1	3.19
L12JF21	3/4	1 5/16-12	38.0	1.50	47.0	1.85	31.8	1.25	83.4	3.28
L16JF17	1	1 1/16-12	31.8	1.25	46.7	1.84	35.0	1.38	90.6	3.57
L16JF21	1	1 5/16-12	38.0	1.50	49.3	1.94	35.0	1.38	93.1	3.67
L16JF21SS	1	1 5/16-12	38.0	1.50	49.3	1.94	35.0	1.38	93.1	3.67
L16JF26	1	1 5/8-12	50.0	1.97	55.2	2.17	41.3	1.62	99.1	3.90
L20JF21	1 1/4	1 5/16-12	38.0	1.50	53.9	2.12	47.6	1.87	96.4	3.80
L20JF26	1 1/4	1 5/8-12	50.0	1.97	58.2	2.29	47.6	1.87	100.7	3.96
L20JF30	1 1/4	1 7/8-12	55.0	2.17	61.3	2.41	54.0	2.13	103.8	4.09
L24JF30	1 1/2	1 7/8-12	55.0	2.17	63.1	2.48	54.0	2.13	118.3	4.66
L24JF30SS	1 1/2	1 7/8-12	55.0	2.17	63.1	2.48	54.0	2.13	118.3	4.66
L32JF40	2	2 1/2-12	73.0	2.87	79.8	3.14	63.5	2.50	137.7	5.42

L Series

JM - JIC Male 37° Straight




Part Number	Products Description							
	Hose In-Dia	Thread UNF	Nipple Hex		Tail-Growth		Overall Length	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C		E	
L06JM09	3/8	9/16-18	19.0	0.75	35.0	1.38	58.8	2.31
L06JM12	3/8	3/4-16	22.2	0.87	33.5	1.32	57.3	2.26
L06JM14	3/8	7/8-14	23.8	0.94	36.0	1.42	59.8	2.35
L08JM12	1/2	3/4-16	22.2	0.87	37.6	1.48	67.9	2.67
L08JM14	1/2	7/8-14	23.8	0.94	36.0	1.42	66.4	2.61
L08JM17	1/2	1 1/16-12	28.6	1.12	45.4	1.79	75.8	2.98
L10JM14	5/8	7/8-14	23.8	0.94	43.1	1.70	74.6	2.94
L10JM17	5/8	1 1/16-12	28.6	1.12	46.9	1.85	78.4	3.09
L12JM17	3/4	1 1/16-12	28.6	1.12	44.6	1.76	81.0	3.19
L12JM21	3/4	1 5/16-12	35.0	1.38	46.4	1.83	82.8	3.26
L16JM21	1	1 5/16-12	35.0	1.38	50.2	1.98	94.1	3.70
L16JM26	1	1 5/8-12	47.6	1.87	52.0	2.05	95.9	3.78
L20JM26	1 1/4	1 5/8-12	47.6	1.87	55.1	2.17	97.6	3.84

SAE100R12 Four Wire Spiral

Straight

L Series


IBF - JIS (BSP) Female Parallel Pipe Swivel 30° Flare Straight



Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L06IBF06	3/8	3/8-19	22.0	0.87	26.9	1.06	22.0	0.87	50.7	2.00
L08IBF08	1/2	1/2-14	27.0	1.06	28.2	1.11	27.0	1.06	58.6	2.31
L12IBF12	3/4	3/4-14	36.0	1.42	31.4	1.24	36.0	1.42	67.8	2.67
L16IBF16	1	1-11	41.0	1.61	35.7	1.41	41.0	1.61	79.6	3.13

L Series


KF - Komatsu Female Swivel Straight 30° Flare JIS Metric



Part Number	Products Description									
	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L06KF18	3/8	M18*1.5P	24.0	0.94	26.9	1.06	22.0	0.87	50.7	2.00
L06KF22	3/8	M22*1.5P	27.0	1.06	28.2	1.11	27.0	1.06	52.0	2.05
L08KF22	1/2	M22*1.5P	27.0	1.06	28.2	1.11	27.0	1.06	58.6	2.31
L08KF24	1/2	M24*1.5P	32.0	1.26	31.7	1.25	30.0	1.18	62.1	2.44
L10KF24	5/8	M24*1.5P	32.0	1.26	33.2	1.31	30.0	1.18	64.7	2.55
L12KF24	3/4	M24*1.5P	32.0	1.26	30.9	1.22	30.0	1.18	67.3	2.65
L16KF33	1	M33*1.5P	41.0	1.61	37.8	1.49	36.0	1.42	81.7	3.22

L Series

LS - Life Saver



Part Number	Products Description									
	Hose In-Dia	Nipple Hex		In-Dia		Tail-Growth		Overall Length		
		MM	Inch	MM	Inch	MM	Inch	MM	Inch	
		A		B		C		E		
L06LS06	3/8	17.46	0.69	9.5	0.37	14.5	0.57	38.3	1.51	
L08LS08	1/2	20.63	0.81	12.6	0.50	14.5	0.57	44.9	1.77	
L10LS10	5/8	23.8	0.94	16.2	0.64	19.2	0.76	50.7	2.0	
L12LS12	3/4	27.0	1.06	19.4	0.76	16.9	0.67	53.3	2.10	
L16LS16	1	35.0	1.38	25.7	1.01	22.9	0.90	66.8	2.63	
L20LS20	1 1/4	46.0	1.81	31.8	1.25	27.7	1.09	70.2	2.76	
L24LS24	1 1/2	50.0	1.97	31.8	1.50	29.5	1.16	84.7	3.33	
L32LS32	2	60.0	2.36	51.05	2.0	29.6	11.17	94.7	2.4	




SAE100R12 Four Wire Spiral

Straight

L Series

MF - O-Ring Metric Female Straight 24° Cone



(L) = Light Series Metric
(S) = Heavy Series Metric
SS = Stainless Steel

Part Number	Products Description										
	Hose In-Dia	DIN	Thread METRIC	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
L06MFO0816A	3/8	(S)	M16*1.5P	19.0	0.75	33.2	1.31	17.0	0.67	57.0	2.24
L06MFO1016A	3/8	(L)	M16*1.5P	19.0	0.75	33.2	1.31	19.0	0.75	58.0	2.28
L06MFO1018A	3/8	(S)	M18*1.5P	22.0	0.87	35.3	1.39	17.0	0.67	59.1	2.33
L06MFO1218A	3/8	(L)	M18*1.5P	22.0	0.87	35.3	1.39	17.0	0.67	59.1	2.33
L06MFO1220A	3/8	(S)	M20*1.5P	24.0	0.94	26.7	1.05			50.5	1.99
L06MFO1422A	3/8	(S)	M22*1.5P	27.0	1.06	28.2	1.11			52.0	2.05
L06MFO1522A	3/8	(L)	M22*1.5P	27.0	1.06	28.2	1.11			52.0	2.05
L08MFO1422A	1/2	(S)	M22*1.5P	27.0	1.06	38.1	1.50	22.0	0.87	68.5	2.70
L08MFO1522A	1/2	(L)	M22*1.5P	27.0	1.06	38.1	1.50	22.0	0.87	68.5	2.70
L08MFO1624A	1/2	(S)	M24*1.5P	30.0	1.18	28.1	1.11			58.5	2.30
L08MFO1624ASS	1/2	(S)	M24*1.5P	30.0	1.18	28.1	1.11			58.5	2.30
L08MFO1826A	1/2	(L)	M26*1.5P								
L10MFO1826A	5/8	(L)	M26*1.5P	32.0	1.26	37.6	1.48	24.0	0.94	69.1	2.72
L10MFO2030A	5/8		M30*1.5P	36.0	1.42	32.2	1.27			63.7	2.51
L10MFO2536B	5/8	(S)	M36*2.0P	46.0	1.81	33.2	1.31			64.7	2.55
L12MFO1826A	3/4	(L)	M26*1.5P	32.0	1.26	36.3	1.43	27.0	1.06	72.7	2.86
L12MFO2030B	3/4	(S)	M30*2.0P	36.0	1.42	29.9	1.18			66.3	2.61
L12MFO2030BSS	3/4	(S)	M30*2.0P	36.0	1.42	29.9	1.18			66.3	2.61
L12MFO2230A	3/4		M30*1.5P	36.0	1.42	26.8	1.06			63.2	2.49
L12MFO2230B	3/4	(L)	M30*2.0P	36.0	1.42	26.8	1.06			63.2	2.49
L12MFO2230BSS	3/4	(L)	M30*2.0P	36.0	1.42	26.8	1.06			63.2	2.49
L12MFO2536B	3/4	(S)	M36*2.0P	46.0	1.81	30.9	1.22			67.3	2.65
L16MFO2536B	1	(S)	M36*2.0P	46.0	1.81			41.0	1.61		
L16MFO2836B	1	(L)	M36*2.0P	46.0	1.81	48.4	1.91	35.0	1.38	92.3	3.63
L16MFO3042B	1	(S)	M42*2.0P	50.0	1.97	35.6	1.40			79.5	3.13
L20MFO3545B	1 1/4	(L)	M45*2.0P	50.0	1.97	54.7	2.15	46.0	1.81	97.2	3.83
L20MFO3852B	1 1/4	(S)	M52*2.0P	60.0	2.36	45.1	1.78			82.6	3.25
L24MFO4252B	1 1/2	(L)	M52*2.0P	60.0	2.36	55.3	2.18	50.0	1.97	117.8	4.63


HOSE TAILS
L Series

SAE100R12 Four Wire Spiral

Straight

L Series

MM - Metric Male Straight 24° Cone




(S) = Heavy Series
Metric

Part Number	Products Description									
	Hose In-Dia	DIN	Thread METRIC	Nipple Hex		Tail-Growth		Overall Length		
				MM	Inch	MM	Inch	MM	Inch	
			A	B		C		E		
L06MM1220A	3/8	(S)	M20*1.5P	22.0	0.87	30.0	1.18	53.8	2.12	
L08MM1624A	1/2	(S)	M24*1.5P	24.0	0.94	31.9	1.26	62.3	2.45	
L10MM2030B	5/8	(S)	M30*2.0P	30.0	1.18	37.6	1.48	69.1	2.72	
L12MM2536B	3/4	(S)	M36*2.0P	41.0	1.61	37.5	1.48	73.9	2.91	
L16MM3042B	1	(S)	M42*2.0P	46.0	1.81	42.9	1.69	86.8	3.42	

L Series


NM - Taper Male NPT Straight



Part Number	Products Description									
	Hose In-Dia		Thread NPTF	Nipple Hex		Tail-Growth		Overall Length		
				MM	Inch	MM	Inch	MM	Inch	
			A	B		C		E		
L08NM08	1/2		1/2-14	22.0	0.87	41.6	1.64	72.0	2.83	
L12NM12	3/4		3/4-14	27.0	1.06	42.0	1.65	78.4	3.09	
L16NM16	1		1-11.5	35.0	1.38	49.2	1.94	93.1	3.67	
L20NM20	1 1/4		1 1/4-11.5	44.5	1.75	61.4	2.42	103.9	4.09	
L24NM24	1 1/2		1 1/2-11.5	50.8	2.00	55.9	2.20	111.1	4.37	
L32NM32	2		2-11.5	63.5	2.50	62.0	2.44	119.9	4.72	

L Series

FO - Female O-Ring Face Seal Swivel Straight



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L06FO11	3/8	11/16-16	22.0	0.87	33.0	1.30	17.5	0.69	56.8	
L06FO13	3/8	13/16-16	23.8	0.94	39.3	1.55	20.6	0.81	63.1	
L08FO11	1/2	11/16-16	22.0	0.87	33.0	1.30	20.6	0.81	63.4	
L08FO13	1/2	13/16-16	23.8	0.94	40.1	1.58	22.0	0.87	70.5	
L08FO16	1/2	1-14	30.0	1.18	43.1	1.70	23.8	0.94	73.5	
L08FO19	1/2	1 3/16-12	36.0	1.42	48.4	1.91	28.6	1.12	78.8	
L12FO16	3/4	1-14	30.0	1.18	45.0	1.77	27.0	1.06	81.4	

Continued on following page...




TAIPAN

SAE100R12 Four Wire Spiral

Straight

L Series


FO - Female O-Ring Face Seal Swivel Straight *Continued...*



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L12FO19	3/4	1 3/16-12	36.0	1.42	47.6	1.87	28.6	1.12	84.0	
L12FO23	3/4	1 7/16-12	41.0	1.61	49.2	1.94	35.0	1.38	85.6	
L16FO19	1	1 3/16-12	36.0	1.42	50.3	1.98	35.0	1.38	94.1	
L16FO23	1	1 7/16-12	41.0	1.61	49.9	1.96	35.0	1.38	93.8	
L16FO27	1	1 11/16-12	50.0	1.97	54.0	2.13	41.0	1.61	103.1	
L20FO27	1 1/4	1 11/16-12	50.0	1.97	53.6	2.11	46.0	1.81	96.1	
L24FO32	1 1/2	2-12	60.0	2.36	65.3	2.57	50.8	2.00	120.5	

L Series


MO - Male O-Ring Face Seal



Part Number	Products Description							
	Hose In-Dia	Thread UNF	Nipple Hex		Tail-Growth		Overall Length	
			MM	Inch	MM	Inch	MM	Inch
		A	B		C		E	
L06MO11	3/8	11/16-16	19.0	0.75	26.8	1.06	50.6	1.99
L06MO13	3/8	13/16-16	22.0	0.87	32.1	1.26	55.9	2.20
L08MO13	1/2	13/16-16	22.0	0.87	32.1	1.26	62.5	2.46
L08MO16	1/2	1-14	27.0	1.06	37.1	1.46	67.5	2.66
L12MO19	3/4	1 3/16-12	32.0	1.26	33.5	1.32	69.9	2.75

L Series

SF - SAE Female Straight




Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L12SF17	3/4	1 1/16-14	32.0	1.260	27.3	1.075	25.4	1.00	62.7	2.469

SAE100R12 Four Wire Spiral

22.5 Degree

L Series

F61 - SAE Code 61 Flange 22.5° Elbow




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L12F611222.5	3/4	3/4	38.1	1.50	67.0	2.64	15.8	0.62	103.3	4.07
L12F611622.5	3/4	1	44.5	1.75	71.2	2.80	16.9	0.67	107.5	4.23
L16F611622.5	1	1	44.5	1.75	82.3	3.24	19.7	0.78	126.2	4.97
L16F612022.5	1	1 1/4	50.8	2.00	82.8	3.26	19.6	0.77	125.9	4.96
L20F612022.5	1 1/4	1 1/4	50.8	2.00	99.6	3.92	19.7	0.78	142.1	5.59
L20F612422.5	1 1/4	1 1/2	60.3	2.37	108.2	4.26	23.2	0.91	150.7	5.93
L20F613222.5	1 1/4	2	71.4	2.81	111.5	4.39	26.7	1.05	165.3	6.5
L24F612422.5	1 1/2	1 1/2	60.3	2.37	113.4	4.46	21.7	0.85	168.6	6.64
L24F613222.5	1	2	71.4	2.81	135.4	5.33	30.8	1.21	190.5	7.50
L32F613222.5	2	2	71.4	2.81	148.6	5.85	30.2	1.19	206.5	8.13

30 Degree

L Series

F61 - SAE Code 61 Flange 30° Elbow




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L12F611230	3/4	3/4	38.1	1.50	65.3	2.57	19.9	0.78	101.6	4.00
L12F611630	3/4	1	44.5	1.75	67.7	2.67	21.3	0.84	104.0	4.09
L16F611630	1	1	44.5	1.75	81.7	3.22	24.8	0.98	125.6	4.94
L16F612030	1	1 1/4	50.8	2.00	80.0	3.15	24.6	0.97	123.8	4.87
L20F612030	1 1/4	1 1/4	50.8	2.00	97.7	3.85	24.5	0.96	140.2	5.52
L20F612430	1 1/4	1 1/2	60.3	2.37	105.6	4.16	29.1	1.15	148.1	5.83
L24F612430	1 1/2	1 1/2	60.3	2.37	111.4	4.39	26.9	1.06	166.6	6.56
L24F613230	1 1/2	2	71.4	2.81	131.9	5.19	38.8	1.53	187.1	7.37
L32F613230	2	2	71.4	2.81	145.9	5.74	37.3	1.47	203.7	8.02

SAE100R12 Four Wire Spiral

45 Degree

L Series

BF - BSP Female Parallel Pipe Swivel 45° Elbow 60° Cone




SS = Stainless Steel

Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L06BF0645	3/8	3/8-19	22.0	0.87	45.7	1.80	22.2	0.87	69.5	2.74
L06BF0845	3/8	1/2-14	27.0	1.06	59.3	2.33	28.8	1.13	83.1	3.27
L08BF0845	1/2	1/2-14	27.0	1.06	54.1	2.13	28.0	1.10	84.4	3.32
L12BF1245	3/4	3/4-14	36.0	1.42	67.0	2.64	32.3	1.27	103.3	4.07
L16BF1645	1	1-11	41.0	1.61	84.8	3.34	40.4	1.59	128.6	5.06
L16BF1645SS	1	1-11	41.0	1.61	84.8	3.34	40.4	1.59	128.6	5.06
L20BF2045	1 1/4	1 1/4-11	50.0	1.97	116.3	4.58	55.5	2.19	158.8	6.25
L24BF2445	1 1/2	1 1/2-11	55.0	2.17	131.4	5.17	60.1	2.37	186.6	7.35
L32BF3245	2	2-11	70.0	2.76	161.8	6.37	68.8	2.71	219.6	8.65

L Series

F61 - SAE Code 61 Flange 45° Elbow




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L08F610845	1/2	1/2	30.2	1.19	51.9	2.04	21.5	0.85	82.3	3.24
L08F611245	1/2	3/4	38.1	1.50	52.6	2.07	22.0	0.87	82.9	3.26
L10F611045	5/8	5/8	34.1	1.34	69.0	2.72	37.1	1.46	100.5	3.96
L12F611245	3/4	3/4	38.1	1.50	61.4	2.42	26.0	1.02	97.8	3.85
L12F611645	3/4	1	44.5	1.75	63.2	2.49	28.0	1.10	99.6	3.92
L16F611645	1	1	44.5	1.75	78.1	3.07	32.0	1.26	122.0	4.80
L16F612045	1	1 1/4	50.8	2.00	74.8	2.94	32.0	1.26	118.7	4.67
L20F611645	1 1/4	1	44.5	1.75	74.8	2.94	32.0	1.26	122.3	4.81
L20F612045	1 1/4	1 1/4	50.8	2.00	99.8	3.93	38.0	1.50	142.3	5.60
L20F612445	1 1/4	1 1/2	60.3	2.37	99.8	3.93	38.0	1.50	142.3	5.60
L24F612445	1 1/2	1 1/2	60.3	2.37	113.8	4.48	41.0	1.61	169.0	6.65
L24F613245	1 1/2	2	71.4	2.81	122.8	4.83	50.0	1.97	178.0	7.01
L32F613245	2	2	71.4	2.81	142.6	5.61	49.7	1.96	200.5	7.89
L32F614045	2	2 1/2	84.1	3.31	148.2	5.83	55.3	2.18	206.0	8.11

SAE100R12 Four Wire Spiral

45 Degree

L Series


F62 - SAE Code 62 Flange 45° Elbow



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L08F620845	1/2	1/2	31.8	1.25	51.9	2.04	21.5	0.85	82.2	3.24
L12F621245	3/4	3/4	41.3	1.63	62.4	2.46	27.0	1.06	98.8	3.89
L12F621645	3/4	1	47.6	1.87	60.2	2.37	28.0	1.10	99.6	3.92
L16F621645	1	1	47.6	1.87	76.3	3.00	32.0	1.26	120.2	4.73
L16F622045	1	1 1/4	54.0	2.13	78.9	3.11	32.0	1.26	122.8	4.83
L20F622045	1 1/4	1 1/4	54.0	2.13	93.5	3.68	38.0	1.5	147.3	5.8
L24F622445	1 1/2	1 1/2	63.5	2.50	115.3	4.54	44.0	1.73	170.5	6.7

L Series

JF - JIC Female 37° Swivel 45° Elbow



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L06JF0945	3/8	9/16-18	17.5	0.69	34.5	1.36	11.0	0.43	58.3	2.30
L06JF1245	3/8	3/4-16	22.2	0.87	37.5	1.48	14.0	0.55	61.3	2.41
L06JF1445	3/8	7/8-14	25.4	1.00	41.5	1.63	15.0	0.59	65.3	2.57
L08JF1245	1/2	3/4-16	22.2	0.87	41.4	1.63	15.0	0.59	71.8	2.83
L08JF1445	1/2	7/8-14	25.4	1.00	41.4	1.63	15.0	0.59	71.8	2.83
L08JF1745	1/2	1 1/16-12	31.8	1.25	48.1	1.89	20.0	0.79	78.4	3.09
L10JF1745	5/8	1 1/16-12	31.8	1.25	57.0	2.24	21.0	0.83	88.5	3.48
L12JF1745	3/4	1 1/16-12	31.8	1.25	63.0	2.48	27.0	1.06	99.4	3.91
L12JF2145	3/4	1 5/16-12	38.1	1.50	58.7	2.31	24.0	0.94	95.1	3.74
L16JF2145	1	1 5/16-12	38.1	1.50	77.3	3.04	33.0	1.30	121.2	4.77
L20JF2645	1 1/4	1 5/8-12	50.0	1.97	103.8	4.09	45.0	1.77	146.3	5.76
L24JF3045	1 1/2	1 7/8-12	55.0	2.17	126.0	4.96	52.0	2.05	181.2	7.13
L32JF4045	2	2 1/2-12	73.0	2.87	148.6	5.85	55.7	2.19	206.5	8.13




SAE100R12 Four Wire Spiral

45 Degree

L Series

MF - O-Ring Metric Female 45° Elbow 24° Cone




(L) = Light Series Metric
(S) = Heavy Series Metric

Part Number	Products Description										
	Hose In-Dia	DIN	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
L06MFO1016A45	3/8	(L)	M16*1.5P	19.0	0.75	42.5	1.67	19.0	0.75	66.3	2.61
L06MFO1018A45	3/8	(L)	M18*1.5P	22.0	0.87	45.5	1.79	22.0	0.87	69.3	2.73
L06MFO1218A45	3/8	(L)	M18*1.5P	22.0	0.87	42.5	1.67	19.0	0.75	66.3	2.61
L06MFO1220A45	3/8	(S)	M20*1.5P	24.0	0.94	46.5	1.83	20.0	0.79	70.3	2.77
L06MFO1422A45	3/8	(S)	M22*1.5P	27.0	1.06	43.5	1.71	20.0	0.79	67.3	2.65
L06MFO1522A45	3/8	(S)	M22*1.5P	27.0	1.06	43.5	1.71	20.0	0.79	67.3	2.65
L08MFO1522A45	1/2	(L)	M22*1.5P	27.0	1.06	56.0	2.20	22.0	0.87	86.3	3.40
L08MFO1624A45	1/2	(S)	M24*1.5P	30.0	1.18	55.8	2.20	23.5	0.93	86.2	3.39
L10MFO1826A45	5/8	(L)	M26*1.5P	32.0	1.26	57.7	2.27	24.2	0.95	89.2	3.51
L10MFO2030B45	5/8	(S)	M30*2.0P	36.0	1.42	58.5	2.3	28	1.1	90.0	3.54
L12MFO2030B45	3/4	(L)	M30*2.0P	36.0	1.42	66.7	2.63	29.0	1.14	103.1	4.06
L12MFO2230B45	3/4	(S)	M30*2.0P	36.0	1.42	60.2	2.37	25.5	1.00	96.6	3.80
L12MFO2536B45	3/4	(S)	M36*2.0P	46.0	1.81	66.7	2.63	34.0	1.34	103.1	4.06
L16MFO2836B45	1	(L)	M36*2.0P	46.0	1.81	79.2	3.12	36.9	1.45	123.1	4.85
L16MFO3042B45	1	(S)	M42*2.0P	50.0	1.97	79.6	3.13	37.0	1.46	128.4	5.05
L20MFO3545B45	1 1/4	(L)	M45*2.0P	50.0	1.97	109.8	4.32	48.0	1.89	152.3	6.00
L24MFO4252B45	1 1/2	(S)	M52*2.0P	60.0	2.36	121.1	4.77	48.4	1.91	176.3	6.94

L Series

FO - Female O-Ring Face Seal Swivel 45° Elbow



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L06FO1145	3/8	11/16-16	22.0	0.87	34.5	1.36	11.0	0.43	58.3	2.30
L06FO1345	3/8	13/16-16	23.8	0.94	40.4	1.59	15.0	0.59	64.2	2.53
L08FO1345	1/2	13/16-16	23.8	0.94	41.3	1.63	15.0	0.59	71.7	2.82
L08FO1645	1/2	1-14	30.0	1.18	43.9	1.73	16.0	0.63	74.3	2.93
L12FO1945	3/4	1 3/16-12	36.0	1.42	55.8	2.20	21.1	0.83	92.2	3.63
L16FO2345	1	1 7/16-12	41.0	1.61	69.0	2.72	24.0	0.94	112.9	4.44
L20FO2745	1 1/4	1 11/16-12	50.0	1.97	102.7	4.04	41.0	1.61	145.2	5.72
L24FO3245	1 1/2	2-12	60.0	2.36	119.3	4.70	48.0	1.89	174.5	6.87

Can't find what you're looking for?


1300 654 782

SAE100R12 Four Wire Spiral

60 Degree

L Series

F61 - SAE Code 61 Flange 60° Elbow




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L12F611260	3/4	3/4	38.1	1.50	64.4	2.54	39.2	1.54	100.7	3.96
L12F611660	3/4	1	44.5	1.75	64.4	2.54	42.1	1.66	100.8	3.97
L16F611660	1	1	44.5	1.75	72.8	2.87	38.0	1.50	116.6	4.59
L16F612060	1	1 1/4	50.8	2.00	82.9	3.26	58.6	2.31	126.7	4.99
L20F612060	1 1/4	1 1/4	50.8	2.00	96.4	3.80	47.2	1.86	138.9	5.47
L20F612460	1 1/4	1 1/2	60.3	2.37	96.4	3.80	47.2	1.86	138.9	5.47
L24F612460	1 1/2	1 1/2	60.3	2.37	114.6	4.51	56.4	2.22	169.8	6.69
L24F613260	1 1/2	2	71.4	2.81	122.7	4.83	71.0	2.80	177.9	7.00
L32F613260	2	2	71.4	2.81	150.5	5.93	77.1	3.04	208.3	8.20

67.5 Degree

L Series

F61 - SAE Code 61 Flange 67.5° Elbow



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L12F6112675	3/4	3/4	38.1	1.50	62.0	2.44	42.4	1.67	98.4	3.87
L12F6116675	3/4	1	44.5	1.75	61.1	2.41	44.1	1.74	97.4	3.83
L16F6116675	1	1	44.5	1.75	79.7	3.14	61.4	2.42	123.6	4.87
L16F6120675	1	1 1/4	50.8	2.00	77.9	3.07	61.4	2.42	121.8	4.80
L20F6120675	1 1/4	1 1/4	50.8	2.00	93.6	3.69	49.0	1.93	136.1	5.36
L20F6124675	1 1/4	1 1/2	60.3	2.37	93.6	3.69	49.0	1.93	136.1	5.36
L24F6124675	1 1/2	1 1/2	60.3	2.37	111.2	4.38	59.0	2.32	166.4	6.55
L24F6132675	1 1/2	2	71.4	2.81	117.5	4.63	74.1	2.92	172.7	6.80
L32F6132675	2	2	71.4	2.81	146.3	5.76	79.9	3.15	204.2	8.04




SAE100R12 Four Wire Spiral

90 Degree

L Series

BF - BSP Female Parallel Pipe Swivel 90° Elbow 60° Cone




B = Block
L = Long Drop
SS = Stainless Steel

Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L06BF0690-33MM	3/8	3/8-19	22.0	0.87	31.1	1.22	40.4	1.59	54.9	2.16
L06BF0890-40.9MM	3/8	1/2-14	27.0	1.06	39.3	1.55	50.6	1.99	63.1	2.48
L08BF0890-40.9MM	1/2	1/2-14	27.0	1.06	38.1	1.50	50.6	1.99	68.5	2.70
L08BF0890B-32.3MM	1/2	1/2-14	27.0	1.06	32.8	1.29	42.0	1.65	63.2	2.49
L08BF0890L-80MM	1/2	1/2-14	27.0	1.06	35.2	1.39	89.7	3.53	65.6	2.58
L08BF0890SS-40.9MM	1/2	1/2-14	27.0	1.06	38.1	1.50	50.6	1.99	68.5	2.70
L10BF1090-42.6MM	5/8	5/8-14	28.6	1.12	41.6	1.64	51.8	2.04	73.1	2.88
L12BF1290-55MM	3/4	3/4-14	36.0	1.42	51.3	2.02	64.0	2.52	87.6	3.45
L12BF1290B-36MM	3/4	3/4-14	36.0	1.42	36.9	1.45	45.0	1.77	73.2	2.88
L12BF1290SS-55MM	3/4	3/4-14	36.0	1.42	51.3	2.02	64.0	2.52	87.6	3.45
L16BF1690-73.5MM	1	1-11	41.0	1.61	77.6	3.06	84.0	3.31	121.5	4.78
L16BF1690SS-73.5MM	1	1-11	41.0	1.61	77.6	3.06	84.0	3.31	121.5	4.78
L20BF2090-88.5MM	1 1/4	1 1/4-11	50.0	1.97	87.2	3.43	101.9	4.01	129.7	5.11
L24BF2490-110MM	1 1/2	1 1/2-11	55.0	2.17	103.5	4.07	120.0	4.72	158.7	6.25
L32BF3290-138MM	2	2-11	70.0	2.76	144.2	5.68	152.9	6.02	202.1	7.96

L Series

F61 - SAE Code 61 Flange 90° Elbow



L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L08F610890-43MM	1/2	1/2	30.2	1.19	48.1	1.89	43.0	1.69	78.5	3.09
L08F611290-50MM	1/2	3/4	38.1	1.50	45.2	1.78	50.0	1.97	75.6	2.98
L10F611090-53MM	5/8	5/8	34.1	1.34	46.6	1.83	53.0	2.09	78.1	3.07
L12F611290-58MM	3/4	3/4	38.1	1.50	52.8	2.08	58.0	2.28	89.1	3.51
L12F611290L-83MM	3/4	3/4	38.1	1.50	52.8	2.08	83.0	3.27	89.2	3.51
L12F611290L-110MM	3/4	3/4	38.1	1.5	64.8	2.55	110.0	4.33	104.1	4.10
L12F611690-56.9MM	3/4	1	44.5	1.75	52.8	2.08	58.0	2.28	89.2	3.51
L12F611690L-117MM	3/4	1	44.5	1.75	67.8	2.67	117.0	4.61	104.2	4.10
L12F612090-58MM	3/4	1 1/4	50.8	2.00	52.8	2.08	58.0	2.28	89.2	3.51
L16F611690-70MM	1	1	44.5	1.75	65.1	2.56	70.0	2.76	109.0	4.29

Continued on following page..

Can't find what you're looking for?


1300 654 782

SAE100R12 Four Wire Spiral

90 Degree

L Series

F61 - SAE Code 61 Flange 90° Elbow *Continued...*




L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L16F611690L-117MM	1	1	44.5	1.75	65.1	2.56	117.0	4.61	109.0	4.29
L16F611690L-150MM	1	1	44.5	1.75	65.1	2.56	150.0	5.91	109.0	4.29
L16F612090-70MM	1	1 1/4	50.8	2.00	65.1	2.56	70.0	2.76	109.0	4.29
L16F612090L-117MM	1	1 1/4	50.8	2.00	90.1	3.55	117.0	4.61	134.0	5.28
L16F612490-75MM	1	1 1/2	60.3	2.37	65.1	2.56	75.0	2.95	109.0	4.29
L20F611690-70MM	1 1/4	1	44.5	1.75	65	2.56	70.0	2.75	118.8	4.68
L20F612090-82MM	1 1/4	1 1/4	50.8	2.00	88.2	3.47	82.0	3.23	130.7	5.15
L20F612090L-140MM	1 1/4	1 1/4	50.8	2.00	108.2	4.26	140.0	5.51	150.7	5.93
L20F612490-90MM	1 1/4	1 1/2	60.3	2.37	88.2	3.47	90.0	3.54	130.7	5.15
L24F612490-104MM	1 1/2	1 1/2	60.3	2.37	105.0	4.13	104.0	4.09	160.2	6.31
L24F612490L-147MM	1 1/2	1 1/2	60.3	2.37	110.0	4.33	147.0	5.79	165.2	6.50
L24F613290-104MM	1 1/2	2	71.4	2.81	105.0	4.13	104.0	4.09	160.2	6.31
L32F612490L-160MM	2	1 1/2	60.3	2.37	105.8	4.13	160.0	6.29	163.7	6.44
L32F612490L-220MM	2	1 1/2	60.3	2.37	105.8	4.13	160.0	6.29	163.7	6.44
L32F613290-120MM	2	2	71.4	2.81	139.8	5.50	120.0	4.72	197.7	7.78
L32F613290L-197MM	2	2	71.4	2.81	139.8	5.5	197.0	7.75	197.7	7.78
L32F614090-125MM	2	2 1/2	84.1	3.31	139.8	5.50	125.0	4.92	197.7	7.78

L Series

F62 - SAE Code 62 Flange 90° Elbow



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L08F620890-45MM	1/2	1/2	31.8	1.25	45.0	1.77	45.0	1.77	75.4	2.97
L12F621290-58MM	3/4	3/4	41.3	1.63	52.8	2.08	58.0	2.28	89.2	3.51
L12F621690-58MM	3/4	1	47.6	1.87	53.0	2.09	58.0	2.28	89.4	3.52
L16F621690-70MM	1	1	47.6	1.87	69.0	2.72	70.0	2.76	112.9	4.44
L16F622090-70MM	1	1 1/4	54.0	2.13	66.8	2.63	70.0	2.76	110.7	4.36
L20F622090-82MM	1 1/4	1 1/4	54.0	2.13	86.9	3.42	82.0	3.23	129.4	5.1
L20F622490-82MM	1 1/4	1 1/2	63.5	2.5	81.9	3.22	82.0	3.23	129.4	5.1
L24F622490-104MM	1 1/2	1 1/2	63.5	2.50	103.5	4.07	104.0	4.09	158.7	6.2




SAE100R12 Four Wire Spiral

90 Degree

L Series

JF - JIC Female 37° Swivel 90° Elbow



B = Block
L = Long Drop
SS = Stainless Steel

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L06JF0990-23MM	3/8	9/16-18	17.5	0.69	31.1	1.22	23.0	0.91	54.9	2.16
L06JF0990L-55MM	3/8	9/16-18	17.5	0.69	31.1	1.22	55.0	2.17	54.9	2.16
L06JF1290-28MM	3/8	3/4-16	22.2	0.87	31.1	1.22	28.0	1.10	54.9	2.16
L06JF1290L-62MM	3/8	3/4-16	22.2	0.87	41.1	1.62	62.0	2.44	64.9	2.56
L06JF1490-274MM	3/8	7/8-14	25.4	1.00	34.1	1.34	27.4	1.08	57.9	2.28
L08JF1290-31MM	1/2	3/4-16	22.2	0.87	35.2	1.39	31.0	1.22	65.6	2.58
L08JF1290L-62MM	1/2	3/4-16	22.2	0.87	45.2	1.78	62.0	2.44	75.6	2.98
L08JF1290SS-31MM	1/2	3/4-16	22.2	0.87	35.2	1.39	31.0	1.22	65.6	2.58
L08JF1490-31MM	1/2	7/8-14	25.4	1.00	35.2	1.39	31.0	1.22	65.6	2.58
L08JF1490L-66MM	1/2	7/8-14	25.4	1.00	45.2	1.78	66.0	2.60	75.6	2.98
L08JF1790-46MM	1/2	1 1/16-12	31.8	1.25	39.2	1.54	46.0	1.81	69.6	2.74
L10JF1490-34MM	5/8	7/8-14	25.4	1.00	40.6	1.60	34.0	1.34	72.1	2.84
L10JF1490L-66MM	5/8	7/8-14	25.4	1.00	50.6	1.99	66.0	2.60	82.1	3.23
L10JF1790-48MM	5/8	1 1/16-12	31.8	1.25	50.6	1.99	48.0	1.89	82.1	3.23
L12JF1790-53MM	3/4	1 1/16-12	31.8	1.25	52.3	2.06	53.0	2.09	88.7	3.49
L12JF1790B-33.9MM	3/4	1 1/16-12	31.8	1.25	36.9	1.45	30.0	1.18	73.2	2.88
L12JF1790L-95MM	3/4	1 1/16-12	31.8	1.25	83.0	3.27	95.0	3.74	119.4	4.70
L12JF1790SS-53MM	3/4	1 1/16-12	31.8	1.25	52.3	2.06	53.0	2.09	88.7	3.49
L12JF2190-56MM	3/4	1 5/16-12	38.1	1.50	52.3	2.06	56.0	2.20	88.7	3.49
L16JF2190-70MM	1	1 5/16-12	38.1	1.50	66.6	2.62	70.0	2.76	110.5	4.35
L16JF2190L-110MM	1	1 5/16-12	38.1	1.50	91.6	3.61	110.0	4.33	135.5	5.33
L16JF2190SS-70MM	1	1 5/16-12	38.1	1.50	66.6	2.62	70.0	2.76	110.5	4.35
L20JF2690-85MM	1 1/4	1 5/8-12	50.0	1.97	85.2	3.35	85.0	3.35	134.0	5.28
L20JF2690L-134MM	1 1/4	1 5/8-12	50.0	1.97	105.2	4.14	134.0	5.28	147.7	5.81
L24JF3090-110MM	1 1/2	1 7/8-12	55.0	2.17	105.5	4.15	110.0	4.33	160.7	6.33
L32JF4090-136MM	2	2 1/2-12	73.0	2.87	139.8	5.50	136.0	5.35	197.7	7.78


HOSE TAILS
L Series

SAE100R12 Four Wire Spiral

90 Degree

L Series


KF - Komatsu Female Swivel 90° Elbow 30° Flare JIS Metric



Part Number	Products Description									
	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L08KF2290-31MM	1/2	M22*1.5P	27.0	1.06	42.3	1.67	31.0	1.22	72.7	2.86
L12KF3090-55MM	3/4	M30*1.5P	36.0	1.42	54.3	2.14	55.0	2.17	90.7	3.57

L Series

MF - O-Ring Metric Female 90° Elbow 24° Cone



(L) = Light Series Metric
(S) = Heavy Series Metric

Part Number	Products Description										
	Hose In-Dia	DIN	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
L06MFO0816A90-34MM	3/4	(L)	M16*1.5P	19.0	0.75	31.1	1.22	34.0	1.34	54.9	2.16
L06MFO1016A90-34MM	3/8	(L)	M16*1.5P	19.0	0.75	31.1	1.22	34.0	1.34	54.9	2.16
L06MFO1018A90-36MM	3/8	(S)	M18*1.5P	22.0	0.87	31.1	1.22	36.0	1.42	54.9	2.16
L06MFO1218A90-36MM	3/8	(L)	M18*1.5P	22.0	0.87	31.1	1.22	36.0	1.42	54.9	2.16
L06MFO1220A90-37MM	3/8	(S)	M20*1.5P	24.0	0.94	35.1	1.38	37.0	1.46	58.9	2.32
L06MFO1422A90-37MM-	3/8	(S)	M22*1.5P	27.0	1.06	38.1	1.50	37.0	1.46	61.9	2.44
L06MFO1522A90-37MM	3/8	(L)	M22*1.5P	27.0	1.06	38.1	1.50	37.0	1.46	61.9	2.44
L08MFO1422A90-41.7MM	1/2	(S)	M22*1.5P	27.0	1.06	38.1	1.50	41.7	1.64	75.0	2.95
L08MFO1522A90-41.7MM	1/2	(L)	M22*1.5P	27.0	1.06	45.1	1.78	41.7	1.64	75.5	2.97
L08MFO1624A90-45MM	1/2	(S)	M24*1.5P	30.0	1.18	46.0	1.81	45.0	1.77	74.5	2.93
L08MFO1826A90-46MM	1/2	(L)	M26*1.5P	32.0	1.26	39.0	1.54	46.0	1.81	69.4	2.73
L10MFO1826A90-46MM	5/8	(L)	M26*1.5P	32.0	1.26	50.6	1.99	46.0	1.81	82.1	3.23
L10MFO2536B90-59MM	5/8	(S)	M36*2.0P	46.0	1.81	56.6	2.23	59.0	2.32	88.1	3.47
L12MFO1826A90-52.8MM	3/4	(L)	M26*1.5P	32.0	1.26	45.3	1.78	52.8	2.08	81.7	3.22
L12MFO2030B90-56.5MM	3/4	(S)	M30*2.0P	36.0	1.42	52.3	2.06	56.5	2.22	88.7	3.49
L12MFO2230B90-58MM	3/4	(L)	M30*2.0P	36.0	1.42	52.3	2.06	58.0	2.28	88.7	3.49
L12MFO2536B90-60MM	3/4	(S)	M36*2.0P	46.0	1.81	50.3	1.98	60.0	2.37	86.7	3.41
L16MFO2836B90-69.5MM	1	(L)	M36*2.0P	46.0	1.81	64.6	2.54	69.5	2.74	108.5	4.27
L16MFO3042B90-80MM	1	(S)	M42*2.0P	50.0	1.97	64.6	2.54	80.0	3.14	108.5	4.27
L20MFO3545B90-82.9MM	1 1/4	(L)	M45*2.0P	50.0	1.97	88.2	3.47	82.9	3.26	130.7	5.15
L24MFO4252B90-101MM	1 1/2	(L)	M52*2.0P	60.0	2.36	105.0	4.13	101.0	3.98	160.2	6.31




SAE100R12 Four Wire Spiral

90 Degree

L Series

FO - Female O-Ring Face Seal Swivel 90° Elbow




L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L06FO1190-23MM	3/8	11/16-16	22.0	0.87	31.1	1.22	23.0	0.91	54.9	2.16
L06FO1190L-54MM	3/8	11/16-16	22.0	0.87	31.1	1.22	54.0	2.13	54.9	2.16
L06FO1390-29MM	3/8	13/16-16	23.8	0.94	33.0	1.30	29.0	1.14	56.8	2.24
L06FO1390L-63.8MM	3/8	13/16-16	23.8	0.94	33.0	1.30	63.8	2.51	56.8	2.24
L08FO1390-29MM	1/2	13/16-16	23.8	0.94	35.1	1.38	29.0	1.14	65.5	2.58
L08FO1390L-63.8MM	1/2	13/16-16	23.8	0.94	35.1	1.38	63.8	2.51	65.5	2.58
L08FO1690-32MM	1/2	1-14	30.0	1.18	38.2	1.50	32.0	1.26	68.6	2.70
L08FO1990-43MM	1/2	1 3/16-12	36.0	1.42	35.1	1.38	43.0	1.69	65.5	2.58
L10FO1690-32MM	5/8	1-14	30.0	1.18	40.6	1.60	32.0	1.26	72.1	2.84
L10FO1690L-70MM	5/8	1-14	30.0	1.18	40.6	1.60	70.0	2.76	72.1	2.84
L12FO1990-48MM	3/4	1 3/16-12	36.0	1.42	52.3	2.06	48.0	1.89	88.7	3.49
L12FO1990L-96MM	3/4	1 3/16-12	36.0	1.42	52.3	2.06	96.0	3.78	88.7	3.49
L12FO2390-56MM	3/4	1 7/16-12	41.0	1.61	52.3	2.06	56.0	2.20	88.7	3.49
L16FO2390-56MM	1	1 7/16-12	41.0	1.61	67.3	2.65	56.0	2.20	111.2	4.38
L16FO2390L-114MM	1	1 7/16-12	41.0	1.61	67.3	2.65	114.0	4.49	111.2	4.38
L16FO2790-75MM	1	1 11/16-12	50.0	1.97	62.6	2.46	75.0	2.95	106.5	4.19
L20FO2790-82MM	1-1/4	1 11/16-12	50.0	1.97	87.3	3.44	82.0	3.23	136.1	5.36
L20FO2790L-129MM	1-1/4	1 11/16-12	50.0	1.97	87.3	3.44	129.0	5.08	136.1	5.36
L24FO3290-101MM	1-1/2	2-12	60.0	2.36	105.0	4.13	101.0	3.98	160.2	6.31
L24FO3290L-141MM	1-1/2	2-12	60.0	2.36	100.2	3.94	141.0	5.55	160.2	6.31

110 Degree

L Series

F61 - SAE Code 61 Flange 110° Elbow



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L12F6112110	3/4	3/4	38.1	1.50	51.1	2.01	84.0	3.31	87.4	3.44
L12F6116110	3/4	1	44.5	1.75	52.8	2.08	84	3.31	22.1	3.03
L16F6116110	1	1	44.5	1.75	57.2	2.25	94.0	3.70	101.0	3.98

Continued on following page..

Can't find what you're looking for?


1300 654 782

SAE100R12 Four Wire Spiral

110 Degree

L Series

F61 - SAE Code 61 Flange 110° Elbow *Continued...*



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
L16F6120110	1	1 1/4	50.8	2.00	61.2	2.41	94.0	3.70	105.0	4.13
L20F6120110	1 1/4	1 1/4	50.8	2.00	69.6	2.74	104.0	4.09	112.1	4.41
L20F6124110	1 1/4	1 1/2	60.3	2.37	69.6	2.74	104.0	4.09	112.1	4.41
L24F6124110	1 1/2	1 1/2	60.3	2.37	83.4	3.28	124.0	4.88	138.6	5.46
L24F6132110	1 1/2	2	71.4	2.81	83.4	3.28	124.0	4.88	138.6	5.46
L32F6124110	2	1 1/2	60.3	2.37	84.3	3.32	123.7	4.87	142.2	5.60
L32F6132110	2	2	71.4	2.81	118.0	4.65	154.0	6.06	175.9	6.93




SAE100R13, SAE100R15 Four & Six Wire Spiral

Straight

N Series


HU - 1502 Hammer Union Male and Female



Part Number	Products Description					
	Hose In-Dia	Tail-Growth		Overall Length		
		MM	Inch	MM	Inch	
		C		E		
N32FHU32	2	109.8	4.32	198.0	7.79	
N32MHU32	2	72.7	2.86	161.2	6.34	
NP32FHU32	2	109.8	4.32	198.0	7.79	
NP32MHU32	2	72.7	2.86	161.2	6.34	

N Series

BF - BSP Female Parallel Pipe Swivel Straight 60°Cone




SS = Stainless Steel

NB: For 3/8 & 1/2 use L Series

Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N10BF08	5/8	1/2-14	27.0	1.06	33.0	1.30	27.0	1.60	64.7	2.55
N10BF10	5/8	5/8-14	28.57	1.12	26.72	1.05	27.0	1.06	58.2	2.29
N10BF12	5/8	3/4-14	36.0	1.42	43.2	1.70	32.0	1.26	74.5	2.93
N12BF12	3/4	3/4-14	36.0	1.42	50.0	1.97	36.0	1.42	102.2	4.02
N16BF16	1	1-11	41.0	1.61	57.9	2.28	41.0	1.61	111.9	4.41
N16BF16SS	1	1-11	41.0	1.61	57.9	2.28	41.0	1.61	111.9	4.41
N16BF20	1	1 1/4-11	50.0	1.97	63.7	2.51	50.0	1.97	117.7	4.63
N20BF20	1 1/4	1 1/4-11	50.0	1.97	71.6	2.82	50.0	1.97	136.5	5.37
N24BF24	1 1/2	1 1/2-11	55.0	2.17	84.4	3.32	60.0	2.36	157.2	6.19
NP32BF32	2	2-11	70.0	2.76	85.3	3.36	70.0	2.76	168.2	6.62

N Series

BF - RB BSP Female Rock Breaker




Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N12BF12RB	3/4	3/4-14	36.0	1.42			36.0	1.42	102.2	4.02
N16BF16RB	1	1-11	41.0	1.61	53.1	2.09	41.0	1.61	111.9	4.41
N20BF20RB	1 1/4	1 1/4-11	50.0	1.47			50.0	1.97	136.5	5.37

SAE100R13, SAE100R15 Four & Six Wire Spiral

Straight

N Series

BM - BSP Male Taper




NB: For 3/8 & 1/2 use L Series

Part Number	Products Description									
	Hose In-Dia	Thread PT	Nipple Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		E		E	
N10BM12	5/8	3/4-14	36.0	1.42	41.4	1.63			69.1	2.72
N12BM12	3/4	3/4-14	36.0	1.42	40.1	1.58			95.6	3.76
N12BM16	3/4	1-11	41.0	1.61	43.5	1.71			98.7	3.88

N Series

F61 - SAE Code 61 Flange Straight



NB: For 3/8 & 1/2 use L Series

Part Number	Products Description								
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Overall Length		
			MM	Inch	MM	Inch	MM	Inch	
		A	B		C		E		
N10F6110	5/8	5/8	34.0	6.73	62.9	2.48	90.6	3.57	
N12F6112	3/4	3/4	38.1	1.50	67.8	2.67	120.0	4.72	
N12F6116	3/4	1	44.5	1.75	54.3	2.14	106.5	4.19	
N16F6116	1	1	44.5	1.75	70.8	2.79	124.8	4.91	
N16F6120	1	1 1/4	50.8	2.00	43.5	1.71	97.5	3.84	
N20F6120	1 1/4	1 1/4	50.8	2.00	86.1	3.39	151.0	5.94	
N20F6124	1 1/4	1 1/2	60.3	2.37	71.8	2.83	136.7	5.38	
N24F6124	1 1/2	1 1/2	60.3	2.37	104.0	4.09	177.0	6.97	
N24F6132	1 1/2	2	71.2	2.80	71.9	2.83	144.9	5.70	
NP32F6132	2	2	71.2	2.80					




SAE100R13, SAE100R15 Four & Six Wire Spiral

Straight

N Series

F62 - SAE Code 62 Flange Straight




SS = Stainless Steel

NB: For 3/8 & 1/2 use L Series

Part Number	Products Description								
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Overall Length		
			MM	Inch	MM	Inch	MM	Inch	
		A	B		C		E		
N12F6212	3/4	3/4	41.3	1.63	71.9	2.83	124.4	4.90	
N12F6216	3/4	1	47.6	1.87	46.0	1.81	98.5	3.88	
N16F6212	1	3/4	41.3	1.63	89.5	3.52	143.5	5.65	
N16F6216	1	1	47.6	1.87	85.3	3.36	139.3	5.48	
N16F6220	1	1 1/4	54.0	2.13	54.3	2.14	108.7	4.28	
N20F6216	1 1/4	1	47.6	1.87	91.5	3.60	156.4	6.16	
N20F6220	1 1/4	1 1/4	54.0	2.13	92.8	3.65	158.1	6.22	
N20F6224	1 1/4	1 1/2	63.5	2.50	65.4	2.57	130.7	5.15	
N24F6220	1 1/2	1 1/4	54.0	2.13	93.0	3.66	172.0	6.77	
N24F6224	1 1/2	1 1/2	63.5	2.50	116.0	4.57	190.0	7.48	
N24F6232	1 1/2	2	79.4	3.13	86.4	3.40	159.4	6.28	
N24F6224SS	1 1/2	1 1/2	63.5	2.5	116.0	4.57	190.0	7.48	
NP32F6232	2	2	79.4	3.13	136.5	5.37	219.4	8.64	

N Series

FC62 - CAT Flange Straight




Part Number	Products Description								
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Overall Length		
			MM	Inch	MM	Inch	MM	Inch	
		A	B		C		E		
N12FC6212	3/4	3/4	41.3	1.63	71.9	2.83	124.4	4.90	
N12FC6216	3/4	1	47.6	1.87	50.6	1.99	103.2	4.06	
N16FC6216	1	1	47.6	1.87	87.5	3.44	141.5	5.57	
N16FC6220	1	1 1/4	54.0	2.13	55.4	2.18	109.8	4.32	
N20FC6220	1 1/4	1 1/4	54.0	2.13	93.4	3.68	158.7	6.25	
N20FC6224	1 1/4	1 1/2	63.5	2.50	68.3	2.69	133.6	5.26	
N24FC6224	1 1/2	1 1/2	63.5	2.50	118.6	4.67	191.6	7.54	
N24FC6232	1 1/2	2	79.4	3.13	86.4	3.40	159.4	6.28	

SAE100R13, SAE100R15 Four & Six Wire Spiral

Straight

N Series

LeTourneau Flange Straight



Part Number	Products Description								
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Overall Length		
			MM	Inch	MM	Inch	MM	Inch	
		A	B		C		E		
N24LT24	1/2	1 1/2	60.3	2.37	78.4	3.08	177.0	6.97	
NP32LT32	2	2	71.42	2.81	92.5	3.64	190.3	7.49	

N Series

HJ - Hose Joiner




NB: For 3/8 & 1/2 use L Series

Part Number	Products Description					
	Hose In-Dia	Tail-Growth		Overall Length		
		MM	Inch	MM	Inch	
		C		E		
N24HJ24	1 1/2	59.2	2.3	217.2	8.55	

N Series

JF - JIC Female 37° Swivel Straight



NB: For 3/8 & 1/2 use L Series

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N10JF14	5/8	7/8-14	25.4	1.00	36.4	1.43	23.8	0.94	67.9	2.67
N10JF17	5/8	1 1/16-12	31.8	1.25	40.8	1.61	27.0	1.06	72.3	2.85
N12JF17	3/4	1 1/16-12	31.8	1.25	48.0	1.89	28.6	1.12	100.2	3.94
N12JF21	3/4	1 5/16-12	38.0	1.50	50.6	1.99	35.0	1.38	103.1	4.06
N16JF21	1	1 5/16-12	38.0	1.50	54.3	2.14	35.0	1.38	108.3	4.26
N20JF26	1 1/4	1 5/8-12	50.0	1.97	70.2	2.76	47.6	1.87	135.1	5.32
N20JF30	1 1/4	1 7/8-12	55.0	2.17	64.4	2.54	47.6	1.87	135.7	5.34
N24JF30	1 1/2	1 7/8-12	55.0	2.17	74.2	2.92	54.0	2.13	147.2	5.80
NP32JF40	2	2 1/2-12	73.0	2.87	91.7	3.61	63.5	2.50	174.6	6.87




SAE100R13, SAE100R15 Four & Six Wire Spiral

Straight

N Series

JM - JIC Male 37° Swivel Straight




NB: For 3/8 & 1/2 use L Series

Part Number	Products Description								
	Hose In-Dia	Thread UNF	Nipple Hex		Tail-Growth		Overall Length		
			MM	Inch	MM	Inch	MM	Inch	
		A	B		C		D		
N12JM17	3/4	1 1/16-12	28.6	1.12					
N12JM21	3/4	1 5/16-12	35.0	1.38	50.4	1.98	102.6	4.04	
N16JM21	1	1 5/16-12	36.0	1.42	50.8	2.00	109.2	4.29	

N Series

KF - Komatsu Female Swivel Straight 30° Flare JIS Metric





NB: For 3/8 & 1/2 use L Series

Part Number	Products Description									
	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N10KF24	5/8	M24*1.5P	32.0	1.25	44.6	1.75	30.0	1.18	76.2	3.00
N12KF30	3/4	M30*1.5P	36.0	1.42	35.4	1.39	32.0	1.26	87.6	3.45
N16KF33	1	M33*1.5P	41.0	1.61	42.4	1.67	36.0	1.42	96.8	3.81

N Series

MF - O-Ring Metric Female Straight 24° Cone



(L) = Light Series Metric
(S) = Heavy Series Metric

NB: For 3/8 & 1/2 use L Series


Part Number	Products Description										
	Hose In-Dia	DIN	Thread METRIC	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
N10MFO1624A	5/8	(S)	M30*2.0P	36.0	1.42						
N10MFO1826A	5/8	(L)	M26*2.0P	32.0	1.26			24.0	0.94		
N10MFO2030B	5/8	(S)	M30*2.0P	36.0	1.42	31.9	1.26			59.6	2.35
N10MFO2536B	5/8	(S)	M36*2.0P	46.0	1.81	29.1	1.14			60.6	2.38
N12MFO2030B	3/4	(S)	M30*2.0P	36.0	1.42	47.1	1.85	32.0	1.26	99.3	3.91
N12MFO2230B	3/4	(L)	M30*1.5P	36.0	1.42	44.8	1.76	32.0	1.26	97.4	3.83
N12MFO2536B	3/4	(S)	M36*2.0P	46.0	1.81	34.3	1.35		0.00	87.1	3.43
N16MFO2536B	1	(S)	M36*2.0P	46.0	1.81	52.7	2.07	35.0	1.38	107.9	4.25
N16MFO3042B	1	(S)	M42*2.0P	50.0	1.97	45.6	1.80		0.00	99.6	3.92
N20MFO3042B	1 1/4	(S)	M42*2.0P	50.0	1.97	62.9	2.48	46.0	1.81	127.8	5.03
N20MFO3852B	1 1/4	(S)	M52*2.0P	60.0	2.36	48.3	1.90			113.2	4.46
N24MFO3852B	1 1/2	(S)	M52*2.0P	60.0	2.36	67.2	2.65	50.0	1.97	140.2	5.52

SAE100R13, SAE100R15 Four & Six Wire Spiral

Straight

N Series

MM - Metric Male Straight 24° Cone




(S) = Heavy Series
Metric

NB: For 3/8 & 1/2 use
L Series

Part Number	Products Description									
	Hose In-Dia	DIN	Thread METRIC	Nipple Hex		Tail-Growth		Overall Length		
				MM	Inch	MM	Inch	MM	Inch	
			A	B		C		E		
N12MM2030B	3/4	(S)	M30*2.0P	30.0	1.18	38.8	1.53	91.3	3.59	
N16MM3042B	1	(S)	M42*2.0P			43.5	1.71	101.9	4.01	
N20MM3042B	1 1/4	(S)	M42*2.0P	46.0	1.81	51.8	2.04	119.1	4.69	
N20MM3852B	1 1/4	(S)	M52*2.0P	55.0	2.17	56.5	2.22	121.8	4.80	

N Series


NF - NPT Female S/W Straight



Part Number	Products Description									
	Hose In-Dia	Thread NPSM	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N12NF12	3/4	3/4-14	32.0	1.26	38.1	1.50	30.0	1.18	90.6	3.57
N16NF16	1	1-11.5	41.0	1.61	44.5	1.75	35.0	1.38	98.9	3.89

N Series

NM - Taper Male NPT Straight




NB: For 3/8 & 1/2 use
L Series

Part Number	Products Description									
	Hose In-Dia		Thread NPTF	Nipple Hex		Tail-Growth		Overall Length		
				MM	Inch	MM	Inch	MM	Inch	
			A	B		C		E		
N12NM12	3/4		3/4-14	28.6	1.12	46.0	1.81	98.2	3.87	
N16NM16	1		1-11.5	35.0	1.38	54.4	2.14	108.4	4.27	
N20NM20	1 1/4		1 1/4-11.5	46.0	1.81	69.6	2.74	134.5	5.30	
N24NM24	1 1/2		1 1/2-11.5	50.8	2.00	67.0	2.64	140.0	5.51	
NP32NM32	2		2-11.5	63.5	2.50					



HOSE TAILS N Series

N Series **FO - Female O-Ring Face Seal Swivel Straight**



N Series	FT - Taper Flange Straight (For Heavy Duty Mining Equipment)
FT 100	100
FT 150	150
FT 200	200
FT 250	250
FT 300	300
FT 350	350
FT 400	400
FT 450	450
FT 500	500
FT 550	550
FT 600	600
FT 650	650
FT 700	700
FT 750	750
FT 800	800
FT 850	850
FT 900	900
FT 950	950
FT 1000	1000




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N24FT2415	1 1/2	1 1/2	68.5	2.70	217.0	8.54	24.0	0.94	290.0	11.4

SAE100R13, SAE100R15 Four & Six Wire Spiral

22.5 Degree

N Series


F61 - SAE Code 61 Flange 22.5° Elbow



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N12F611222.5	3/4	3/4	38.1	1.50	72.7	2.86	16.0	0.63	117.6	4.63
N12F611622.5	3/4	1	38.1	1.50	71.5	2.81	16.9	0.66	132.8	5.22
N16F611622.5	1	1	44.5	1.75	88.4	3.48	19.7	0.78	142.8	5.62
N16F612022.5	1	1 1/4	50.8	2.00	88.1	3.47	19.6	0.77	142.5	5.61
N20F612022.5	1 1/4	1 1/4	50.8	2.00	106.4	4.19	19.7	0.78	171.6	6.76

N Series

FC62 - CAT Flange 22.5° Elbow




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N20FC622022.5	1 1/4	1 1/4	54.0	2.13	111.0	4.37	21.4	0.84	175.9	6.93
N24FC622422.5	1 1/2	1 1/2	63.5	2.50	137.3	5.41	27.6	1.09	210.3	8.28

30 Degree

N Series

F61 - SAE Code 61 Flange 30° Elbow



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N12F611230	3/4	3/4	38.1	1.50	70.9	2.79	20.1	0.79	115.9	4.56
N12F611630	3/4	1	44.5	1.75	72.9	2.87	21.3	0.84	117.9	4.64
N16F611630	1	1	44.5	1.75	86.3	3.40	24.8	0.98	140.7	5.54
N16F612030	1	1 1/4	50.8	2.00	86.0	3.39	24.6	0.97	140.5	5.53
N20F612030	1 1/4	1 1/4	50.8	2.00	104.4	4.11	24.5	0.96	169.8	6.69




SAE100R13, SAE100R15 Four & Six Wire Spiral

30 Degree

N Series


FC62 -CAT Flange 30° Elbow



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N20FC622030	1 1/4	1 1/4	54.0	2.13	108.2	4.26	26.7	1.05	173.6	6.83
N24FC622430	1 1/2	1 1/2	63.5	2.50	134.3	5.29	34.6	1.36	207.3	8.16

N Series

F62 - SAE Code 62 Flange 30° Elbow




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
NP32F623230	2	2	79.4	3.13						

45 Degree

N Series

BF - BSP Female Parallel Pipe Swivel 45° Elbow 60° Cone




NB: For 3/8 & 1/2 use L Series v

Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N12BF1245	3/4	3/4-14	36.0	1.42	76.2	3.00	35.4	1.39	128.4	5.06
N16BF1645	1	1-11	41.0	1.61	89.8	3.54	40.4	1.59	143.8	5.66
N20BF2045	1 1/4	1 1/4-11	50.0	1.97	124.6	4.91	55.5	2.19	189.4	7.46
N24BF2445	1 1/2	1 1/2-11	55.0	2.17	142.5	5.61	60.1	2.37	215.3	8.48
NP32BF3245	2	2-11	70.0	2.76	173.7	6.84	68.8	2.71	256.6	10.10

N Series

F61 - SAE Code 61 Flange 45° Elbow



NB: For 3/8 & 1/2 use L Series

Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N10F611045	5/8	5/8	34.1	1.34	59.9	2.36	27.0	1.06	91.4	3.59
N12F611245	3/4	3/4	38.1	1.50	67.2	2.65	26.4	1.04	119.4	4.70
N12F611645	3/4	1	44.5	1.75	68.9	2.71	28.0	1.10	121.0	4.76

Continued on following page...

Can't find what you're looking for?


1300 654 782

SAE100R13, SAE100R15 Four & Six Wire Spiral

45 Degree

N Series


F61 - SAE Code 61 Flange 45° Elbow *Continued...*



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N16F611245	1	3/4	41.3	1.63	74.2	2.92	31.6	1.24	132.6	5.22
N16F611645	1	1	44.5	1.75	81.4	3.20	32.0	1.26	135.3	5.33
N16F612045	1	1 1/4	50.8	2.00	81.4	3.20	32.0	1.26	135.3	5.33
N20F612045	1 1/4	1 1/4	50.8	2.00	107.1	4.22	38.0	1.50	171.9	6.77
N24F612445	1 1/2	1 1/2	60.3	2.37	123.4	4.86	41.0	1.61	196.4	7.73

N Series

F62 - SAE Code 62 Flange 45° Elbow




SS = Stainless Steel

NB: For 3/8 & 1/2 use L Series

Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N12F621245	3/4	3/4	41.3	1.63	67.5	2.66	27.0	1.06	120.0	4.72
N12F621645	3/4	1	47.6	1.87	68.5	2.70	28.0	1.10	121.0	4.76
N16F621645	1	1	47.6	1.87	80.9	3.19	32.0	1.26	135.3	5.33
N16F622045	1	1 1/4	54.0	2.13	80.9	3.19	32.0	1.26	135.3	5.33
N20F622045	1 1/4	1 1/4	54.0	2.13	106.6	4.20	38.0	1.50	171.9	6.8
N20F622445	1 1/4	1 1/2	63.5	2.50	106.6	4.20	38.0	1.50	171.9	6.77
N24F622445	1 1/2	1 1/2	63.5	2.50	126.4	4.98	44.0	1.73	199.4	7.9
N24F622445SS	1 1/2	1 1/2	63.5	2.50	126.4	4.98	44.0	1.73	199.4	7.9
N32F623245	2	2	79.4	3.13	163.6	6.44	56.0	2.20	246.5	9.7

N Series

FC62 - CAT Flange 45° Elbow



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N12FC621245	3/4	3/4	41.3	1.63	72.0	2.83	31.6	1.24	124.6	4.91
N12FC621645	3/4	1	47.6	1.87	72.0	2.83	31.5	1.24	124.6	4.91
N16FC621645	1	1	47.6	1.87	84.2	3.31	35.3	1.39	138.6	5.46
N16FC622045	1	1 1/4	54.0	2.13	84.2	3.31	35.3	1.39	138.6	5.46
N20FC622045	1 1/4	1 1/4	54.0	2.13	109.4	4.31	40.8	1.61	174.7	6.88


Continued on following page...

SAE100R13, SAE100R15 Four & Six Wire Spiral

45 Degree

N Series


FC62 - CAT Flange 45° Elbow *Continued...*



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N20FC622445	1 1/4	1 1/2	63.5	2.50	109.4	4.31	40.8	1.61	174.7	6.88
N24FC622445	1 1/2	1 1/2	63.5	2.50	127.5	5.02	45.2	1.78	200.5	7.89

N Series


FT - Taper Flange 45° Elbow (For Heavy Duty Mining Equipment)



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N16FT1645	1	1	49.5	1.95	124.6	4.91	50.0	1.97	179.0	7.05
N20FT2045	1 1/4	1 1/4	57.5	2.26	168.7	6.64	60.0	2.36	234.0	9.2
N20FT2445	1 1/4	1 1/2	68.5	2.70	178.7	7.04	60.0	2.36	244.0	9.6
N24FT2445	1 1/2	1 1/2	68.5	2.70	190.0	7.48	80.0	3.15	263.0	10.4
N24FT3245	1 1/2	2	83.5	3.29	206.0	8.11	95.0	3.74	279.0	10.98
NP32FT3245	2	2	83.5	3.29	206.7	8.14	90.0	3.54	305.0	12.01

N Series

JF - JIC Female 37° Swivel 45° Elbow



NB: For 3/8 & 1/2 use L Series


Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N10JF1445	5/8	7/8-14	25.4	1.0	41.4	1.63	16.0	0.63	72.9	2.87
N12JF1745	3/4	1 1/16-12	31.8	1.25	67.9	2.67	27.0	1.06	120.0	4.72
N16JF2145	1	1 5/16-12	38.1	1.50	82.4	3.24	33.0	1.30	136.3	5.37
N20JF2645	1 1/4	1 5/8-12	50.0	1.97	114.1	4.49	45.0	1.77	178.9	7.04
N24JF3045	1 1/2	1 7/8-12	55.0	2.17	134.3	5.29	52.0	2.05	207.3	8.16

SAE100R13, SAE100R15 Four & Six Wire Spiral

45 Degree

N Series

MF - O-Ring Metric Female 45° Elbow 24° Cone




(S) = Heavy Series Metric

NB: For 3/8 & 1/2 use L Series

Part Number	Products Description										
	Hose In-Dia	DIN	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
N10MFO2030B45	5/8	(S)	M30*1.5P	36.0	1.42	58.9	2.32	25.0	0.98	90.4	3.55
N12MFO2030B45	3/4	(S)	M30*2.0P	36.0	1.42	73.1	2.88	32.3	1.27	125.3	4.93
N12MFO2536B45	3/4	(S)	M36*2.0P	46.0	1.81	70.1	2.76	34.0	1.34	122.9	4.84
N16MFO2536B45	1	(S)	M36*2.0P	46.0	1.81	85.4	3.36	33.0	1.30	139.3	5.48
N16MFO3042B45	1	(S)	M42*2.0P	50.0	1.97	96.2	3.79	37.0	1.46	150.2	5.91
N20MFO3852B45	1 1/4	(S)	M52*2.0P	60.0	2.36	119.1	4.69	50.0	1.97	183.9	7.24

N Series

FO - Female O-Ring Face Seal Swivel 45° Elbow




NB: For 3/8 & 1/2 use L Series

Part Number	Products Description										
	Hose In-Dia		Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
N10FO1645	5/8		1-14	30.0	1.18	48.9	1.93	16.0	0.63	80.4	3.17
N12FO1945	3/4		1 3/16-12	36.0	1.42	62.0	2.44	21.1	0.83	114.1	4.49
N16FO2345	1		1 7/16-12	41.0	1.61	73.3	2.89	24.0	0.94	127.3	5.01
N20FO2745	1 1/4		1 11/16-12	50.0	1.97	111.1	4.37	42.0	1.65	175.9	6.93
N24FO3245	1 1/2		2-12	60.0	2.36	130.5	5.14	48.0	1.89	203.4	8.01

60 Degree

N Series

F61 - SAE Code 61 Flange 60° Elbow



Part Number	Products Description										
	Hose In-Dia		Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
N12F611260	3/4		3/4	38.1	1.50	66.2	2.61	36.0	1.42	111.1	4.37
N12F611660	3/4		1	44.5	1.75	69.7	2.74	42.1	1.66	114.6	4.51
N16F611660	1		1	44.5	1.75	80.2	3.16	38.0	1.50	132.6	5.22
N16F612060	1		1 1/4	50.8	2.00	88.9	3.50	58.6	2.31	143.4	5.65
N20F612060	1 1/4		1 1/4	50.8	2.00	88.8	3.50	47.4	1.87	168.7	6.64




SAE100R13, SAE100R15 Four & Six Wire Spiral

60 Degree

N Series


F62 - SAE Code 62 Flange 60° Elbow



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B	C		D		E	
N16F621260	1	3/4	38.1	1.50	71.5	2.81	41.6	1.63	129.9	5.11

N Series

FC62 - CAT Flange 60° Elbow




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B	C		D		E	
N20FC622060	1 1/4	1 1/4	54.0	2.13	107.8	4.24	55.2	2.17	173.1	6.81
N24FC622460	1 1/2	1 1/2	63.5	2.50	127.0	5.00	61.8	2.43	200.0	7.87

67.5 Degree

N Series


F61 - SAE Code 61 Flange 67.5° Elbow



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B	C		D		E	
N12F6112675	3/4	3/4	38.1	1.50	64.3	2.53	41.0	1.61	117.6	4.63
N12F6116675	3/4	1	44.5	1.75	66.3	2.61	44.1	1.74	111.3	4.38
N16F6116675	1	1	44.5	1.75	84.0	3.31	61.4	2.42	138.4	5.45
N16F6120675	1	1 1/4	50.8	2.00	86.1	3.39	61.4	2.42	138.4	5.45
N20F6120675	1 1/4	1 1/4	50.8	2.00	85.9	3.38	49.0	1.93	165.7	6.52

N Series

FC62 - CAT Flange 67.5° Elbow




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B	C		D		E	
N16FC6216675	1	1	47.6	1.87						

SAE100R13, SAE100R15 Four & Six Wire Spiral

70 Degree

N Series

FT - Taper Flange 70° Elbow (For Heavy Duty Mining Equipment)




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N20FT2070	1 1/4	1 1/4	575	2.26	179.7	7.07	96.0	3.78	245.0	9.6

90 Degree

N Series

BF - BSP Female Parallel Pipe Swivel 90° Elbow 60° Cone




Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N12BF1290-55MM	3/4	3/4-14	36.0	1.42	58.4	2.30	64.0	2.52	110.6	4.35
N12BF1290B-36MM	3/4	3/4-14	36.0	1.42	40.5	1.59	45.0	1.77	93.1	3.67
N16BF1690-73.5MM	1	1-11	41.0	1.61	74.6	2.94	84.0	3.31	128.6	5.06
N20BF2090-88.5MM	1 1/4	1 1/4-11	50.0	1.97	95.4	3.76	101.9	4.01	160.3	6.31
N24BF2490-110MM	1 1/2	1 1/2-11	55.0	2.17	114.6	4.51	120.0	4.72	187.4	7.38
NP32BF3290-138MM	2	2-11	70.0	2.76	151.7	5.97	152.9	6.02	234.6	9.24

B = Block

NB: For 3/8 & 1/2 use L Series

N Series

F61 - SAE Code 61 Flange 90° Elbow



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N12F611290-58MM	3/4	3/4	38.1	1.50	58.4	2.30	58.0	2.28	110.6	4.35
N12F611290L-83MM	3/4	3/4	38.1	1.50	58.1	2.29	83.0	3.27	103.0	4.06
N12F611690-58MM	3/4	1	44.5	1.75	58.4	2.30	58.0	2.28	110.6	4.35
N16F611690-70MM	1	1	44.5	1.75	71.6	2.82	70.0	2.76	125.6	4.94
N16F611690L-117MM	1	1	44.5	1.75	96.6	3.80	117.0	4.61	150.6	5.93
N16F612090-70MM	1	1 1/4	50.8	2.00	71.6	2.82	70.0	2.76	125.6	4.94
N20F612090-82MM	1 1/4	1 1/4	50.8	2.00	95.4	3.76	82.0	3.23	160.3	6.31
N20F612090L-140MM	1 1/4	1 1/4	50.8	2.00	115.4	4.54	140.0	5.51	180.3	7.10
N24F612490-104MM	1 1/2	1 1/2	60.3	2.37	114.6	4.51	104.0	4.09	187.6	7.39

L = Long Drop

NB: For 3/8 & 1/2 use L Series




SAE100R13, SAE100R15 Four & Six Wire Spiral

90 Degree

N Series

F62 - SAE Code 62 Flange 90° Elbow



L = Long Drop
SS = Stainless Steel

NB: For 3/8 & 1/2 use
L Series


Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B	C		D		E	
N12F621290-58MM	3/4	3/4	41.3	1.63	58.1	2.29	58.0	2.28	110.6	4.35
N12F621290L-77MM	3/4	3/4	41.3	1.63	58.1	2.29	77.0	3.03	110.6	4.35
N12F621290L-117MM	3/4	3/4	41.3	1.63	54.7	2.15	117.0	4.60	110.2	4.34
N12F621690-58MM	3/4	1	47.6	1.87	58.1	2.29	58.0	2.28	110.6	4.35
N12F621690L-77MM	3/4	1	47.6	1.87	58.1	2.29	77.0	3.03	110.6	4.35
N12F621690L-117MM	3/4	1	47.6	1.87	58.1	2.29	117.0	4.61	110.6	4.35
N16F621290-58MM	1	3/4	41.3	1.63	63.2	2.49	58.0	2.28	117.6	4.63
N16F621690-70MM	1	1	47.6	1.87	71.2	2.80	70.0	2.76	125.6	4.94
N16F621690L-117MM	1	1	47.6	1.87	71.2	2.80	117.0	4.61	125.6	4.94
N16F622090-70MM	1	1 1/4	54.0	2.13	71.2	2.80	70.1	2.76	125.6	4.94
N16F622090L-117MM	1	1 1/4	54.0	2.13	71.2	2.80	117.0	4.61	125.6	4.94
N20F621690-70MM	1 1/4	1	47.6	1.87			70.0	2.76		
N20F622090-82MM	1 1/4	1 1/4	54.0	2.13	95.0	3.74	82.0	3.23	160.3	6.31
N20F622090L-120MM	1 1/4	1 1/4	54.0	2.13	95.0	3.74	120.0	4.72	160.3	6.31
N20F622090L-200MM	1 1/4	1 1/4	54.0	2.13	95.0	3.74	200.0	7.87	160.3	6.31
N20F622490-82MM	1 1/4	1 1/2	63.5	2.50	95.4	3.76	82.0	3.23	160.3	6.31
N20F622490L-120MM	1 1/4	1 1/2	63.5	2.50	115.4	4.54	120.0	4.72	180.3	7.10
N24F622090-94MM	1 1/2	1 1/4	54.0	2.13	101.1	3.98	94.0	3.70	174.1	6.85
N24F622090L-200MM	1 1/2	1 1/4	54.0	2.13	101.1	3.98	200.0	7.87	174.1	6.85
N24F622490-104MM	1 1/2	1 1/2	63.5	2.50	114.6	4.51	104.0	4.09	187.6	7.39
N24F622490L-180MM	1 1/2	1 1/2	63.5	2.5			180.0	7.08		
N24F622490SS-110.5MM	1 1/2	1 1/2	63.5	2.50	126.6		110.5	4.35	221.4	8.71
N24F622490L-180MM	1 1/2	1 1/2	63.5	2.50	114.6	4.51	180.0	7.09	187.6	7.39
N24F623290-104MM	1 1/2	2	79.4	3.13	116.1	4.57	104.0	4.09	189.1	7.44
NP32F623290-124MM	2	2	79.4	3.13	154.5	6.08	124.0	4.88	237.4	9.35
NP32F623290L-159MM	2	2	79.4	3.13	154.5	6.08	159.0	6.26	237.4	9.35

SAE100R13, SAE100R15 Four & Six Wire Spiral

90 Degree

N Series

FC62 - CAT Flange 90° Elbow




L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N12FC621290-64.4MM	3/4	3/4	41.3	1.63	58.1	2.29	64.4	2.54	110.6	4.35
N12FC621290L-117MM	3/4	3/4	41.3	1.63	54.7	2.15	117.0	4.60	110.2	4.34
N12FC621690-62.7MM	3/4	1	47.6	1.87	58.1	2.29	62.7	2.47	110.6	4.35
N16FC621690-74.5MM	1	1	47.6	1.87	71.2	2.80	74.5	2.93	125.6	4.94
N16FC622090-74.5MM	1	1 1/4	54.0	2.13	71.2	2.80	74.5	2.93	125.6	4.94
N20FC622090-86.5MM	1 1/4	1 1/4	54.0	2.13	95.0	3.74	86.5	3.41	160.3	6.3
N20FC622490-86.5MM	1 1/4	1 1/2	63.5	2.50			86.5	3.41		
N20FC622490L-200MM	1 1/4	1 1/2	63.5	2.50	95.0	3.74	200.0	7.87	160.3	6.31
N24FC622490-104MM	1 1/2	1 1/2	63.5	2.50	114.6	4.51	104.0	4.09	187.6	7.4

N Series


LT - LeTourneau Flange 90° Elbow



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N24LT2490-104MM	1 1/2	1 1/2	60.3	2.37	108.6	4.27	104	4.09	223.0	8.78
NP32LT3290-125MM	2	2	71.42	2.81	145.7	5.74	125	4.92	243.5	9.59

N Series

FT - Taper Flange 90° Elbow (For Heavy Duty Mining Equipment)



L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N16FT1690-90MM	1	1	49.5	1.95	99.6	3.92	90.0	3.54	158.0	6.22
N16FT2090-100MM	1	1 1/4	57.5	2.26	99.6	3.92	100.0	3.94	158.0	6.22
N20FT2090-120MM	1 1/4	1 1/4	57.5	2.26	135.7	5.34	120.0	4.72	207.0	8.1
N20FT2090L-160MM	1 1/4	1 1/4	57.5	2.26	135.7	5.34	160.0	6.30	207.0	8.1
N20FT2490-120MM	1 1/4	1 1/2	68.5	2.70	135.7	5.34	120.0	4.72	207.0	8.1
N24FT2490-140MM	1 1/2	1 1/2	68.5	2.70	155.0	6.10	140.0	5.51	234.0	9.2
N24FT3290-160MM	1 1/2	2	83.5	3.29	155.0	6.10	160.0	6.30	234.0	9.21
NP32FT2490-180MM	2	1 1/2	68.5	2.70	118.5	4.66	180.0	7.09	207.4	8.16
NP32FT3290-150MM	2	2	83.5	3.29	169.7	6.68	150.0	5.91	274.0	10.79




SAE100R13, SAE100R15 Four & Six Wire Spiral

90 Degree

N Series

JF - JIC Female 37° Swivel 90° Elbow





L = Long Drop
B = Block

NB: For 3/8 & 1/2 use
L Series

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N10JF1490L-66MM	5/8	7/8-14	25.4	1.00	46.5	1.83	66.0	2.59	78.0	3.07
N12JF1790-62MM	3/4	1 1/16-12	31.8	1.25	58.4	2.30	62.0	2.44	110.6	4.35
N12JF1790B-30MM	3/4	1 1/16-12	31.8	1.25			30.0	1.18		
N16JF2190-74MM	1	1 5/16-12	38.1	1.50	71.6	2.82	74.0	2.91	125.6	4.94
N16JF2190L-110MM	1	1 5/16-12	38.1	1.50	71.6	2.82	110	4.33	125.6	4.94
N20JF2690-85MM	1 1/4	1 5/8-12	50.0	1.97	95.4	3.76	85.0	3.35	160.3	6.31
N20JF2690L-130MM	1 1/4	1 5/8-12	50.0	1.97	115.0	4.53	130.0	5.12	180.3	7.10
N24JF3090-110MM	1 1/2	1 7/8-12	55.0	2.17	114.5	4.51	110.0	4.33	187.5	7.38
NP32JF4090-136MM	2	2 1/2-12	73.0	2.87	151.7	5.97	136.0	5.35	234.6	9.24

N Series

MF - O-Ring Metric Female 90° Elbow 24° Cone




(S) = Heavy Series
Metric
(B) = Block

NB: For 3/8 & 1/2 use
L Series

Part Number	Products Description										
	Hose In-Dia	DIN	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
N10MFO2030B90-52MM	5/8	(S)	M30*2.0P	36.0	1.42	48.5	1.91	52.0	2.05	80.00	3.15
N10MFO2536B90-59MM	5/8	(S)	M36*2.0P	46.0	1.81			59.0	2.32		
N12MFO2030B90-60.6MM	3/4	(S)	M30*2.0P	36.0	1.42	57.8	2.28	60.6	2.39	110.6	4.35
N12MFO2536B90-65MM	3/4	(S)	M36*2.0P	46.0	1.81	53.7	2.11	65.0	2.56	106.5	4.19
N16MFO2536B90-70MM	1	(S)	M36*2.0P	46.0	1.81	74.6	2.94	70.0	2.76	128.6	5.06
N16MFO3042B90-75MM	1	(S)	M42*2.0P	50.0	1.97	69.6	2.74	75.0	2.95	123.6	4.87
N20MFO3852B90-100MM	1 1/4	(S)	M52*2.0P	60.0	2.36	95.4	3.76	100.0	3.94	160.3	6.31

N Series

FO - Female O-Ring Face Seal Swivel 90° Elbow



L = Long Drop

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N10FO1690L-70MM	5/8	1-14	36.0	1.42	47.5	1.87	70.0	2.75	79.0	3.11
N10FO1990-43MM	5/8	1 3/16-12	36.0	1.42			43.0	1.69		
N12FO1990-48MM	3/4	1 3/16-12	36.0	1.42	58.4	2.30	48.0	1.89	110.6	4.35

Continued on following page..

Can't find what you're looking for?


1300 654 782

SAE100R13, SAE100R15 Four & Six Wire Spiral

90 Degree

N Series

FO - Female O-Ring Face Seal Swivel 90° Elbow *Continued...*



L = Long Drop


NB: For 3/8 & 1/2 use L Series

Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N12FO1990L-96MM	3/4	1 3/16-12	36.0	1.42	58.4	2.30	96.0	3.78	110.6	4.35
N12FO2390-56MM	3/4	1 7/16-12	41.0	1.61	58.1	2.29	56.0	2.2	110.6	4.35
N16FO2390-56MM	1	1 7/16-12	41.0	1.61	70.6	2.78	56.0	2.20	124.6	4.91
N16FO2390L-114MM	1	1 7/16-12	41.0	1.61	71.2	2.80	114.0	4.49	125.6	4.94
N20FO2790-82MM	1 1/4	1 11/16-12	50.0	1.97	95.4	3.76	82.0	3.23	160.3	6.31
N20FO2790L-129MM	1 1/4	1 11/16-12	50.0	1.97	115.4	4.54	129.0	5.08	180.3	7.10
N24FO3290-101MM	1 1/2	2-12	60.0	2.36	114.8	4.52	101.0	3.98	187.6	7.39

105 Degree

N Series

FT - Taper Flange 105° Elbow (For Heavy Duty Mining Equipment)




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N24FT24105	1 1/2	1 1/2	68.5	2.70	155.0	6.10	140.0	5.51	234.0	9.2

110 Degree

N Series

F61 - SAE Code 61 Flange 110° Elbow



Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N12F6112110	3/4	3/4	38.1	1.50	56.7	2.23	84.0	3.31	108.9	4.29
N12F6116110	3/4	1	44.5	1.75	56.7	2.23	84.0	3.31	108.9	4.29
N16F6116110	1	1	44.5	1.75	63.7	2.51	94.0	3.70	117.7	4.63
N16F6120110	1	1 1/4	50.8	2.00	67.7	2.67	94.0	3.70	121.7	4.79
N20F6120110	1 1/4	1 1/4	50.8	2.00	61.9	2.44	104.0	4.09	141.7	5.58




SAE100R13, SAE100R15 Four & Six Wire Spiral

110 Degree

N Series

F62 - SAE Code 62 Flange 110° Elbow




Part Number	Products Description									
	Hose In-Dia	Flange Size	Flange Dia		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
N20F6220110	1 1/4	1 1/4	54.0	2.13	76.4	3.01	104.0	4.09	141.7	5.58

SAE100R14 Stainless PTFE

Straight

C Series


JF - JIC Female 37° Swivel Straight



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
C03JF07	3/16	7/16-20	14.3	0.56			14.3	0.56		
C04JF07	1/4	7/16-20	14.3	0.56			14.3	0.56		
C04JF09	1/4	9/16-18	16.9	0.66			15.8	0.61		
C06JF09	3/8	9/16-18	17.46	0.68			17.46	0.68		
C06JF12	3/8	3/4-16	21.7	0.85			21.7	0.85		
C08JF12	1/2	3/4-16	22.22	0.87	37.0	1.46	20.6	0.81	54.8	2.16
C08JF14	1/2	7/8-14	25.4	1.00			22.2	0.87		
C10JF14	5/8	7/8-14	25.4	1.00	39.9		22.2	0.87		
C10JF17	5/8	1 1/16-12	32.0	1.26			25.4	1.00		
C12JF17	3/4	1 1/16-12	32.0	1.26			25.4	1.00		
C16JF21	1	1 5/16-12	38.1	1.50			35.0	1.37		

C Series

SF - SAE Female Straight




Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
C06SF10	3/8	5/8-18	19.0	0.74			17.5	0.68		
C10SF17	5/8	1 1/16-14	32.0	1.25			25.4	1.00		
C12SF17	3/4	1 1/16-14	32.0	1.25			25.4	1.00		

SAE100R14 Stainless PTFE

45 Degree

C Series

JF - JIC Female 37° Swivel 45° Elbow




Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
C06JF1245	3/8	3/4-16	22.2	0.87	35.16	1.40	14.0	0.55	53.4	2.1

90 Degree

C Series

JF - JIC Female 37° Swivel 90° Elbow



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
C04JF0790-21MM	1/4	7/16-20	14.3				21.0	0.82		
C04JF0990-22MM	1/4	9/16-18	17.5				22.0	0.86		
C06JF0990-26MM	3/8	9/16-18	17.5				26.0	1.02		
C06JF1290-28MM	3/8	3/4-16	22.2		29.2	1.14	28.0	1.10	47.0	1.85
C08JF1290-31MM	1/2	3/4-16	22.2				31.0	1.22		
C08JF1490-31MM	1/2	7/8-14	25.4				31.0	1.22		
C12JF1790-53MM	3/4	1 1/16-12	31.8				53.0	2.08		



Waterblast

Straight

Waterblast


KA - Karcher Pressure Wash Straight - Two Piece



Part Number	Products Description									
	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
G04KA22	1/4	M22*1.5P								
G05KA22	5/16	M22*1.5P								
G06KA22	3/8	M22*1.5P								

Waterblast

KA - Karcher Pressure Wash Straight




Part Number	Products Description									
	Hose In-Dia	Thread METRIC	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
K04KA22	1/4	M22*1.5P								
K05KA22	5/16	M22*1.5P								
K06KA22	3/8	M22*1.5P								

Grease Hose Field Attachable

Straight

GH Series


BF - BSP Female Parallel Pipe Swivel Straight 60° Cone



Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
GH02BF02	1/8									

GH Series


BM - BSP Male Taper Pipe Straight 60° Cone



Part Number	Products Description									
	Hose In-Dia	Thread PT	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
GH02BM02	1/8	1/8-28			24.5	0.95	12.0	0.47	44	1.73

GH Series


JF - JIC Female 37° Swivel Straight



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
GH02JF07	1/8	7/16-20	14.3	0.56	30.7	1.21	14.0	0.55	50.2	1.98

GH Series

SP - Stand Pipe Male Straight




Part Number	Products Description									
	Hose In-Dia	SP OD	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
		MM	MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
GH02SP06	1/8	6.0			34.6	1.36	10.0	0.39	54.1	2.13
GH02SP08	1/8	8.0			36.5	1.44	12.0	0.47	55.5	2.18

45 Degree

GH Series

SP - Stand Pipe Male 45°



Part Number	Products Description									
	Hose In-Dia	SP OD	Nut Hex		Tail-Growth		Drop		Overall Length	
		MM	MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
GH02SP0645	1/8	6.0	10.0	0.39	45.0	1.77	20.5	0.8	64.0	2.52




TAIPAN

Grease Hose Field Attachable

90 Degree

GH Series


JF - JIC Female 37° Swivel 90° Elbow



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
GH02JF0790-21MM	1/8	7/16-20	14.3	0.56	29.0	1.14	21.0	0.83	48.5	1.91

GH Series

SP - Stand Pipe Male 90°




Part Number	Products Description									
	Hose In-Dia	SP OD	Nut Hex		Tail-Growth		Drop		Overall Length	
		MM	MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
GH02SP0690-37MM	1/8	6.0	10.0	0.39	31.5	1.24	37.0	1.46	51.0	2.0

Shells

GH Series

Grease Shell




Part Number	Products Description									
			Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
			B		C		D		E	
GH02SHELL			12	0.47					28.0	1.10

Grease Hose Tails - Crimp On

Straight

J Series


BF - BSP Female Parallel Pipe Swivel Straight 60° Cone



Part Number	Products Description									
	Hose In-Dia	Thread BSP	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J02BF02	1/8	1/8-28	14.0	0.55						
J02BF04	1/8	1/4-19	19.0	0.74						

J Series


JF - JIC Female 37° Swivel Straight



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple OD		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J02JF07	1/8	7/16-20	14.3	0.56						

J Series


FO - Female O-Ring Face Seal Swivel Straight



Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Nipple OD		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J02FO09	1/8	9/16-18	17.5	0.69	29.0	1.14	14.3	0.56		

J Series

MF - Metric Female Ball Nose




(LL) = Extra Light Series Metric
(S) = Heavy Series Metric

Part Number	Products Description										
	Hose In-Dia	DIN	Thread Metric	Nut Hex		Tail-Growth		Nipple Hex		Overall Length	
				MM	Inch	MM	Inch	MM	Inch		
			A	B		C		D			
J02MF0610C	1/8	(LL)	M10*1P	11.6	0.45						
J02MF0614A	1/8	(S)	M14*1.5P	15.8	0.62			14.0	0.55		

J Series

SP - Stand Pipe Straight



Part Number	Products Description								
	Hose In-Dia	Length		OD		Tail-Growth		Overall Length	
		MM	Inch	MM	Inch	MM	Inch	MM	Inch
				B		C			
J02SP06	1/8	22.0	0.87	6.0	0.24				




TAIPAN

Grease Hose Tails - Crimp On

45 Degree

J Series

MF - Metric Female Ball Nose 45° Elbow 24° Cone




	Hose In-Dia	DIN	Thread METRIC	Nut Hex		Tail-Growth		Drop		Overall Length	
				MM	Inch	MM	Inch	MM	Inch	MM	Inch
			A	B		C		D		E	
J02MF0610C45	1/8	(LL)	M10*1P	11.6	0.45						

(LL) = Extra Light Series Metric

J Series

SP - Stand Pipe 45° Elbow




Part Number	Products Description								
	Hose In-Dia	OD		Tail-Growth		Drop		Overall Length	
		MM	Inch	MM	Inch	MM	Inch	MM	Inch
		B		C		D		E	
J02SP0645	1/8	6.0	0.24						

90 Degree

J Series


BF - BSP Female Parallel Pipe Swivel 90° Elbow 60° Cone



Part Number	Products Description									
	Hose In-Dia	Thread PF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D		E	
J02BF0290-25MM	1/8	1/8-28	14.0	0.55			25.0	0.98		

J Series

JF - JIC Female 37° Swivel 90° Elbow




Part Number	Products Description									
	Hose In-Dia	Thread UNF	Nut Hex		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
		A	B		C		D			
J02JF0790-21.1MM	1/8	7/16-20	14.3	0.56	24.2	0.95	21.1	0.83		

Grease Hose Tails - Crimp On

90 Degree

J Series




(LL) = Extra Light Series
Metric

MF - Metric Female Ball Nose 90° Elbow

Part Number	Products Description										
	Hose In-Dia	DIN	Thread Metric	Nut Hex		Tail-Growth		Drop		Overall Length	
				MM	Inch	MM	Inch	MM	Inch		
			A	B		C		D			
J02MF0610C90-23.8MM	1/8	(LL)	M10*1P	11.6	0.45			23.8	0.93		

J Series



SP - Stand Pipe 90° Elbow

Part Number	Products Description									
	Hose In-Dia		OD		Tail-Growth		Drop		Overall Length	
			MM	Inch	MM	Inch	MM	Inch	MM	Inch
			B		C		D		E	
J02SP0690-37MM	1/8		6.0	0.24			37.0	1.45		





STOCKS YOU CAN COUNT ON

Taipan has a goal of 100% supply rate. We aim to have whatever you need from our standard range, whenever you need it. We know it is a big ask but we can assure you that we are constantly working on it.

Cooperation and communication with our customers set us above our competitors. Taipan encourages great working relationships with suppliers and customers to reduce availability problems, delays, and quality issues.

We stock over 7000 hose, hose tail, adaptor and accessory products at our distribution hubs in

Caboolture, Rocklea, Melbourne, Perth and Adelaide. Our international supply chain includes over 50 hand picked, world-class component manufacturers in 17 countries across Europe, North America and Asia-Pacific.

www.taipan.com.au



TAIPAN
Hydraulic Hose Systems



We are proudly Australian
owned and operated



Taipan Hydraulics has been in
operation for over 30 years

2500+
ADAPTORS

6500+
PRODUCTS

We stock a massive range of
quality hydraulic hoses and
adaptors



TAIPAN
Hydraulic Hose Systems



TAIPAN

Hydraulic Hose Systems

CABOOLTURE

11-13 Lear Jet Drive
Caboolture, QLD 4510
Ph: 07 5428 1211
Fax: 07 5428 1311

ROCKLEA

41 Shettleston Street
Rocklea, QLD 4106
Ph: 07 3274 3433
Fax: 07 3274 3477

ADELAIDE

Warehouse 1
Lot 552 Wilkins Road
Wingfield, SA 5013
Ph: 08 8448 3969

MELBOURNE

23 Endeavour Way
Sunshine West, Vic 3020
Ph: 03 9109 2109
Fax: 03 8317 9049

PERTH

3 Mordaunt Cct
Canning Vale, WA 6155
Ph: 08 9456 5448
Fax: 08 9256 1242

CONTACT US 1300 654 782

taipan.com.au